DAILY RAINFALL 1911 1920

CARMARTHENSHIRE

AMMANFORD	WERNOLEH.	1917-18,	1920
CARMARTHEN.	THE FRIARY	1911	1920
LLANDILO	CAEGLAS	1911-12, 14-1915	
"	CWMIFOR COUNCIL SCHOOL	1915	1920
"	DYNEVOR CASTLE	1912-14, 16-1920	
LLANDOVERY			1913
"	NANTYRHOSYFALEN.	1917-18,	1920
LLANDDEUSANT	PONTYCRYNFE	1911	1920
LLANELLY	CWMLLIEDI W.W.	1911	1920
"	CYNHEIDRE		1920
"	FILTER BEDS		1920
"	UPPER LLIEDI RES		1920
"	OLD MARKET YARD	1911	1920
LLANGADOCK			1917
LLANWRDA.	DOLAUCOTHY	1911	1920
LLANYBYTHER	WEST WALES SANATORIUM	1911	1913
LAUGHARNE	BROADWAY.	1914	1920

AMMANFORD

WERNOLEU

CARMARTHEN

1914-18, 20

FORM A. BRITISH RAINFALL.

2 JAN 1919

RE

Kept at WERNOL

in the County of Car

by Cruck

au

Tenmanford

n Gauge 5 in.

ve Ground 5 ft. 8½ in.

Sea Level 200 ft.

IMPORTANT N

previous day. If an

requested to add the r

for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

l the result entered to the versal rule, he is earnestly ar in the space provided

Jan. 1, following. (-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·70		·05	·04		·58			·58		·04	·11	1
2	0·40		·10	·41		·35		·04	·17		·17	·07	2
3	0·20			·37		·12				·09	·10	·06	3
4	·13	·27		·07		·14	·37			·95	·50	·03	4
5		·20	·47	·05			·06		·04	·31	·04		5
6	·48		·64	·25		·23		·05	·14	·26	·60		6
7	·57		·21			·06		·59		·61	·36	·27	7
8				·04		·03	·23	·07		·16	·06	·24	8
9	·07		·32	·10			·26	·81	·11	·55	·48	·28	9
10			·06	·80				·26		·47	·32		10
11	·21		·86	·28	·40			·41		·45	·18		11
12	·04		·14	·33				·88		·52	·14		12
13	·24		·05	·03	·82			·11		·28		·04	13
14	·17		·10	·08		·05		·53	·37	·11	·06		14
15	03			·08	·02			·27	·03	·06		·06	15
16				·10	·04		·17		·11	·86	·03	·73	16
17		·22		·20				·05	·03	·08	·02	·20	17
18			·08	·32	·13		·86	1·36	·36	·15	·03		18
19			·11	·05	·06		·51	·05	·84	·03			19
20		·19	·80			·27		·03	·05				20
21		·09	·02		·57	·74		·09	·08		·07	·03	21
22					·04	·03		·19		·36	·11		22
23						·05		1·03		·17			23
24		·15			·28	·07		·83		·11		·03	24
25		·04	·03			·30	·40	·18		·50			25
26		·09	·11				·03	·48	·17	·10	·15	·05	26
27					·37		·04	·12	·43	·03	·34		27
28			·03		·17	·40	·77	1·49	·02				28
29			·13		·08	·06	·03	·82		·10	·04		29
30		X	·25					·04		·62	·08		30
31		X	·02	X		X		·54	X	·25	X		31
Total	2·871	1·26	3·86	3·60	2·98	3·48	3·73	11·32	3·53	8·18	3·92	2·17	52·98
Rain Days.	13	8	21	18	13	15	12	26	16	26	22	14	203

W. 8,000, IX. 17.

RI

FORM A.
BRITISH RAINFALL.

2 JAN 1918

Kept at WERNOL... Cwmamford

in the County of Carmarthen

by Eric Hewlett

Time of Observation 9 am

Nearest Railway Station Ammanford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 8½ in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·70		·05	·04		·58			·58		·04	·11	1
2	0·40		·10	·41		·35		·04	·17		·17	·07	2
3	0·20			·37		·12				·09	·10	·06	3
4	·13	·24		·07		·14	·37			·95	·50	·03	4
5		·20	·47	·05			·06		·04	·31	·04		5
6	·48		·64	·25		·23		·05	·14	·26	·60		6
7	·57		·21			·06		·59		·61	·36	·27	7
8				·04		·03	·23	·07		·16	·06	·21	8
9	·07		·32	·10			·26	·81	·11	·55	·48	·28	9
10			·06	·80				·26		·47	·32		10
11	·21		·86	·28	·40			·41		·45	·18		11
12	·04		·14	·33				·88		·52	·14		12
13	·24		·05	·03	·81			·11		·28		·04	13
14	·17		·10	·08		·05		·53	·37	·11	·06		14
15	03			·08	·02			·27	·03	·06		·06	15
16				·10	·04		·17		·11	·86	·03	·73	16
17		·22		·20				·05	·03	·08	·02	·20	17
18			·08	·32	·13		·86	1·36	·36	·15	·03		18
19			·11	·05	·06		·51	·05	·84	·03			19
20		·19	·80			·27		·03	·05				20
21		·09	·02		·57	·74		·09	·08		·07	·03	21
22					·04	·03		·19		·36	·11		22
23						·05		1·03		·17			23
24		·15			·28	·07		·83		·11		·03	24
25		·04	·03			·30	·40	·18		·50			25
26		·09	·11				·03	·48	·17	·10	·15	·05	26
27					·37		·04	·12	·43	·03	·34		27
28			·03		·17	·40	·77	1·49	·02				28
29			·13		·08	·06	·03	·82		·10	·04		29
30		X	·25					·04		·62	·08		30
31		X	·02	X		X		·54	X	·25	X		31
Total	2·87	1·20	3·60	3·60	2·98	3·48	3·73	11·37	3·53	8·18	3·92	2·17	YEAR'S TOTAL 52·98
Rain Days.	13	8	21	18	15	16	12	26	16	26	22	14	203

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

Kept at Wernolau
Ammanford
in the County of Carmarthenshire
by Evie Hewlett

Lat. ____ Long. ____
Time of Observation 9 A.M.
Nearest Railway Station Ammanford
Diameter of Funnel of Rain Gauge Reg. in.
Height of top of Gauge above Ground [illegible] ft. ____ in.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (.10)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0	0	.09	.40	0	0	0	0	.03	.05	.06	.07	1
2	0	.22	0	.12	.06	0	.03	.37	.05	.04	1.04	0	2
3	0	.36	0	.08	0	0	0	.27	0	.05	.17	1.26	3
4	0	.26	0	.15	.52	0	0	.04	.33	.25	.23	.17	4
5	.03	.22	0	0	0	0	0	.10	.28	.67	.98	.96	5
6	0	.05	.03	.35	.39	0	0	.80	.12	1.48	.04	.04	6
7	.06	.95	0	.21	0	.15	0	0	.05	.37	0	.06	7
8	.06	.21	0	.06	.35	.03	0	0	.78	.12	.34	.55	8
9	.49	.06	0	0	0	.05	.04	0	.07	.35	.08	.06	9
10	.02	.07	0	.36	0	.60	.26	0	.72	.50	.08	.57	10
11	.03	.09	0	.13	0	0	.46	0	.32	.12	.12	.51	11
12	.06	.08	.30	0	0	0	.54	0	.15	.03	.05	.31	12
13	.04	.28	0	0	.21	0	.09	0	.08	0	0	.11	13
14	.09	.03	0	0	.03	.04	0	0	.83	.42	0	.28	14
15	.95	0	0	0	.15	0	.39	.03	.26	.04	0	.90	15
16	1.06	0	0	0	0	.05	.73	0	.63	.28	0	.96	16
17	.26	0	0	.62	.02	.09	.07	.06	.37	.07	0	.13	17
18	.53	0	0	.09	0	.05	.16	.05	.10	0	0	.80	18
19	.82	.03	.12	0	0	1.18	.17	.03	.57	.11	0	.35	19
20	.43	.18	.11	.08	0	0	.19	.03	.04	.02	0	.03	20
21	.42	.17	.03	.12	0	.05	.07	0	.25	0	0	.05	21
22	.49	.09	0	.04	0	.04	.30	0	.59	.02	0	.13	22
23	.13	0	0	0	.53	0	1.42	0	.22	.67	0	.41	23
24	.87	0	0	0	.45	.03	.30	0	.27	0	.05	.03	24
25	.06	.13	0	0	0	0	.17	.10	.37	.04	.16	.10	25
26	0	0	0	0	.15	0	.38	.27	.07	.06	.07	.07	26
27	.14	0	0	.31	.03	0	0	.03	.28	.11	.05	.80	27
28	.06	.11	.58	0	0	.04	0	.58	.26	.10	.33	.10	28
29	0		.41	0	0.	0	0	.03	0	.06	.35	.16	29
30	0	X	.22	0	0	0	0	0	.97	.05	0	.15	30
31	0	X	.57	X	0	X	0	.03	X	.12	X	.16	31
Total	7.10	3.59	2.46	3.12	2.89	2.40	5.77	2.82	9.06	6.20	4.20	10.27	59.88
Rain Days.	22	19	10	15	12	13	18	14	28	27	17	30	225

7.10 3.68 2.77 2.72 2.89 2.40 5.77 2.85 9.08 6.21 4.21 10.30 59.98

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

1.1 JAN 1921

Kept at Wernolau, Ammanford

in the County of Carmarthenshire

by Erne Hewlett

Lat. 51.47.40 Long. 3°.58 W.

Time of Observation 9 A.M.

Nearest Railway Station Ammanford

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ft. 4" in.

" " " " Sea Level 212 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·03	·04	·10	·09	·00	·85	·00	·17	·30	·00	·75	1
2	·65	·10	·00	·15	·05	·00	·24	·00	·34	·10	·00	·48	2
3	·05	·20	·00	·10	·03	·00	·10	·04	·13	1·05	·00	·12	3
4	·00	·00	·03	·03	·03	·00	·03	1·78	·11	·45	·00	·00	4
5	·00	·00	·27	·00	·86	·00	·38	·04	·00	·28	·00	·00	5
6	·00	·00	·57	·08	·70	·00	·10	·00	·03	·28	·00	·00	6
7	·24	·06	·05	·10	·00	·00	·35	·00	·02	·00	·04	·00	7
8	·04	·04	·00	·67	·17	·00	·20	·06	·00	·00	·00	·00	8
9	·52	·62	·07	1·30	·00	·08	·17	·00	·02	·00	·55	·00	9
10	1·40	·40	·27	·00	·00	·22	·37	·03	·00	·00	·00	·00	10
11	·15	·00	·47	·32	·40	·04	·11	·00	·00	·00	·00	·00	11
12	·45	·25	·03	·44	·08	·37	·24	·00	·00	·00	·36	·00	12
13	·08	·06	·81	·43	·00	·03	·02	·00	·00	·15	·05	·00	13
14	·35	·10	1·10	·71	·00	·00	·05	·00	·64	·75	1·06	·00	14
15	·12	·17	·10	·74	·10	·58	·00	·00	·03	·04	·23	·00	15
16	·05	·04	·15	·17	·15	·11	·77	·03	·88	·65	·08	·00	16
17	·39	·00	·03	·07	·43	·03	·03	·28	1·34	·05	·00	·00	17
18	·38	·00	·00	·13	·13	·06	·04	·17	·55	·00	·00	·00	18
19	·03	·21	·00	·58	·10	·15	·10	·00	·00	·03	·00	·00	19
20	·12	·05	·00	·44	·00	·30	·05	·00	·00	·00	·00	·63	20
21	·00	·00	·00	·11	·00	·00	·40	·00	·00	·04	·00	·17	21
22	·30	·00	·15	·13	·00	·00	·38	·10	·00	·00	·00	·83	22
23	·07	·00	·80	·03	·00	·00	·49	·04	·00	·00	·00	·68	23
24	·08	·00	·00	·00	·00	·00	·04	·00	·00	·00	·15	·70	24
25	·10	·05	·16	·07	·00	·00	·96	·00	·00	·00	·03	·04	25
26	·40	·03	·58	·22	·00	·11	·20	·00	·03	·00	·25	·20	26
27	·90	·02	·34	·36	·04	·55	·10	·00	·00	·00	·40	·65	27
28	·70	·05	·45	·07	·03	·45	·15	·00	·00	·00	·03	·14	28
29	·65	·04	·24	·20	·26	·10	·31	·00	·00	·00	·57	·74	29
30	·40		·55	·24	·00	·57	·30	·00	·85	·30	·35	1·35	30
31	·21		·45		·06		·04	·04		·87		·20	31
TOTAL	8·83	2·52	7·71	7·99	3·71	3·75	7·57	2·64	5·14	5·34	4·15	7·68	YEAR'S TOTAL 64·00
Days with ·01 in. or more	26	19	23	27	18	16	30	11	14	15	14	15	228
Days with ·04 in. or more	25	16	20	25	15	14	27	9	9	14	12	15	201

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

CARMARTHEN
THE FRIARY
1911 - 1920

REG … N 1911

Kept at Carmarthen

in the County of Carma

by L. M. Bowen-

…orn

…eter of top 5 in.

…ht of top above Ground 1 ft. 5 in.

„ „ Sea Level 619 ft.

…vation

…ay Station { Name / Distance · Direction

IMPORTANT NOTE. … a.m., and the result entered to the previous day. If an Obse… almost universal rule, he is earnestly requested to add the readin… llowing year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.05	.04	.40			.01			.50	.31	1
2				.03	.36			.24		.35	.09	.41	2
3			.02		.78			.15	.08		.70	.39	3
4			.25		.04			1.37			.70	.60	4
5	.63		.22		.01			.04		.06	.12		5
6	.27		.08		.01			.15			.13	1.14	6
7	.11		.01								.43		7
8	.29		.26								.40		8
9	.06		.01								.70	.61	9
10	.29	.50	1.19		.25							.65	10
11	.31		.13		.58			.01	.09	.06	.18	.25	11
12	.02	.02	.50		.14				1.55		.81	.04	12
13	.01		.04		.33				.02	.09	.53	.13	13
14		.05	.05		.08					.01	.31	.41	14
15		.20	.08		.01	.08					.47	.11	15
16	.03	.02	.01			.76					.25	.39	16
17	.01	.04		.09		1.44					.53	.61	17
18		.42	.01	.48		.06				.14	.54	.55	18
19		.04		.28		.17		.04	.47	.04	.47	1.07	19
20		.19	.02	.78		.04			.19	.58		.21	20
21		.45	.02	.04		.30	.17	.01	.12	.79		.07	21
22	.08	.37	.01	.27		.14			.18	.27		.55	22
23	.01	.06	.02	.01	.03	.08		.21	.29	.42	.03	.47	23
24	.07	.33		.04	.02	.38		.10	.16	.06		.38	24
25	.17	.02		.23		.03	.04		.30	.34		.17	25
26	.02	.34		.50				.34	.01	.13		.18	26
27		.29	.02	.03				1.17	.15	.04	.31	.24	27
28		.13		.21			.10	.17			.02	.03	28
29			.01	.03		.34	.13	.04	.18	1.06	.01	.08	29
30				.01		.02	.02		.03	.32	.39	.02	30
31							.34			.06		.03	31
Total	2.39	3.47	3.01	3.07	3.04	3.84	.80	4.05	3.82	4.82	8.62	10.10	TOTAL for year 51.03
No. of Rain Days	17	17	22	16	14	13	6	15	15	18	23	28	204

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A 2. BRITISH RAINFALL. 20 JAN 1912

Kept at Carmarthen, The Friary

in the County of Carmarthen

by L. M. Bowen-Jones

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground 1 ft. 5 in. „ „ „ Sea Level 619 ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.05	.04	.40			.01			.50	.31	1
2				.03	.36			.24		.35	.09	.41	2
3			.02		.78			.15	.08		.70	.39	3
4			.25		.04			1.37			.70	.60	4
5	.63		.22		.01			.04		.06	.12		5
6	.27		.08		.01			.15			.13	1.14	6
7	.11		.01								.43		7
8	.29		.26								.40		8
9	.06		.01								.70	.61	9
10	.29	.50	1.19		.25							.65	10
11	.31		.13		.58			.01	.09	.06	.18	.25	11
12	.02	.02	.50		.14				1.55		.81	.04	12
13	.01		.04		.33				.02	.09	.53	.13	13
14		.05	.05		.08					.01	.31	.41	14
15		.20	.08		.01	.08					.47	.11	15
16	.03	.02	.01			.76					.25	.39	16
17	.01	.04		.09		1.44					.53	.61	17
18		.42	.01	.48		.06				.14	.54	.55	18
19		.04		.28		.17		.04	.47	.04	.47	1.07	19
20		.19	.02	.78		.04			.19	.58		.21	20
21		.45	.02	.04		.30	.17	.01	.12	.79		.07	21
22	.08	.37	.01	.27		.14			.18	.27		.55	22
23	.01	.06	.02	.01	.03	.08		.21	.29	.42	.03	.47	23
24	.07	.33		.04	.02	.38		.10	.16	.06		.38	24
25	.17	.02		.23		.03	.04		.30	.34		.17	25
26	.02	.34		.50				.34	.01	.13		.18	26
27		.29	.02	.03				1.17	.15	.04	.31	.24	27
28		.13		.21			.10	.17			.02	.03	28
29			.01	.03		.34	.13	.04	.18	1.06	.01	.08	29
30				.01		.02	.02		.03	.32	.39	.02	30
31							.34			.06		.03	31
Total	2.39	3.47	3.01	3.07	3.04	3.84	.80	4.05	3.82	4.82	8.62	10.10	TOTAL for year 51.03
No. of Rain Days	17	17	22	16	14	13	6	15	15	18	23	28	204

DL

REGISTER OF RAINFALL IN 1912

25 JAN 1913

FORM A2. BRITISH RAINFALL

Kept at Carmarthen, The Friary

in the County of Carmarthen

by L. M. Bowen-Jones

RAIN GAUGE: Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. " " " Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.25		.06	.68	.06	.06	.06	.29		.48	1
2	.02	.07	.32	.01		.38				.01	.02	.02	2
3	.04		.39		.01	.14		1.41	.16		.08	.40	3
4	.32		.73		.09	.01		.17			.72	.01	4
5	.64	.21	.19		.07			.39			.03	.15	5
6	.16	.01	.03	.01	.33			.18		.02	.07	.02	6
7	.24	.66	.22		.08	.68	(.20)	.26		.01	.02	.17	7
8	.50	.16	.33	.03	.01	.08		.20	.01		.02	.02	8
9	.04	.23	.04	.13		.07	.16	.39	.05		.03	.78	9
10	.49	.25	.01			.07	.49	.23			.22	.05	10
11	.06			.12			.18	.02			.44	.76	11
12	.15		.45	.12	.06	.03	.32	.12			.10	.03	12
13	.22		.09	.02		.08	.01			.53	.02	.54	13
14	.26	.06	.59			.01		.08		.01	.01	.04	14
15	.65	.19	.02		.01	.36		.06			.02	.13	15
16	.26	.37	.76		.08	.05		1.00		.32		.05	16
17	.04	.02	.13		.01	.15		.81			.11	.40	17
18	.12	.11	.11			.02		.41		.10	.07	.08	18
19	.02	.14	.01		.04	.05		.50		.16		.11	19
20	.03	.03	.63		.02			.02		.23	.01	.04	20
21	.01	.73	.48		.12			.24		.26		.27	21
22	.17	.44	.19		.17	.22	.45	.72		.12	.05	.28	22
23	.10	.02	.30			.36	.04	.32		.10	.30	.10	23
24		.13	.17			.60	.25	.03		.02	.01	.29	24
25	.04	.04	.06			.24	.11	.37		.27	.56	.84	25
26		.17	.13			.02	.01	.07		.84	.53	.30	26
27		.26	.06			1.15	.75	.01	.03	.80	.06	.56	27
28		.21	.01			.26	.47	.54	.11	.63	1.16		28
29		.19				.06	.23	.05	.31	.33		.04	29
30			.20	.10		.07	.22	.01	.02	.53			30
31	.02		.40				.34	.05		.04		.29	31
Total	4.61	4.70	7.30	.54	1.16	5.84	4.29	8.72	.75	5.62	4.66	7.28	TOTAL for year 55.47
No. of Rain Days	25	23	29	8	15	25	17	29	8	21	24	29	254

9,000, IX. '10.

Cor. for auth. 20.IV.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 2/45

28 JAN 1914

Kept at Carmarthen, The Friary

in the County of Carmarthen

by L. M. Bowen-Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 5" in.

" " " " Sea Level 62 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.03	.36	.40	.46	.07						.46	.05	1
2	.12	.22	.34	.09	.35	.24					.28	.15	2
3	.11	.02	.13		.29							.34	3
4	.53	.07	.22		.01	.20			.66	.35	.08	.15	4
5	.21	.06	.03		.13	.28	.07		.18	.01	.44	.15	5
6	.37	.15	.17		.16	.34	.02			.20	.22	.48	6
7	.09	.66	.03		.67	.50				.68	.31		7
8	.04	.53	.01		.21		.12	.07		.08	.01	.07	8
9		.49	.12	.01	.14	.59	.23	.01	.02	.02	.59	.06	9
10	.66		.11	.02	.11			.32	.03	.62	.06		10
11	.25			.24	.16		.01	.10	.05	.19	.84	.09	11
12			.02	.01	.09	.02	.14	.04	.44	.01	.37	.01	12
13	.03		.42	.04	.19		.09	.17	1.60		.16		13
14	.22	.03	.38	.13				.01	.73		.29	.11	14
15	.33		.64	1.27				.03	.12		.05	.03	15
16	.14		.53	.06		.01	.07				.03		16
17	.27		.16	.11			.06				.13		17
18	.13		.46	.19		.02	.08				.16		18
19	.60		.17		.03	.07	.03		.29	.29	.17		19
20	.47		.28	.24	.07				.06	.09	1.15		20
21	.02		.14		.19	.02	.05	.13	.05	.19	.09		21
22	.69		1.02		.04	.24		.55	.54		.02	.02	22
23	.04		.09		.01	.02		.03	.58	.01	.12	.09	23
24	.18	.19		.26	.02						.22	.03	24
25		.01		.32					.20	.05	.03	.10	25
26	.01			1.24		.02			.29	.04		.33	26
27	.20		.18	.28					.01	.47		.06	27
28	.11		.09	.11	.34					.42		.33	28
29	.02		.19	.82	.28					.52	.06		29
30	.54		.01	.13	.31					.31	.06		30
31			.26		.01					.62			31
Total	6.41	2.79	6.60	6.03	3.88	2.57	.97	1.46	~~5.85~~ 5.85	5.17	6.40	2.65	YEAR'S TOTAL 50.78
Rain Days.	27	12	27	20	23	14	12	11	17	20	26	19	228

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

2/48

FORM A. BRITISH RAINFALL.

23 JAN 1915

Kept at Carmarthen, The Friary

in the County of Carmarthen

by L. Th. Bowen-Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 5" in.

" " " " Sea Level 62 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.01	.05	.04		.25	1.29	.92			.11	.29	1
2					.05		.15	.07			.68	.45	2
3	.02		.43	.14	.90			.02			.12	.19	3
4	.27		.01	.39	.17		.80	.01			.17	.36	4
5	.01		.27	.23	.06			.07			.02		5
6	.11	.17	.18	.04	.18	.01	.14	.06		.01	.07	.40	6
7	.21	.42	.34	.03	.45	.06	.60	.57	.02	.01	.03	.25	7
8	.25	.02	.03	.10	.48	.02		.58			.07	.12	8
9	.35	.16	.14	.15	.35	.39		.14			.04	.02	9
10	.08	.66	.06	.30	.06	.01		.02	.41			.02	10
11		.31	.80	.03	.16	.14			.06		.17	.74	11
12		.56	.27	.01					.28		.26	.15	12
13		.65	.51	.01			.27		.62	.06	.22	.17	13
14		.54	.26				.20	.22	.01	.01	.49	.03	14
15		.02	.15				.01	.12	.15		.43	.12	15
16			.14				.02		.43			.02	16
17		.89	.23				.10		.01			1.40	17
18		.02	.18				.44		.17	.01		.44	18
19		.09	.06				1.41		.11		.07	.18	19
20		.55	.24			.06		.01				.27	20
21		.20	.09			.19	.09			.28			21
22		.18	.14	.06		.11		.43		.77			22
23		.15	.47				.03	.01		.09			23
24	.03	.36	.11				.03	.03		.01	.18	.02	24
25	.48		.11				.07	1.14		.64	.28	1.12	25
26	.04	.02	.01				.09	.07		.16	.55	.56	26
27	.14	.16					.01	.01		.18	.40	1.00	27
28	.04	.06	.45		.11			.01			.11	.58	28
29	.44		.18		.64			.03		.01	1.02	.05	29
30	.03		.19							.06	.31	.53	30
31	.45		.02		.02		.81			.26		.67	31
Total	2.96	6.20	6.12	1.53	3.03	1.74	6.46	4.54	2.27	2.56	5.80	10.15	YEAR'S TOTAL 53.36
Rain Days.	17	22	29	13	13	10	19	21	11	15	22	27	219

W.7,000, XI. 13

cwd for auth n. Il. 16

4001 2/48

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Carmarthen

in the County of Carmarthen

by L. R. Bowen-Jones

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.92	.48			.21		.04	.49		.19	.01	.34	1
2	.12	.28	.35	.30		.28	.11	.05	.06	.06		.13	2
3	.01	.12	.29	.05	.07		.09	.06				.47	3
4	.06	.25	.19		.06	.10	.01	.01	.10			.53	4
5	.17	.54	.02	.25	.02	.01		.10				1.09	5
6	.40	.05	.02	.27		.01	.27	.14				.08	6
7	.18	.79		.02			.12	.06		.20	.02	.31	7
8	.21	.06		.02				.18		.02	.42	.01	8
9	.06	.45		.22				.10			.04	1.02	9
10	.50	.19	.15	.24		.01	.02	.03		.25		.04	10
11	.01	.05	.01	.01				.28		.02	1.42	.03	11
12	.29	.34		.10	.12			.02		.04	1.09	.34	12
13	.02	.37		.04	.37			.15	.30	.15	.15	.30	13
14	.15	.09		.01				.23	.06	.01	.08	.95	14
15	.27	.03		.01	.23		.29	.02	.10	.01	.14	.45	15
16	.05	1.83		.02	.13		.58		.02	.01		.36	16
17	.17	.46	.02		.10		.13			.01		.01	17
18	.01	.66	.01					.04		.01			18
19		.14		.13	.35		.62						19
20	.45	.04	.05	.02	.05				.03			.22	20
21	.58	.10	.01		.03		.38			.19		.31	21
22		.06	.10	.03		.15	.30		.06	.11		.44	22
23	.01	.09		.01		.10	.07		.13	.40	.02	.48	23
24			.11	.03					.01	.14		.27	24
25			.02			.17	.03				.03	.20	25
26		.66				.16	.37		.08			.55	26
27		.09				.15	.46		.02	.82		.17	27
28		.19				.03			.21	.06		.06	28
29						1.20		.03	.53	.10	.40	.11	29
30	.08	X		.30		.01	.01		.08	.20	.44	.37	30
31		X		X		X	.24	.53	X	.11	X	.47	31
Total	4.72	8.41 8.41	1.35	2.08	1.74	2.38	4.14	2.52	1.79	3.11	4.26	10.11	YEAR'S TOTAL 46.61 46.61
Rain Days.	22	26	14	20	12	13	19	18	15	22 17	13	29	223

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 30 JAN 1917

Kept at Carmarthen, The Friary

in the County of Carmarthenshire

by L. M. Bowen-Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.35	.07	.02			.25	.12			.78	.60		1
2	.46	.38	.26			.10	.22		.54	1.25	.56	.01	2
3	.11	.89	.01		.07	.27	.01		.24	.44	.30	.16	3
4	.21	.23		.03	.13	.49			.14	.09	.30	.02	4
5	.11	.41	.11	.01	.08	.07	.05			.44	.07		5
6	.17	.23		.03	.41	.01	.80		.01	.26	.85		6
7	.02	.05			.24		.06			.08	.22	.17	7
8	.03	.03			.25	.14				.07	.10	.16	8
9	.02	.16			.02	.02	.01			.02	.09	.35	9
10	.03	.43		.13	.07		.05		.04	.02	.05	.07	10
11	.03	.05		.28	.50		.08		.05	.01	.02		11
12	.02	.09		.10	.32		.47	.73	.01	.25	.01		12
13		.31	.16		.03			.49	.01	.12	.01		13
14	.03	.58		.10	.16			.09		.22			14
15	.06	.21	.05	.32	.23			.19		.09			15
16	.09	.06		.41	.03		.04	.21	.01	.28			16
17	.65	.37	.02	.20				.05	.74	.45	.14	.07	17
18	.16	.11	.17	.12					.27	.04	.02	.95	18
19	.37	.04	.25	.34					.02	.01	.08	.08	19
20	.34	.03	.21	.01							.08	.32	20
21	.16		.11	.02	.04	.05						.06	21
22	.01		.01	.01		.32	.26	.11		.47	.06	.26	22
23	.16		.03	.50		.12		.40		.40	.66	.13	23
24		.02	.02	.57	.30	.01	.01	.57	.01	.82	.04	.05	24
25	.03		.16	.01	.05	.05		1.08	.46	.04	.28		25
26	.07		.08		.02	.60		.28	.41	.34	.12		26
27	.03		.37		.11	.01		1.13	.07	.97	.01	.03	27
28	.01	.15	.01						.01	.61	.29	1.02	28
29		.12	.04			.59		.12		.85	.13	.16	29
30		X	.02			.18		.03		.48	.01	.01	30
31		X		X	.08	X		.20	X	.72	X	.01	31
Total	3.73	5.02	2.11	3.19	3.14	3.28	2.18	5.68	3.04	10.62	5.10	4.09	YEAR'S TOTAL 51.18
Rain Days.	26	23	20	18	20	17	13	15	16	29	26	20	244

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Carmarthen, The Friary

in the County of Carmarthen

by L. M. Bowen-Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.42	.29		.07			.12		.21	.15	1
2			.01	.22		.04				.07	.20	.07	2
3	.10	.13	.43	.01		.06	.89			.50	.41	.07	3
4	.01	.15		.01		.16	.01		.02	.32	.02	.01	4
5	.42		.21	.20		.26			.12	.26	.40	.01	5
6	.01		.30			.06			.01	.47	.26	.19	6
7	.59			.08		.10	.29	.15		.27	.16	.06	7
8	.13		.15	.08		.04	.23	.77	.05	.55	.30	.38	8
9	.01		.06	.11	.08			.14	.01	.27	.27	.02	9
10	.49		.89	.25	.01			.85		.15	.04		10
11	.02		.01	.28				.24		.40	.33		11
12	.80				.62			.38	.02	.23	.01		12
13	.03		.07	.10	.01	.01		1.25	.26	.25	.03	.02	13
14			.01	.08	.02		.25	.15		.13	.02	.04	14
15		.02		.13	.01		.03	.01	.22	.61	.01	.42	15
16		.16		.10				.18	.02	.12	.04	.16	16
17		.04	.07	.40			.85	1.17	.57	.08	.04		17
18			.05	.02	.14	.01	.35	.04	.70	.10	.01		18
19		.69	.16			.34		.02	.04	.01	.03		19
20		.11	.03		.49	.64	.01	.55	.22	.01	.07		20
21		.01	.02		.03	.01		.07	.01	.36	.02		21
22		.07			.01			(1.12)		.11	.01		22
23		.31		.05	.23	.11		.42		.14			23
24		.07	.01		.01	.15	.36	.10	.02	.32	.05	.02	24
25		.07	.07				.12	.43	.34	.07	.13		25
26					.41	.04		.26	.19	.04	.32	.01	26
27			.02		.11	.86	.69	2.15		.01	.01		27
28		.03	.06		.06	.13	.06	.60		.12	.01		28
29			.04					.03		.70	.03	.07	29
30		X	.01					.48		.12	.07		30
31		X		X	.69	X		.22	X	.03	X		31
Total	2.62	1.86	3.10	2.41	2.93	3.09	4.14	11.78	2.94	6.82	3.51	1.70	46.90
Rain Days.	12	13	22	17	16	18	13	25	18	30	29	16	229

YEAR'S TOTAL

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Carmarthen, The Friary

in the County of Carmarthen

by L. M. Bowen-Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.33		.18	.06			.52	.05	.03	.88	.02	1
2		.26		.08				.32		.04	.10	1.04	2
3		.21		.16	.22			.82	.56	.27	.15	.17	3
4		.10		.01				.14	.62	.49	1.06	.85	4
5		.01		.27	.11			.33	.20	.91	.05	.18	5
6	.07	.74		.17		.21		.01	.07	.38	.01	.04	6
7	.03	.22		.05	.06	.01		.06	.41	.08	.46	.32	7
8	.48	.10				.10	.06		.13	.71	.02	.03	8
9	.02	.10		.31		.48	.40		.49	.28	.06	.73	9
10	.01	.06	.04	.14			.45		.26	.17	.12	.42	10
11	.07	.10	.31	.01			.52	.02	.52	.02	.03	.28	11
12	.01	.24	.01		.28		.06		.03	.01	.01	.02	12
13	.09	.02			.02	.01	.02		.65	.77		.16	13
14	.68				.06		.18	.01	.24	.02		.82	14
15	.73					.01	.82		1.39	.19		.78	15
16	.23		.01	.53			.19	.03	.27	.14		.04	16
17	.54			.02		.12	.29	.06	.37	.03		.66	17
18	.60	.13	.12			.28	.06	.05	.25	.09		.68	18
19	.36	.18	.16	.13			.36	.02	.07	.02		.04	19
20	.33	.12	.01	.17		.03	.08	.04	.53				20
21	.34	.07		.03		.04	.64	.02	.64	.05		.09	21
22	.11	.01			.36		1.10		.31	.16		.36	22
23	.61	.02			.31	.01	.10		.26		.07	.02	23
24	.04	.17			.01		.14	.47	.27	.02	.27	.07	24
25				.07	.21		.14	.17	.02	.02	.12	.07	25
26	.21			.05			.18	.02	.16	.07	.12	.32	26
27	.04	.15	.76			.02	.01	.42	.14	.07	.36	.06	27
28		.14	.28						.03	.12	.27	.12	28
29			.30					.01	.72	.01	.02	.05	29
30			.31						.10	.14	.10	.09	30
31			.39							.28		.20	31
Total	5.60	3.48	2.70	2.38	1.70	1.32	5.80	3.54	9.76	5.59	4.28	5.73	YEAR'S TOTAL 54.88
Rain Days.	21	22	12	17	11	12	20	20	29	29	20	30	243

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1919

3629

FORM A. BRITISH RAINFALL.

Kept at Carmarthen, The Friary

in the County of Carmarthen

by L. M. Powell-Jones

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.68		.10	.04	.12		.28		.53			.42	1
2	.42		.22	.01	.11				.01			.22	2
3	.02	.07	.09		.14	.05				.01	.02	.23	3
4		.25	.25		.03	.10	.20	.06	.14			.28	4
5	.14	.30	.01		.05				.04			.42	5
6	.44	.09	.71						.01			.47	6
7	.10	.39	.08	.20		.03			.01			.08	7
8	.46		.15	.02		.12			.01				8
9	.17		.15	.17					.01		.19	.01	9
10	.33		.94	.07	.09	.01				.08	.04		10
11	.23		1.45	.08	.37	.10	.17			.07		1.11	11
12	.10		.15	.01	.03	1.13			.05	.08	.35	.05	12
13	.81	.03	.01	.20			.02		.25	.19		.42	13
14	.37	.03		.25	.13		.09	.02	.04	.30		.19	14
15	.22	.03		.08	.02		.01		.01	.15	.02	.48	15
16	.15	.77		.01	.03	.05	.02	.05			.26	.17	16
17		.61	.02	.01	.01	.11	.08	.22			.50	.05	17
18	.15	.03	.81	.01			.30	.42	.06		.33	.09	18
19	.33	.37	.40			.37		.38	.22		.32	.07	19
20	.38	.10	.07		.22	.01		.03	.41		.01	.24	20
21	.02	.32	.01		.07		.08	.06	.18		.04	.04	21
22		.50				.10			.36		.01	.26	22
23				.01						.75	.08	.08	23
24	.10				.02	.08		.01	.01	.14	.15	.14	24
25	.36				.05	.03		.50	.12	.02	.16	.10	25
26	.22		.13	.20		.02	.02	.09	.06	.14	.01	.75	26
27	.42		.13	.41				.33				.01	27
28	.06	.01	.22	.08				.30				.43	28
29			.06	.05		.01		.08			.06	.16	29
30		X		.14		.13		.45			.69	.54	30
31		X	.26	X		X	.14		X		X	.03	31
Total	6.68	3.90	6.42	2.05	1.49	2.45	1.41	3.00	2.53 ~~2.57~~	1.93	3.24	7.54	YEAR'S TOTAL 42.64 ~~42.68~~
Rain Days.	24	16	23	20	16	17	12	15	20	11	18	29	221
Days with .04in.	22	11	19	13	10	11	8	12	13	9	13	26	167

W. 6,500, VII. 18. W W O

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Carmarthen, The Friary

in the County of Carmarthen

by F M Bowen-Jones

Lat..... Long.....

Time of Observation.....

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.04	.04	.11	.62		.87		.40	.10		.49	1
2	.32	.12		.12	.02		.23	.05	.32	.12		.44	2
3	.07	.12		.02			.13	.02	.15	1.38		.09	3
4			.02	.02	.12		.01	1.98	.03	.48			4
5		.02	.29		1.13		.33	.09		.28			5
6			.32	.11	.27		.23	.01		.40			6
7	.20	.15	.10	.10	.02		.09			.01	.03	.02	7
8	.03	.02		.60	.21		.03	.47				.01	8
9	.43	.39	.06	1.45		.01	.45	.03	.03		.01		9
10	1.12	.18	.15	.02		.28	.18				.08	.04	10
11	.07	.05	.34	.25	.36	.11	.16				.03		11
12	.33	.22	.05	.52	.01	.32	.28	.06			.24		12
13	.05	.09	.54	.37			.01			.17	.04		13
14	.35	.04	1.11	.74			.40		1.32	.45	.68		14
15	.10	.18	.06	.42	.09	.16	.05			.08	.07		15
16	.05	.02	.21	.12	.18	.23	.76	.01	.83	.38	.01		16
17	.16		.04	.11	.67	.05	.01	.33	.67	.03			17
18	.22	.03		.15	.13	.03		.17	.80				18
19	.07	.43		.57	.08	.31	.11	.02					19
20	.06	.02		.20			.07		.09			.46	20
21				.08			.23	.02		.01		.14	21
22	.33			.17		.13	.34	.05				.25	22
23	.15		.15	.03			.42	.11				.33	23
24	.09		.81	.02			.08					.45	24
25	.18	.05	.14	.04		.02	.92		.01		.03	.01	25
26	.17	.03	.57	.22		.05	.02		.09		.10	.14	26
27	.24	.06	.67	.13	.11	.62	.21				.45	.77	27
28	.78	.05	.34	.12	.14	.12	.17				.03	.08	28
29	.55	.05	.30	.11	.02	.15	.28				.36	.46	29
30	.21		.36	.32	.01	.54	.22		1.18	1.14	.48	1.01	30
31	.13		.38		.06		.04	.14		1.17		.12	31
TOTAL	6.46	2.36	7.05	7.24	4.25	3.13	7.33	3.56	5.83	6.19	2.64	5.31	YEAR'S TOTAL 61.35
Days with .01 in. or more	26	22	23	29	19	16	30	16	12 13	14 15	15	18	240 240

(14,283). Wt. 4658—2125. 7500. 10/19. Gp.132. (A.&E.) 14 13 25 10 9 10 12 9 15 194

LLANDILO
CAE-GLAS
CARMARTHEN
1911-12 14-15

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RE

Kept at Cae-glas   in. nd ft. in. Level ft.

in the County of Carm

by A. L. Thomas. pe Direction

IMPORTANT NOTE ... daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.18	.07	.30						.35	.29	1
2			.07	.09	.55			.35		.31	.12	.59	2
3			.22		1.00			.30			.65	.50	3
4					.04			1.35			.67	.65	4
5	.50		.30					.12			.17	.98	5
6	.02		.15					.15			.19		6
7	.12										.54		7
8	.27		.33								.70	.87	8
9	.10	.06									.10	.58	9
10	.30		1.14									.70	10
11			.02						.35		.17	.30	11
12			.50						1.14		.90	.15	12
13					1.96						.44	.10	13
14		.07									.13	.46	14
15											.72	.09	15
16	.02	.21				.48					.27	.65	16
17		.21				1.34					.60	1.00	17
18				.62		.07					.40	.65	18
19		.02		.42		.60		.07	.55	.04	.35	.96	19
20		.02		.70		.03				.74		.26	20
21		.02		.02		.42		.03	.20	1.30		.14	21
22	.02			.35		.18			.10	.26		.75	22
23	.02	.10					.12	.22	.24	1.16		.46	23
24	.12	.02		.02		.26		.10	.10	.26		.34	24
25	.12	.32		.32	.42	.03		.10	.40	.34		.07	25
26	.15	.07		.40				.30	.10	.15		.15	26
27		.14		.03				.80	.25		.50	.21	27
28		.94		.25				.16			.03		28
29				.02		.35	.37		.28	.72		.04	29
30							.04			.42	.38	.01	30
31										.03			31
Total	1.76	2.20	2.91	3.31	4.27	3.76	.53	4.05 4.05	3.71	5.73	8.38	11.95 11.95	TOTAL for year 52.56
No. of Rain Days	12	13	9	13	6	10	3	13	11	12	21	27	150

9,000, IX. '10.

82

470

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

RI[illegible]

Kept at Cae-glas [illegible]

in the County of Carmarthen 2

by A. L. Thomas.

RAIN GAUGE: Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station: Name ____
Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.18	.07	.30						.35	.29	1
2			.07	.09	.55			.35		.31	.12	.59	2
3			.22		1.00			.30			.65	.50	3
4					.04			1.35			.67	.65	4
5	.50		.30					.12			.17	.98	5
6	.02		.15					.15			.19		6
7	.12										.54		7
8	.27		.33								.70	.87	8
9	.10	.06									.10	.58	9
10	.30		1.14									.70	10
11			.02						.35		.17	.30	11
12			.50						1.14		.90	.15	12
13					1.96						.44	.10	13
14		.07									.13	.46	14
15											.72	.09	15
16	.02	.21				.48					.27	.65	16
17		.21				1.34					.60	1.00	17
18				.62		.07					.40	.65	18
19		.02		.42		.60		.07	.55	.04	.35	.96	19
20		.02		.70		.03				.74		.26	20
21		.02		.02		.42		.03	.20	1.30		.14	21
22	.02			.35		.18			.10	.26		.75	22
23	.02	.10					.12	.22	.24	1.16		.46	23
24	.12	.02		.02		.26		.10	.10	.26		.34	24
25	.12	.32		.32	.42	.03		.10	.40	.34		.07	25
26	.15	.07		.40				.30	.10	.15		.15	26
27		.14		.03				.80	.25		.50	.21	27
28		.94		.25				.16			.03		28
29				.02		.35	.37		.28	.72		.04	29
30							.04			.42	.38	.01	30
31										.03			31
Total	1.76	2.20	2.91	3.31	4.27	3.76	.53	4.05 4.05	3.71	5.73	8.38	11.95 11.95	TOTAL for year 52.56
No. of Rain Days	12	13	9	13	6	10	3	13	11	12	21	27	150

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

Kept at Cwmgelli - Llandilo

in the County of Carmarthenshire

by Mrs J. Lewes Thomas.

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Trimsaran G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. - in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02		·45		·17	·89	·04	·28	·05	·35		·42	1
2			·62			·65	·01				·04	·01	2
3		1 inch snow.	·70		·21	·05		·89	·24		·09	·33	3
4	·31		·90	·02	·03	·04		·09			·54	·04	4
5	·54		·25		·18			·27	·02			·22	5
6	·29	·26			·28			·29			·05	·10	6
7	·06	·47	·21		·08	1·05	·22	·05			·02	·14	7
8	·50	·14	·18	·16	~~·08~~	·30		·03	·03				8
9		·22	·07	·07		·03	·19	·48			·02	·85	9
10	·57	·03				·07	·56	·10	·01		·17	·19	10
11	·02			·01			·19	·04			·43	·77	11
12	·20	·14		·10	·08		·20	·05			·02	·02	12
13	·10		·40				·03	·01		·50		·45	13
14	·26	·03	·70			·02		·03	·01			·18	14
15	·41	·10	·02		·07	·40		·03				·24	15
16	·20	·09	1·00		·21	·04		·98		·36	·02	·05	16
17	·12	·03	·24		·02	·28		·82			·68	·53	17
18		·12	·09			·02		·99		·12	·07	·04	18
19	·29	·17						1·09		·09		·17	19
20		·02	·57		·04		·01	·17		·25			20
21		·23	·45		·04			·27		·18	·03	·10	21
22	·17	·68	·20		·85	·19	·20	·66		·09	·10	·44	22
23	·11	·08	·36			·29	·07	·32		·08	·39	·20	23
24	·06	·07	·10			·75		·01			·01	·32	24
25		·04	·05			·29	·10	·43		·10	·62	·89	25
26		·20	·14				·17	·15		1·23	·23	·50	26
27		·14	·11			1·55	1·15			1·14		·66	27
28		·10				·43	·70	·74	·06	·44	1·29		28
29		·35				·20	·20	·25		·18			29
30			·18			·02	·19		·62	·57		·05	30
31			·37					·10					31
Total	4·23	3·71	8·36	·36	2·26	7·56	4·23	9·62	1·04	5·68	4·32 3	7·91	YEAR'S TOTAL 59·28
Rain Days.	18	22	24	5	13	21	17	28	8	15	19	26	216

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 11 JAN 1915

Kept at Caeglas

in the County of Carmarthen

by Mr. J. Lewis Thomas

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llanelly G.W.R.

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.07	.16	.01	.00	.00	.22	1.06	.00	.00	.15	.14	1
2	.03	.00	.00	.00	.00	.06	.23	.26	.00	.05	.07	.32	2
3	.03	.00	.15	.10	.09	.85	.00	.16	.00	.00	.00	.72	3
4	.26	.00	.07	.45	.16	.18	.72	.11	.00	.00	.31	.23	4
5	.07	.00	.26	.00	.19	.00	.00	.00	.00	.00	.10	.09	5
6	.00	.15	.11	.00	.15	.00	.00	.00	.00	.00	.12	.42	6
7	.16	.60	.24	.00	.70	.11	.62	.71	.02	.00	.00	.48	7
8	.18	.00	.10	.22	.57	.15	.00	.73	.02	.00	.04	.35	8
9	.35	.05	.05	.25	.39	.00	.00	.45	.07	.00	.03	.04	9
10	.04	1.05	.00	.48	.00	.00	.00	.03	.31	.00	.00	.02	10
11	.00	3.55	.70	.09	.06	.00	.00	.07	.03	.00	.14	.75	11
12	.00	1.05	.20	.00	.06	.00	.00	.00	.16	.00	.30	.00	12
13	.00	3.26	.82	.00	.00	.00	.14	.00	.50	.22	.34	.16	13
14	.00	.42	.30	.00	.00	.00	.00	.15	.02	.00	.32	.29	14
15	.00	.01	.18	.00	.00	.00	.00	.22	.10	.00	.39	.00	15
16	.00	.00	.09	.00	.00	.00	.26	.00	.29	.00	.00	1.32	16
17	.04	.80	.24	.00	.00	.00	.07	.00	.00	.00	.00	.69	17
18	.17	.00	.29	.00	.00	.00	.00	.00	.17	.00	.00	.10	18
19	.00	.10	.11	.00	.00	.00	.79	.00	.14	.00	.03	.00	19
20	.00	.55	.30	.00	.00	.20	.11	.00	.00	.00	.00	.09	20
21	.00	.15	.00	.00	.00	.00	.00	.00	.00	.20	.00	.00	21
22	.00	.43	.17	.00	.00	.25	.00	.53	.00	1.52	.00	.00	22
23	.00	.15	.57	.03	.00	.00	.04	.00	.00	.17	.00	.00	23
24	.08	.8	.19	.00	.00	.00	.12	.05	.00	.00	.00	.00	24
25	.17	.00	.16	.00	.00	.00	.17	1.20	.00	.75	.30	.85	25
26	.00	.09	.16	.00	.00	.00	.09	.14	.00	.28	1.00	.65	26
27	.00	.16	.00	.00	.00	.00	.00	.00	.06	.00	.15	1.20	27
28	.05	.13	.27	.00	.00	.00	.00	.00	.00	1.20	.30	.52	28
29	.41		.29	.00	.18	.00	.00	.03	.00	.00	.85	.03	29
30	.02		.36	.00	.00	.00	.00	.00	.00	.00	.02	.59	30
31	.30		.00		.15		.97	.00		.30		1.15	31
Total	2.37	7.42	6.54	1.63	2.44 2.43	1.80	4.55	5.84	1.84	4.69	4.96	11.20	YEAR'S TOTAL 55.28 55.28
Rain Days.	17	20	26	8	10	7	14	16	13	9	19	24	183

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

4063

FORM A
BRITISH RAINFALL
4 - JAN 1916

Kept at Craig Cae Llandilo

in the County of Carmarthen - S. Wales.

by Mr. Lewis Thomas.

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19	.30	.00	.00	.26	.00	.09	.35	.21	.24	.00	.44	1
2	.38	.39	.30	.27	.00	.04	.00	.20	.09	.06	.00	.20	2
3	.60	.31	.32	.05	.19	.01	.15	.09	.00	.00	.00	.62	3
4	.10	.31	.02	.02	.09	.04	.00	.10	.00	.00	.00	.47	4
5	.11	.55	.00	.05	.00	.00	.00	.00	.00	.00	.00	.83	5
6	.13	.03	.02	.45	.00	.00	.35	.04	.00	.00	.00	.18	6
7	.30	.95	.00	.00	.46	.00	.20	.14	.00	.03	.00	.52	7
8	.45	.39	.00	.04	.00	.00	.00	.05	.00	.00	.46	.00	8
9	.12	.50	.00	.18	.00	.00	.00	.01	.00	.00	.24	.87	9
10	.56	.10	.16	.20	.00	.95	.03	.04	.00	.07	.09	.02	10
11	.02	.09	.00	.03	.00	.00	.00	.29	.00	.17	1.30	.00	11
12	.25	.00	.00	.00	.00	.00	.60	.00	.00	.02	.45	.07	12
13	.00	.88	.00	.02	.62	.00	.00	.00	.12	.08	.15	.43	13
14	.15	.00	.00	.00	.00	.00	.02	.15	.00	.18	.00	.94	14
15	.32	.00	.00	.00	.00	.00	.18	.03	.15	.04	.00	.30	15
16	.24	1.40	.00	.00	.46	.00	.71	.09	.00	.84	.00	.00	16
17	.00	.54	.00	.00	.00	.00	.00	.12	.00	.38	.00	.00	17
18	.05	.70	.09	.00	.00	.07	.00	.08	.00	.00	.00	.00	18
19	.00	.16	.00	.33	.39	.00	.82	.00	.00	.00	.00	.00	19
20	.50	.00	.00	.00	.05	.00	.00	.00	.00	.00	.00	.30	20
21	.52	.09	.00	.04	.06	.00	.41	.00	.00	.05	.00	.14	21
22	.00	.00	.03	.00	.16	.00	.79	.00	.02	.00	.00	.87	22
23	.00	.00	.16	.16	.20	.00	.48	.00	.00	.00	.00	.40	23
24	.02	.00	.03	.00	.25	.00	.02	.00	.00	.00	.00	.39	24
25	.00	.00	.00	.00	.20	.25	.09	.00	.14	.00	.00	.18	25
26	.00	.99	.00	.00	.26	.09	.77	.00	.05	.00	.00	.75	26
27	.00	.10	.00	.00	.00	.13	.32	.00	.00	.87	.00	.00	27
28	.00	.15	.00	.00	.00	.07	.00	.03	.23	.00	.00	.09	28
29	.00	X	.00	.00	.00	1.00	1.10	.00	.00	.00	.99	.04	29
30	.29	X	.00	.16	.00	.66	.00	.00	.17	.66	.82	.34	30
31	.00	X	.00	X	.00	X	.20	.21	X	.07	X	.33	31
Total	4.70	8.93	1.13	2.00	3.64	2.64	6.73	2.02	1.18	3.86	4.50	9.72	YEAR'S TOTAL 51.05
Rain Days.	19	20	9	14	14	10	18	17	9	15	8	24	177

W. 8,000. X. 15.

R LLANDILO

CWM IFOR

COUNCIL SCHOOL

CARMARTHEN

1915 - 1920

FORM A. BRITISH RAINFALL. 3-FEB 1916

Kept at Cwmi ... ...ew ...ley Road

in the County of C... ...ge 5 in.

by T. I. ...round 1 ft. 0 in.

...a Level 210 ft.

IMPORTANT ... result entered to the previous day. If a ...al rule, he is earnestly requested to add the ... in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.85	.40	.02	—	.34	—	—	.25	.15	.30	—	.38	1
2	.32	.22	.40	.35	—	—	.10	.25	—	.06	—	.09	2
3	.10	.57	.35	.18	.18	~~.005~~	.15	.65	—	—	—	.58	3
4	.15	.34	.05	—	.08	.04	.01	.07	—	—	—	.39	4
5	.05	.64	.04	.23	.02	.01	.04	.03	—	—	—	.99	5
6	.41	.03	.01	.24	—	—	.36	.06	—	—	—	.17	6
7	.31	.76	—	—	.49	—	.23	.30	—	.01	—	.66	7
8	.21	.53	—	.07	—	—	—	.04	—	.01	.40	—	8
9	.28	.42	—	.27	—	—	—	.02	—	—	.19	.80	9
10	.51	.04	.12	.22	—	.97	.05	.04	—	.05	.22	.08	10
11	.05	.04	.02	.01	—	—	—	.07	—	.01	1.06	.01	11
12	.25	.28	—	—	.21	—	—	.23	—	.15	.58	.05	12
13	.03	.20	—	—	—	—	—	.12	.14	.07	.23	.13	13
14	.13	.02	—	.07	—	—	—	.02	.03	—	.11	.72	14
15	.25	.01	—	—	.15	—	.18	.07	.17	.10	.16	.30	15
16	.17	1.74	—	.02	.22	—	.85	.62	.02	—	—	—	16
17	—	.72	.02	—	.19	—	.01	.13	—	—	—	.62	17
18	.04	.63	.10	—	—	—	.07	.14	—	—	—	—	18
19	.01	.03	—	.20	.16	—	.90	—	—	—	—	—	19
20	.67	.12	—	.05	.03	—	—	—	—	.07	—	.28	20
21	.69	.05	—	—	.05	—	.38	—	.02	—	—	.19	21
22	.13	.02	.10	.02	.15	.08	.75	—	.02	.04	—	.80	22
23	—	.28	.13	—	—	.25	.15	—	.07	.74	—	.28	23
24	—	—	.20	.06	—	.01	—	—	.02	.30	—	.48	24
25	—	—	—	—	—	.38	—	—	—	—	.12	.16	25
26	—	.62	—	—	—	.05	1.05	—	.07	—	—	.62	26
27	—	.12	—	—	—	.10	.24	—	—	.58	—	.30	27
28	—	.13	—	—	—	.09	.01	.01	.22	.03	—	.05	28
29	—		—	—	—	1.26	.47	—	.08	—	.46	.09	29
30	.17	X	—	.53	—	.01	—	—	.05	.50	.54	.62	30
31	.01	X	—	X	—	X	—	.21	X	.06	X	.77	31
Total	5.79	8.96	1.56	2.54	2.27	3.26	6.00	3.33	1.06	3.08	4.07	9.92	YEAR'S TOTAL 51.83
Rain Days.	23	26	13	15	13	13	19	20	13	17	11	27	210

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
3-FEB 1916

P[redacted]

Kept at Cwmi[redacted]

in the County of Carmarthen

by T. I. Griffiths.

Time of Observation 9 am

Nearest Railway Station Talley Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 710 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·85	·40	·02	—	·34	—	—	·25	·15	·30	—	·38	1
2	·32	·22	·40	·35	—	—	·10	·25	—	·06	—	·09	2
3	·10	·57	·35	·18	·18	~~·005~~	·15	·65	—	—	—	·58	3
4	·15	·34	·05	—	·08	·04	·01	·07	—	—	—	·39	4
5	·05	·64	·04	·23	·02	·01	·04	·03	—	—	—	·99	5
6	·41	·03	·01	·24	—	—	·36	·06	—	—	—	·17	6
7	·31	·76	—	—	·49	—	·23	·30	—	·01	—	·66	7
8	·21	·53	—	·07	—	—	—	·04	—	·01	·40	—	8
9	·28	·42	—	·27	—	—	—	·02	—	—	·10	·80	9
10	·51	·04	·12	·22	—	·97	·05	·04	—	·05	·22	·08	10
11	·05	·04	·02	·01	—	—	—	·07	—	·01	1·06	·01	11
12	·25	·28	—	—	·21	—	—	·23	—	·15	·58	·05	12
13	·03	·20	—	—	—	—	—	·12	·14	·07	·23	·13	13
14	·13	·02	—	·07	—	—	—	·02	·03	—	·11	·72	14
15	·25	·01	—	—	·15	—	·18	·07	·17	·10	·16	·30	15
16	·17	1·74	—	·02	·22	—	·85	·62	·02	—	—	—	16
17	—	·72	·02	—	·19	—	·01	·13	—	—	—	·52	17
18	·04	·63	·10	—	—	—	·07	·14	—	—	—	—	18
19	·01	·03	—	·20	·16	—	·90	—	—	—	—	—	19
20	·67	·12	—	·05	·03	—	—	—	—	·07	—	·28	20
21	·69	·05	—	—	·05	—	·38	—	·02	—	—	·19	21
22	·13	·02	·10	·02	·15	·08	·75	—	·02	·04	—	·80	22
23	—	·28	·13	—	—	·25	·15	—	·07	·74	—	·28	23
24	—	—	·20	·06	—	·01	—	—	·02	·30	—	·48	24
25	—	—	—	—	—	·38	—	—	—	—	·12	·16	25
26	—	·62	—	—	—	·05	1·05	—	·07	—	—	·62	26
27	—	·12	—	—	—	·10	·24	—	—	·58	—	·30	27
28	—	·13	—	—	—	·09	·01	·01	·22	·03	—	·05	28
29	—		—	—	—	1·26	·47	—	·08	—	·46	·09	29
30	·17	X	—	·53	—	·01	—	—	·05	·50	·54	·62	30
31	·01	X	—	X	—	X	—	·21	X	·06	X	·77	31
Total	5·79	8·96	1·56	2·54	2·27	3·25	6·00	3·38	1·06	3·08	4·07	9·92	YEAR'S TOTAL 51·83
Rain Days.	23	26	13	15	13	13	19	20	13	17	11	27	210

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 2 JAN 1917

Kept at Cwmfor Bl School

in the County of Carmarthen

by T. I. Griffiths

Lat. ..... Long. .....

Time of Observation 9. am.

Nearest Railway Station Talley Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 710 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.31	.02	—			.37	.41	—	—	.50	.62	—	1
2	.48	.34	.29		.03	.20	.16	—	.32	1.51	.39	—	2
3	.06	1.60	—	.02	.06	.11	.01	—	.28	.46	.55	.12	3
4	.34	.40	—	.01	.28	.60	.03	—	.16	.07	.27	—	4
5	.10	.25	.13		.28	.09	.10	—	—	.49	.04	—	5
6	.34	.13	.01		.23	.02	.53	—	—	.32	.64	.07	6
7	.01	.06	.02		—	.01	.01	—	—	.41	.59	.31	7
8	.03	.03	.02		.29	.30		—	—	.07	.07	—	8
9	.02	.14	—		.05	.05	.03	—	—	.10	.04	—	9
10	.04	.35	—	.15	—	.06	.05	—	—	.06	.03	.25	10
11	.07	.13	—	.42	.16	.04	.46	—	.07	.02	.01		11
12	.06	.07	.03	.07	.59		—	.26	—	.30	.01	—	12
13	—	.29	.33	.13	.01		—	.25	—	.18	—	—	13
14	.03	.45	.05	.03	.13		—	.27	—	.15	—	—	14
15	.02	.52	.04	.10	.04		.01	.17	.03	.12	—	—	15
16	.02	.03	—	.49	—		.02	—	—	.26	—	—	16
17	.40	.42	—	.28	—		—	—	.92	.16	.05	—	17
18	.04	.25	.10	.36	—		—	—	.43	.15	.04	.23	18
19	.32	.05	.25	.21	—		—	—	—	—	.04	.03	19
20	.26	.01	.24	.02	—		—	—	—	—	.09	.30	20
21	.20	—	.03	.01	.03	.07	.05	.02	—	—	.03	.06	21
22	—	—	—	—		.18	—	.31	—	.83	.06	.26	22
23	.11	—	.07	.47		—	—	.35	—	.32	.44	.13	23
24	—	.11	.03	.54	.51	—	—	1.13	—	.58	.04	.14	24
25	.05	.01	.17	—	.35	.05	.51	.41	.08	.20	.39	.02	25
26	.10	.02	.04	—	.10	.17	—	.53	.60	.23	.12	—	26
27	.05	—	.58	—	.04	.05	—	—	.70	.83	.01	—	27
28	—	.10	—	—	—	.05	—	.34	.07	.31	.12	1.04	28
29	—	—	.05	—	—	.40	—	.02	—	.55	.03	.31	29
30	—	X	—	—	—	.07	—	.21	—	.50	—	.02	30
31	—	X	—	X	—	X	—	.05	X	.60	X	.03	31
Total	3.61	5.81	2.48	3.31	3.28	2.83	2.38	4.34	3.66	10.28	4.72	3.27	YEAR'S TOTAL 49.97
Rain Days.	24	24	19	16	17	19	14	14	11	28	25	16	227

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 19[illegible]

FORM A. BRITISH RAINFALL. 3829

Kept at Gwmifor Council School Manordilo.

in the County of Carmarthen

by T. I. Griffiths Headteacher

Lat. ..... Long. .....

Time of Observation 9. am. [illegible] 1mo

Nearest Railway Station Talley Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·09	·17	·20		·36	—	·02	·18	—	·18	·28	1
2	·01	·09	—	·48		·11	—	—	—	·11	·12	·03	2
3	·27		—	·01		·20	·06	—	—	·70	·32	·01	3
4	—		·37	·02		—	—	—	·07	·32	·02	—	4
5	·55		·33	·23		·21	—	·12	·17	·53	·37	—	5
6	·01		·11	—		·06	—	—	—	·84	·26	—	6
7	·53		—	—		·04	·27	·04	—	·06	·12	·20	7
8	·07		·08	·12		—	·52	·51	·08	·63	·43	·04	8
9	—		·02	·08	·05	·10		·11	—	·37	·49	—	9
10	·13		·64	·29	·05	—		·38	·02	·43	·19	·26	10
11	·18		·01	·39	—	—		·54	—	·34	·14	—	11
12	·33		·06	—	·99	·02		·13	—	·20	·01	—	12
13	·17		·04	·21	—	—		1·21	·33	·06	·04	·04	13
14	—		—	·14	—	—		·04	—	·45	—	·25	14
15	—		—	·11	·03	—	·08	·06	·17	·14	·02	·30	15
16	—	·09	—	·14	—	—	—	1·31	·03	·11	·05	·15	16
17	—	·03	·01	·42	·07	—	·75	·35	·45	·09	—	—	17
18	—	—	·01	·10	·03	—	·39	—	·83	—	—	—	18
19	—	·56	·10		—	·21	—	·30	·05	·04	·03		19
20	—	·10	—		·64	·96	·13	·05	·10	·14	·06	—	20
21	—	—	—		·01	·04	·01	·75	—	·23	·10	—	21
22	—	·09	—		—	·02	—	·23	—	·17	·01	·01	22
23	—	·12	—		·21	·11	—	·17	—	·67	—	·06	23
24	—	·05	·03		·01	·16	·11	·35	·01	·04	—	—	24
25	—	·09	·05		—	—	·09	·34	·05	·04	·10	—	25
26	—	—	—		·23	·06	·02	·83	·20	·02	·38	—	26
27	—	·01	—		·40	·34	·65	·41	—	·06	·04	—	27
28	—	·04	·09		·11	·26	·04	·01	—	·81	·04	—	28
29	—	—	·02		—	—	—	·37	—	·20	·06	—	29
30	—	X	—		—	—	—	—	—	—	—	—	30
31	—	X	·04	X	·57	X	—	·36	X	·08	X	—	31
Total	2·26	1·36	2·20	2·95	3·31	3·25	3·14	9·53 9·53	2·74	4·88	3·58	1·63	YEAR'S TOTAL 43·83 43·83
Rain Days.	11	12	18	15	14	17	13	25	15	28 24	24	12	204 204

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Cwmffos School

in the County of Carmarthen

by T. J. Griffiths

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Talley Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ____ in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·15	·03	·26	·05	—	—	·20	·07	·07	·80	·01	1
2	—	·23	—	·01	—	—	—	·07	·01	·07	·21	·50	2
3	—	·26	—	·19	·41	—	—	·02	·41	·28	·21	·09	3
4	·03	·18	—	—	—	—	—	·08	·47	·63	1·08	·50	4
5	—	·03	—	·31	·17	—	—	·58	·15	·28	·05	·04	5
6	·03	·51	—	·20	·02	·34	—	·01	·08	·71	·58	·16	6
7	·02	·20	—	·05	·32	·04	—	·02	·58	·06	—	·42	7
8	·60	·05	—	—	—	·08	·01	—	·08	·25	·05	—	8
9	·02	·21	—	·15	—	·58	·14	—	·45	·37	·02	·48	9
10	·01	·12	—	·14	·01	—	·34	—	·20	·14	·23	·50	10
11	·06	·13	·15	—	—	—	·09	—	·51	·02	·02	·33	11
12	·02	·28	—	—	·12	·01	·31	—	·16	—	—	·11	12
13	·04	·06	—	—	—	·02	·09	—	·27	·07	—	·24	13
14	·65	—	·01	—	—	—	·28	·05	·31	—	—	·62	14
15	·07	—	—	—	—	—	·70	—	·44	·13	—	1·18	15
16	·04	—	—	·21	—	·01	·09	·03	·28	·06	—	·18	16
17	·76	—	—	—	—	·05	·18	·03	·21	·10	—	·43	17
18	·65	·06	·04	—	—	·49	·11	·02	·48	·08	—	·50	18
19	·41	·25	·12	·12	—	·03	·25	—	·02	·02	—	·15	19
20	·46	·15	—	·07	—		·05	—	·68	·02	—	·02	20
21	·18	·12	—	·02	—		·11	—	·68	·03	—	·12	21
22	·10	·01	—	—	·46		·17	·02	·61	·52	—	·58	22
23	·48	·02	—	—	·65		·10	—	·12	—	·02	·02	23
24	·06	·19	—	—	·02		·30	·23	·31	·05	·12	·07	24
25	·07	·01	—	—	·14		·49	·38	·11	·06	·10	·05	25
26	·04	—	—	·11	—		·18	·03	·10	·09	·15	·48	26
27	—	·10	·50	—	—	·01	—	·31	·31	·03	·40	·13	27
28	—	·12	·37	—	—		—	·05	(·06)	·04	·34	·21	28
29	—	=	·20	—	—		—	—	·70	·04	·01	·10	29
30	—	X	·41	—	—		—	—	·12	·03	·03	·16	30
31	—	X	·37	X		X		·01	X	·04	X	·10	31
Total	4·80	3·44	2·20	1·84	2·37	1·66	4·70	2·22	9·04	4·29	4·42	8·54	YEAR'S TOTAL 49·52
Rain Days.	22	23	10	13	11	11	19	18	30	28	18	30	233

W, 6,500, VII. 18. w w c

3632

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Cwmifor Council School, Manordilo S.O.

in the County of Carmarthenshire

by T. I. Griffiths.

Lat. ..... Long. .....

Time of Observation 9 a.m. Greenwich time

Nearest Railway Station Dalley Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.59	—	.05	.10	.25	—	.07	—	.28	.74	.03	.60	1
2	.62	—	.31	—	.02	—	.05	—	.02		.01	.31	2
3	.01	.05	.03	.11	.21	—		—	.01		—	.49	3
4	—	.30	.47	—	.06	.05		.02	.19		.02	.14	4
5	.16	.25	—	—	.15	—			.03		—	.74	5
6	.41	.10	—	—	—	—			.04		.02	.29	6
7	.11	—	.07	.15	—	—			.03		.01	.24	7
8	.42	—	.12	.13	—	.09			.01		.27	—	8
9	.29	—	.07	.17	—	—			.01		.03	—	9
10	.41	—	.98	—	.09	—			—	.14	—	.43	10
11	.09	—	1.75	.12	.14	—			—	.02	.16	.14	11
12	.02	—	.42	.12	.06	1.18			—	.10	—	.01	12
13	.50	.01	—	.50	—	—			.72	.32	—	.31	13
14	.49	—	—	.35	.16	—			—	.20	.09	.08	14
15	.39	.01	—	.13	—	—			—	.11	.39	—	15
16	.24	.99	—	—	—	.09	.16	.06	—	—	.73	.01	16
17	—	.51	.04	—	—	.35	—	.17	—	—	.29	.02	17
18	.11	.08	.60	—	—	.02	.04	.55	.13	—	.14	.12	18
19	.24	.24	.33	—	—	.30	.02	.25	.30	—	—	.04	19
20	.32	.15	.09	—	.07	—	—	.03	.35	—	.07	.33	20
21	.12	.75	—	—	.04	—	—	.07	.15	—	.01	.09	21
22	—	.06	—	—	—	.10	.02	—	.32	—	.15	.70	22
23	.01	—	—	—	—	—	.10	.03		—	.17	.04	23
24	—	—	—	.01	.09	.03	—	.02		.34	.12	.28	24
25	.26	—	—	.07	.04	—	—	.60		.14	—	.11	25
26	.14	—	.29	.22		.02	.11	.19		.02	.04	.65	26
27	.59	—	.07	.20		—	—	.30		.09	.02	.01	27
28	—	—	.23	.03		—	—	.14		.02	.05	.51	28
29	.01	—	.07	.03		—	—	.07		—	.82	.29	29
30	—		—	.11		.12	—	.35		—	—	.68	30
31	—		—				.20	.02		—		.01	31
TOTAL	6.54	3.50	6.04	2.55	1.38	2.35	.77	2.84	2.59	1.74	3.64	4.67	YEAR'S TOTAL 41.67
Days with .01 in. or more	24	13	18	14	13	11	9	16	15	12	22	28	198

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cwmitor Council School

in the County of Carmarthen

by T. I. Griffiths.

Lat. ..... Long. .....

Time of Observation 9. am

Nearest Railway Station Talley Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 710 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.05		.17	.50	—	.70	.01	.28	.04	.01	.52	1
2	.25	.15		.08	.04	—	.08	.08	.20	.03	—	—	2
3	.02	.20		.10	.09	—	.21	—	.10	1.56	—	—	3
4	—	—		—	.01	—	.02	1.12	.15	.31	—	—	4
5	—	—	.28	.01	1.42	—	.34	.08	.01	.33	—	—	5
6	—	—	.62	.06	.21	—	.05	—	—	.13	—	—	6
7	.20	.04	.12	.24	—	—	.10	—	—	—	.02	—	7
8	.02	.06	.07	.81	.02	—	.17	—	—	—	—	—	8
9	.57	.40	.16	.90	.09	—	.17	.20	.05	—	.02	—	9
10	.91	.40	.43	—	—	.23	.32	.02	—	—	.15	—	10
11	.12	.05	.02	.19	.24	.04	.06	—	—	—	—	—	11
12	.68	.17	.58	.35	—	.23	.21	—	.01	.11	.33	—	12
13	.06	.09	.72	.44	—	.08	.01	.09	.02	—	.04	—	13
14	.14	.07	—	.78	—	.65	.14	—	1.43	.70	.82	—	14
15	.06	—	.18	.83	.08	.17	.02	—	.03	.02	.04	—	15
16	.05	—	.01	.20	.15	.30	.61	—	.58	—	.01	—	16
17	.24	—		.06	.58	—	.02	.04	1.10	.01	—	—	17
18	.39	—		.17	.23	.23	.11	.36	.95	—	—	—	18
19	.03	.30		.72	.09	.08	.08	—	—	—	—	—	19
20	.15	—		—	—	.20	.04	.07	—	.01	—	.59	20
21	.20	—		.03	—	—	.30	—	—	—	—	.12	21
22	—	—		.06	—	—	—	.03	—	—	—	.24	22
23	.13	—	.09	—	—	—	.35	.12	—	—	—	.44	23
24	.14	—	.82	.06	—	—	.08	—	—	.01	.11	.61	24
25	.07	.23	.32	.09	—	—	.72	—	—	.01	—	.17	25
26	.45	—	.62	.30	—	.23	.18	—	—	—	.16	.30	26
27	.88	.03	.92	.33	.14	.75	.10	—	—	—	.35	.17	27
28	.66	.07	.40	.13	.28	.28	.06	—	—	—	.24	.15	28
29	.73	.02	.26	.16	.09	.11	.57	—	—	—	.34	.61	29
30	.25	X	.73	.30	—	.75	.04	—	—	.19	.56	1.15	30
31	.15	X	—	X	—	X	.10	.02	X	.74	X	.19	31
TOTAL	7.55	2.33	7.35	7.57	4.27	4.33	5.96	2.24	4.93	4.20	3.23	5.26	YEAR'S TOTAL 59.22
Days with .01 in. or more	26	16	19	26	17	15	30	13	13	15	15	13	218
Days with .04 in. or more	23	14	18	24	15	15	~~27~~	9	10	10	11	13	~~186~~ 189

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

4098. LLANDILO
DYNEVOR CASTLE.
1912—30.
1912+14, 16 – 1920.
1915 1924

Form A2.
BRITISH RAINFALL.

Kept at Dyn[illegible] ...12 4 JAN 1913

in the County of Ca[illegible] ...in.

by H. Broo[illegible] ...te Ground ...ft. ...in.

Sea Level ...ft.

A.M. Name Llandilo

Distance 1 mile Direction E.-

IMPORTANT N[illegible] the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	. .	. .	.31	. .	.13	.66	. .	.12	.07	.41	. .	.36	1
2	.02	. .	.66	. .	. .	.55	.04	. .	. .	. .	.02	.03	2
3	.10	. .	.35	.02	.03	.06	. .	1.09	.18	. .	.09	.26	3
4	.33	. .	1.15	.02	.19	.02	. .	.06	. .	. .	.47	.05	4
5	.54	.13	.29	. .	.14	. .	. .	.29	.04	. .	.02	.25	5
6	.31	.20	.02	. .	.23	. .	. .	.20	.03	.02	.07	.07	6
7	.05	.70	.31	.04	.08	1.41	.16	.04	.01	. .	.03	.19	7
8	.49	.31	.28	.13	. .	.37	. .	.09	.05	. .	.03	. .	8
9	.06	.20	.05	.10	. .	.06	.14	.61	.01	. .	.02	.79	9
10	.51	.05	. .	. .	. .	. .	.38	.07	. .	. .	.26	.08	10
11	.03	.02	. .	. .	.01	. .	.16	.03	. .	. .	.51	.73	11
12	.12	.19	.35	.16	.08	. .	.23	.09	. .	.01	.02	.04	12
13	.13	. .	.03	.02	. .	.03	.02	.02	. .	.34	. .	.33	13
14	.31	.07	.77	. .	. .	.02	. .	.06	.02	.03	.01	.14	14
15	.52	.14	.03	. .	.07	.35	. .	.03	. .	. .	.03	.27	15
16	.22	.12	1.08	. .	.25	.05	. .	.70	. .	.27	.02	.08	16
17	.19	.05	.18	. .	.04	.29	. .	.84	. .	.02	.19	.48	17
18	.13	.12	.09	. .	. .	.01	. .	.55	. .	.12	.07	.08	18
19	.06	.22	. .	. .	.03	.09	.02	1.02	. .	.10	.03	.16	19
20	.04	.03	.68	. .	.04	.02	. .	.06	. .	.57	.03	.04	20
21	.02	.21	.55	. .	.10	. .	. .	.56	. .	.23	. .	.10	21
22	.20	.59	.23	. .	.84	.11	.37	.66	. .	.08	.09	.32	22
23	.10	.05	.36	. .	. .	.29	.09	.40	. .	.07	.22	.17	23
24	.06	.08	.12	. .	. .	.84	. .	.02	. .	.01	. .	.30	24
25	. .	.03	.03	. .	. .	.22	.04	.47	. .	.05	.52	.81	25
26	. .	.20	.16	. .	. .	. .	.13	.15	. .	1.01	.58	.68	26
27	. .	.12	.14	. .	. .	1.43	1.34	. .	. .	.99	.02	.57	27
28	. .	.25	.02	. .	. .	.54	.87	.69	.07	.65	1.03	.02	28
29	. .	.37	.02	. .	. .	.05	.36	.11	.53	.20	. .	.03	29
30	. .	X	.15	.07	.04	.08	.12	.05	. .	.51	.07	.02	30
31	.05	X	.37	X	.04	X	.25	.11	X	.06	X	.16	31
Total	4.59	4.45	8.72	.56	2.34	7.55	4.72	9.19	1.01	5.77	4.45	7.61	TOTAL for year 60.01
No. of Rain Days.	24	24	28	8	17	23	17	29	10	21	25	30	

W. [illegible],000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 4 JAN 1913

Kept at Dyffryn Cattle - Llandeilo

in the County of Carmarthenshire 2

by H. Brookshaw

RAIN GAUGE { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Llandeilo ; Distance 1 mile Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	. .	. .	.31	. .	.13	.66	. .	.12	.07	.41	. .	.36	1
2	.02	. .	.66	. .	. .	.55	.04	. .	. .	. .	.02	.03	2
3	.10	. .	.35	.02	.03	.06	. .	1.09	.18	. .	.09	.26	3
4	.33	. .	1.15	.02	.19	.02	. .	.06	. .	. .	.47	.05	4
5	.54	.13	.29	. .	.14	. .	. .	.29	.04	. .	.02	.25	5
6	.31	.20	.02	. .	.23	. .	. .	.20	.03	.02	.07	.07	6
7	.05	.70	.31	.04	.08	1.41	.16	.04	.01	. .	.03	.19	7
8	.49	.31	.28	.13	. .	.37	. .	.09	.05	. .	.03	. .	8
9	.06	.20	.05	.10	. .	.06	.14	.61	.01	. .	.02	.79	9
10	.51	.05	. .	. .	. .	. .	.38	.07	. .	. .	.26	.08	10
11	.03	.02	. .	. .	.01	. .	.16	.03	. .	. .	.51	.73	11
12	.12	.19	.35	.16	.08	. .	.23	.09	. .	.01	.02	.04	12
13	.13	. .	.03	.02	. .	.03	.02	.02	. .	.34	. .	.33	13
14	.31	.07	.77	. .	. .	.02	. .	.06	.02	.03	.01	.14	14
15	.52	.14	.03	. .	.07	.35	. .	.03	. .	. .	.03	.27	15
16	.22	.12	1.08	. .	.25	.05	. .	.70	. .	.27	.02	.08	16
17	.19	.05	.18	. .	.04	.29	. .	.84	. .	.02	.19	.48	17
18	.13	.12	.09	. .	. .	.01	. .	.55	. .	.12	.07	.08	18
19	.06	.22	. .	. .	.03	.09	.02	1.02	. .	.10	.03	.16	19
20	.04	.03	.68	. .	.04	.02	. .	.06	. .	.57	.03	.04	20
21	.02	.21	.55	. .	.10	. .	. .	.56	. .	.23	. .	.10	21
22	.20	.59	.23	. .	.84	.11	.37	.66	. .	.08	.09	.32	22
23	.10	.05	.36	. .	. .	.29	.09	.40	. .	.09	.22	.17	23
24	.06	.08	.12	. .	. .	.84	. .	.02	. .	.01	. .	.30	24
25	. .	.03	.03	. .	. .	.22	.04	.47	. .	.05	.52	.81	25
26	. .	.20	.16	. .	. .	. .	.13	.15	. .	1.01	.58	.68	26
27	. .	.12	.14	. .	. .	1.43	1.34	. .	. .	.99	.02	.57	27
28	. .	.25	.02	. .	. .	.54	.87	.69	.07	.65	1.03	.02	28
29	. .	.37	.02	. .	. .	.05	.36	.11	.53	.20	. .	.03	29
30	. .	×	.15	.07	.04	.08	.12	.05	. .	.51	.07	.02	30
31	.05	×	.37	×	.04	×	.25	.11	×	.06	×	.16	31
Total	4.59	4.45	8.72	.56	2.34	7.55	4.72	9.19	1.01	5.77	4.45	7.61	TOTAL for year 60.0
No. of Rain Days.	24	24	28	8	17	23	17	29	10	21	25	30	

W 3,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM 6A. BRITISH RAINFALL. 2-JAN-14

Kept at Dynevor Castle

in the County of Carmarthenshire

by H. Brookshaw

Lat. ..... Long. .....

Time of Observation 9-a.m.

Nearest Railway Station Llanelly-1 Mile

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	.16	.55	.48	.03	. .	. .	. .	. .	. .	.40	.04	1
2	.15	.54	.27	.22	.24	.17	. .	. .	. .	.34	.39	.10	2
3	.26	. .	.12	. .	.28	. .	. .	. .	. .	.05	.02	.25	3
4	.70	.14	.09	. .	.02	.25	. .	. .	.95	.25	.10	.24	4
5	.22	.09	.02	. .	.14	.46	.08	. .	.20	. .	.48	.11	5
6	.39	.20	.21	. .	.29	.28	.03	. .	. .	.10	.26	.46	6
7	.24	.96	.02	. .	.67	.47	.05	. .	. .	.90	.13	.03	7
8	.06	.50	. .	. .	.52	.08	.01	.07	. .	.09	. .	.05	8
9	. .	.35	.10	.01	.06	.71	.24	.19	.02	.03	.39	.07	9
10	.29	. .	.09	.03	.21	. .	.03	.41	.03	.15	.26	. .	10
11	.46	. .	.02	.40	.07	. .	. .	. .	.04	.03	.33	.82	.06	11
12	. .	. .	.02	. .	.11	.03	.05	.03	.18	. .	.70	. .	12
13	.08	. .	.41	.06	.02	. .	.09	.15	1.29	. .	.35	. .	13
14	.37	. .	.51	.15	. .	. .	. .	. .	.01	.37	.38	.18	.07	14
15	.52	. .	.69	1.40	. .	. .	. .	. .	.08	.03	. .	.08	.06	15
16	.23	. .	.68	.10	. .	.01	.04	. .	. .	. .	. .	.13	. .	16
17	.15	. .	.14	.12	.02	. .	.16	. .	. .	. .	. .	.14	. .	17
18	.08	. .	.48	.19	.02	.03	.11	. .	. .	. .	. .	.10	. .	18
19	.57	. .	.20	. .	.04	.26	.05	. .	. .	.35	.30	.14	. .	19
20	.16	. .	.27	.20	.07	. .	. .	. .	. .	.02	.34	.99	. .	20
21	. .	. .	.48	.23	.24	.02	.15	.12	.02	.27	.21	. .	21
22	.80	. .	.80	. .	.04	.27	. .	.50	.54	. .	.02	.02	22
23	.06	. .	.09	. .	. .	.04	. .	.02	.40	. .	.20	.07	23
24	.25	.16	. .	.24	. .	.02	. .	. .	. .	. .	.20	.06	24
25	. .	.03	. .	.49	. .	. .	. .	. .	.15	.04	.04	.15	25
26	. .	. .	. .	2.18	. .	.02	. .	. .	.06	.11	. .	.37	26
27	.09	. .	.25	.36	. .	. .	. .	. .	. .	.19	. .	.06	27
28	.39	. .	.23	.55	.18	. .	. .	. .	. .	.50	. .	.54	28
29	. .	X	.17	.82	.08	. .	. .	.04	. .	.78	.05	. .	29
30	.54	X	.01	.03	.27	. .	. .	. .	. .	.40	.07	. .	30
31	.07	X	.50	X	.03	X	. .	. .	X	.31	X	. .	31
Total	7.20	3.13	7.42	8.26	3.65	3.12	1.09	1.66	4.64	5.86	6.85	2.81	YEAR'S TOTAL 55.69
Rain Days.	25	10	27	20	23	16	13	12	16	20	26	19	227

W. 7,500, XI. 12

cwd for audit 21.IV.15 [illegible]

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

6 JAN 1915

Kept at Dynevor Castle

in the County of Carmarthen 2

by Harry Brookshaw

Lat. ____ Long. ____

Time of Observation 9-a m

Nearest Railway Station 1 mile

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	. .	.04	.12	.03	. .	.16	.32	1.42	. .	. .	.13	.15	1
2	.02	. .	.02	. .	.06	.09	.20	.36	. .	.08	.10	.45	2
3	.02	. .	.54	.14	.89	. .	. .	.17	. .	.01	.03	.40	3
4	.39	. .	.06	.48	.16	. .	.72	.06	. .	. .	.31	.60	4
5	.09	. .	.35	.22	1/4	. .	.02	.02	. .	. .	.09	. .	5
6	.05	.18	.15	.07	.14	. .	.03	.08	. .	. .	.15	.41	6
7	.12	.81	.32	.14	.53	.11	.61	.37	.02	.02	.02	.51	7
8	.18	. .	.10	.16	.39	.20	. .	.66	. .	.03	.02	.19	8
9	.36	.13	.12	.25	.33	.65	. .	.30	.06	. .	.05	. .	9
10	.06	1.16	.05	.45	.09	.12	. .	. .	.30	. .	.01	.02	10
11	. .	.54	.52	.09	.08	.15	. .	. .	.06	. .	.28	.72	11
12	. .	1.15	.20	. .	. .	. .	. .	. .	.18	. .	.26	.12	12
13	. .	.63	.67	.02	. .	. .	.13	. .	.55	.17	.39	.18	13
14	. .	.59	.36	. .	. .	. .	.05	.25	.01	.02	.45	.02	14
15	. .	.03	.18	. .	. .	. .	.09	.21	.13	. .	.40	.27	15
16	. .	. .	.11	. .	. .	. .	.12	. .	.38	. .	.01	.05	16
17	.01	.74	.25	. .	. .	. .	.06	. .	.03	. .	. .	1.24	17
18	. .	.04	.20	. .	. .	. .	. .	. .	.20	. .	. .	.53	18
19	. .	.14	.10	. .	. .	. .	.68	. .	.22	. .	.06	.17	19
20	. .	.63	.32	. .	. .	.20	. .	.04	. .	. .	. .	.12	20
21	. .	.20	.05	. .	. .	.21	.08	.10	. .	.18	. .	. .	21
22	. .	.25	.15	.05	. .	.08	. .	.37	. .	1.10	. .	. .	22
23	. .	.12	.50	. .	. .	. .	.08	. .	. .	.15	. .	. .	23
24	.05	.11	.19	. .	. .	.03	.16	.09	. .	. .	.23	. .	24
25	.35	.02	.15	. .	. .	. .	.18	1.06	. .	.63	.09	.85	25
26	.02	.05	.09	. .	. .	. .	.15	.12	. .	.25	.51	.96	26
27	.15	.08	. .	. .	. .	. .	.01	.02	. .	.30	.54	1.29	27
28	.06	.11	.35	. .	. .	.13	. .	. .	. .	.05	.11	.44	28
29	.32	X	.28	. .	. .	.09	. .	. .	. .	.01	.52	.14	29
30	.03	X	.27	. .	. .	. .	. .	. .	. .	.04	.47	.79	30
31	.54	X	. .	X	.02	X	.95	. .	X	.27	X	.46	31
Total	2.82	7.75	6.77	2.10	3.05	2.00	4.64	5.73	2.14	3.28	5.23	11.88	YEAR'S TOTAL 56.59
Rain Days.	18	22	29	12	13	11	19	19	12	16	24	25	220

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 5 JAN 17

Kept at Dynevor Castle

in the County of Carmarthen

by Harry Brooksbank

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	.05	.01	. .	.04	.30	.21	. .	. .	.47	.72	. .	1
2	.56	.46	.20	. .	.02	.14	.26	. .	.56	1.31	.33	. .	2
3	.02	1.85	. .	. .	.05	.11	. .	. .	.31	.58	.38	.25	3
4	.30	.32	. .	.04	.35	.57	. .	. .	.32	.10	.23	. .	4
5	.07	.13	.15	. .	.09	.06	.04	. .	. .	.45	.07	. .	5
6	.16	.25	. .	. .	.39	.04	.65	. .	. .	.25	.71	.06	6
7	.05	.04	.02	. .	.11	.06	.07	. .	. .	.26	.66	.25	7
8	.04	.02	. .	. .	.33	.05	. .	. .	. .	.07	.08	.03	8
9	.02	.32	.01	. .	.06	.21	.02	. .	. .	.01	.06	.12	9
10	.03	.40	. .	.11	.03	. .	.04	. .	. .	.02	.02	.16	10
11	.09	.05	.01	.37	.27	. .	. .	. .	.03	. .	.01	. .	11
12	.05	.09	.04	.08	.48	. .	.52	.34	.02	.22	.02	. .	12
13	.01	.28	.26	.07	. .	. .	. .	.36	.01	.11	. .	. .	13
14	.03	.33	.05	.09	.13	. .	. .	.20	. .	.13	. .	. .	14
15	.04	.38	.05	.20	.10	. .	.01	.27	.02	.14	. .	. .	15
16	.07	.04	. .	.39	.02	. .	.02	. .	.02	.21	. .	. .	16
17	.52	.42	.03	.30	. .	. .	. .	. .	.82	.29	.06	. .	17
18	.05	.18	.14	.26	. .	. .	. .	. .	.45	.07	.09	.34	18
19	.26	.02	.15	.31	. .	. .	. .	. .	. .	.01	.14	.03	19
20	.21	.03	.18	.01	. .	. .	. .	. .	. .	. .	.10	.30	20
21	.11	. .	.10	.06	.03	.02	.17	. .	. .	. .	.02	.05	21
22	. .	. .	. .	. .	. .	.19	.32	.02	. .	.81	.05	.18	22
23	.14	.03	.02	.52	. .	.03	. .	.37	. .	.33	.47	.17	23
24	. .	.05	. .	.75	.45	.02	. .	.35	. .	.51	.02	.42	24
25	.02	.05	.21	. .	.19	.04	. .	1.65	.07	.22	.34	.05	25
26	.05	.02	.09	. .	.02	.14	. .	.43	.77	.29	.15	. .	26
27	.04	. .	.46	. .	.05	. .	. .	.98	.69	1.01	. .	.02	27
28	. .	.05	. .	. .	. .	. .	. .	. .	.08	.34	.08	.93	28
29	. .	.17	.05	. .	. .	.45	. .	.35	. .	.59	.03	.22	29
30	. .	X	. .	. .	. .	.20	. .	.04	. .	.49	. .	.02	30
31	. .	X	. .	X	. .	X	. .	.17	X	.58	X	.03	31
Total	3.08	6.03	2.23	3.56	3.21	2.63	2.33	5.53	4.17	9.87	3.94	3.63	YEAR'S TOTAL 50.31
Rain Days.	25	26	20	15	20	17	12	13	14	28	4.84 24	19	51.11 233

W. 8,000. X. 15. Kept by Daylight Saving hours from May 21st to Oct 1st

REGISTER OF RAINFALL IN 19[illegible]

FORM A. BRITISH RAINFALL.

Kept at Dynevor Castle

in the County of Carmarthenshire

by H. Brookshaw

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station 1½ miles

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.18	.22+	.	.20	.	.01	.15	.	.21	.17	1
2	.02	.	.	.62+	.	.05	.	.	.	.08	.16	.04	2
3	.06	.	.	.12+	.	.17	.25	.	.	.57	.24	.07	3
4	.	.	.47	.03	.	.	.	.	.	.03	.53	.02	4
5	.50	.32	.35	.14	.	.26	.	.06	.14	.46	.20	.	5
6	.02	.	.19	.	.	.06	.	.	.	.33	.28	.14	6
7	.51	.	.	.	.	.02	.23	.09	.	.49	.13	.03	7
8	.08	.	.	.12	.	.02	.60	.53	.05	.43	.24	.25	8
9	.	.	.15	.07	.06	.	.	.13	.02	.55	.39	.	9
10	.25	.	.91	.29	.03	.01	.	.47	.01	.33	.21	.	10
11	.08	.	.08	.13	.	.	.	.49	.	.41	.14	.	11
12	.19	.	.03	.19	.60	.	.	.02	.02	.27	.01	.02	12
13	.11	.	.08	.10	.	.03	.	1.82	.34	.23	.04	.03	13
14	.15	.	.	.13	.01	.	.01	.17	.02	.06	.01	.11	14
15	.	.01	.	.10	.03	.	.06	.	.12	.52	.	.47	15
16	.	.11	.	.11	.	.	.	.10	.01	.13	.03	.17	16
17	.	.03	.06	.41	.10	.	.63	1.27	.31	.05	.05	.	17
18	.	.	.07	.09	.05	.	.36	.09	.82	.07	.	.	18
19	.	.57	.13	.	.	.32	.	.	.04	.	.02	.	19
20	.	.13	.03	.	.74	1.30	.	.23	.08	.01	.08	.03	20
21	.	.	.04	.	.02	.	.02	.05	.	.23	.10	.	21
22	.	.02	.	.	.01	.08	.	1.13	.	.10	.02	.	22
23	.	.14	.	.	.33	.07	.	.36	.	.16	.	.04	23
24	.	.03	.02	.	.	.17	.25	.10	.02	.45	.06	.06	24
25	.	.06	.11	.	.	.	.35	.33	.15	.06	.10	.	25
26	.	.	.	.	.38	.10	.02	.27	.25	.06	.36	.	26
27	.	.01	.04	.	.19	.47	.79	.77	.	.05	.	.	27
28	.	.04	.06	.	.22	.16	.06	.26	.	.16	.02	.	28
29	.	X	.03	.	.	.	.	.	.	.82	.03	.06	29
30	.	X	.03	.	.	.	.	.36	.	.16	.06	.	30
31	.	X	.02	X	.72	X	.	.28	X	.03	X	.	31
Total	1.97	1.47	3.08	2.87	3.49	3.49	3.63	9.42	2.58	7.79	3.24	1.69	YEAR'S TOTAL 44.69
Rain Days.	11	12	21	16	15	17	13	24	16	29	26	16	217

+ Snow

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. JAN 1919

Kept at Dynevor Castle

in the County of Carmarthenshire

by H. Brookshaw

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	. .	.19	. .	.15	.05	. .	. .	.32	.05	.07	.78	. .	1
2	. .	.39	. .	.09	. .	. .	. .	.22	.04	.06	.26	.66	2
3	. .	.36	. .	.21	.55	. .	. .	.25	.46	.32	.15	.06	3
4	.02	.22	. .	. .	. .	. .	. .	.10	.33	.56	1.24	.77	4
5	. .	.03	.02	.29	.20	. .	. .	.40	.27	.79	.73	.05	5
6	.03	.48	. .	.19	. .	.16	. .	. .	.09	.69	.01	.08	6
7	.05	.14	. .	.06	.27	. .	. .	.02	.42	.03	.55	.63	7
8	.49	.06	. .	. .	. .	.03	.02	. .	.16	.40	.03	.02	8
9	.03	.08	. .	.22	. .	.61	.26	. .	.60	.26	.10	.50	9
10	.02	.04	. .	.17	. .	. .	.26	. .	.31	.09	.13	.56	10
11	.07	.05	.22	. .	.02	. .	.62	.01	.46	.04	.05	.29	11
12	.02	.27	. .	. .	.21	. .	.17	. .	.09	. .	. .	.05	12
13	.07	.05	. .	. .	.04	.02	. .	. .	.39	.20	.01	.14	13
14	.74	. .	.02	. .	.09	. .	.32	.01	.29	.06	. .	.69	14
15	1.23	. .	. .	. .	. .	. .	.65	. .	.65	.28	. .	.95	15
16	.05	. .	.01	.29	.02	.03	.31	.03	.32	.06	. .	.17	16
17	.74	. .	. .	. .	. .	. .	.06	.43	.05	.20	.10	. .	.53	17
18	.59	.04	.07	. .	. .	. .	.81	.11	.04	.47	.08	. .	.61	18
19	.40	.17	.11	.08	. .	. .	.01	.35	.01	.03	.02	. .	.17	19
20	.36	.12	. .	.13	.11	.05	.04	.01	.50	.04	. .	. .	.01	20
21	.39	.07	. .	. .	.02	. .	.02	.34	. .	.58	.03	. .	.04	21
22	.13	. .	. .	. .	. .	.61	. .	.23	. .	.52	.46	. .	.55	22
23	.53	.02	. .	. .	. .	.52	.01	.11	. .	.23	. .	.07	.02	23
24	.05	.20	. .	. .	. .	. .	. .	.34	.26	.29	.05	.15	.06	24
25	. .	.01	. .	.01	.22	. .	. .	.44	.17	.03	.05	.08	.07	25
26	.15	. .	. .	. .	.32	. .	. .	.23	.01	.12	.09	.15	.42	26
27	.07	.07	.50	. .	. .	. .	.02	. .	.40	.39	.04	.37	.06	27
28	. .	.14	.43	. .	. .	. .	.01	. .	.03	. .	.04	.30	.13	28
29	. .	X	.14	. .	. .	. .	. .	. .	. .	.95	.03	. .	.06	29
30	. .	X	.36	. .	. .	. .	. .	. .	.02	.12	.10	.08	.12	30
31	. .	X	.50	X	. .	X	. .	. .	.07	X	.08	X	.09	31
Total	6.23	3.26	2.38	2.23	2.91	1.83	6.21	2.43	9.36	5.12	4.64	8.56	YEAR'S TOTAL 55.10
Rain Days.	22	22	11	14	13	13	18	20	29	29	19	30	240

W. 8,600, IX. 17. * Snow

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL. JAN 20

Kept at Dynevor Castle

in the County of Carmarthen

by H. Brookshaw

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.64	. .	.12	.18	.16	. .	.13	. .	.40	.25	.02	.62	1
2	.46	. .	.27	. .	.05	. .	. .	. .	.02	.03	.02	.27	2
3	.02	.01	.06	.04	.09	.03	. .	. .	.05	. .	.03	.45	3
4	. .	.22	.36	. .	.06	.07	.06	.02	.31	. .	. .	.24	4
5	.12	.24	. .	. .	.07	. .	. .	. .	.03	. .	.05	.44	5
6	.40	.05	.57	. .	. .	. .	. .	. .	.04	. .	. .	.20	6
7	.15	. .	.04	.15	. .	.02	. .	. .	.03	. .	. .	.30	7
8	.38	. .	.13	.06	. .	.09	. .	. .	.01	. .	.03	. .	8
9	.30	. .	.09	.12	.01	. .	. .	. .	.01	. .	.05	.02	9
10	.43	. .	.72	.05	.09	.01	. .	. .	. .	.10	. .	.95	10
11	.21	. .	2.00	.08	.28	.02	.21	. .	. .	.06	. .	.14	11
12	.04	. .	.43	.09	.06	1.26	. .	. .	.01	.13	.25 SSW	.02	12
13	.68	.02	. .	.57	. .	. .	.01	. .	.67	.33	. .	.44	13
14	.48	.01	. .	.19	.18	. .	.05	.01	.05	.11	. .	.13	14
15	.45	.02	. .	.12	.01	. .	. .	. .	. .	.16	. .	.49	15
16	.12	.77	. .	. .	.02	.09	.02	.05	. .	. .	.37	.02	16
17	. .	.49	.03	.01	. .	.15	.03	.05	. .	. .	.46	.03	17
18	.14	.12	.63	. .	. .	. .	.16	.40	.15	. .	.28	.08	18
19	.35	.41	.42	. .	. .	.30	. .	.35	.31	. .	.16	.05	19
20	.39	.10	.12	. .	.12	. .	. .	.06	.27	. .	.02	.22	20
21	.03	.72	. .	. .	.01	. .	.11	.18	.13	. .	.05	.15	21
22	. .	.05	. .	. .	. .	. .	.06	.02	. .	.26	. .	.03	.40	22
23	. .	. .	. .	. .	. .	. .	. .	.03	.01	.41	.07	.22	23
24	.01	. .	. .	.03	.03	.05	. .	.02	.01	.23	.24	.18	24
25	.22	. .	. .	.05	.09	.03	. .	.70	.06	.02	.13	.17	25
26	.14	. .	.21	.12	. .	.04	. .	.09	.08	.05	.01	.78	26
27	.27	. .	.05	.30	. .	.01	. .	.34	. .	. .	.03	.01	27
28	.28	. .	.30	. .	. .	. .	. .	.15	. .	. .	.03	.45	28
29	.01	X	.04	.03	. .	.03	. .	.01	. .	. .	.05	.30	29
30	. .	X	.01	.12	. .	.12	. .	.34	.01	. .	.79	.71	30
31	. .	X	.09	X	.03	X	.17	.01	X	. .	X	.03	31
Total	6.72	3.23	6.69	2.31	1.36	2.38	.97	2.81	2.92	1.88	3.17	8.37	YEAR'S TOTAL
Rain Days.	25	14	21	18	17	17	11	17	20	12	20	30	235

8.51

W, 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dynevor Castle
in the County of Carmarthen
by H. Brookshaw

Lat. ..... Long. .....
Time of Observation .....
Nearest Railway Station .....
Diameter of Funnel of Rain Gauge ..... in.
Height of top of Gauge above Ground ..... ft. ..... in.
" " " " Sea Level ..... ft.

3 JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	. .	.04	.05	.10	.77	. .	.86	. .	.22	.11	. .	.52	1
2	.24	.07	. .	.22	. .	. .	.14	.11	.42	.04	. .	.57	2
3	.02	.13	. .	.12	.03	. .	.20	.08	.08	1.97	. .	.10	3
4	. .	. .	.02	.02	.04	. .	.02	1.37	.13	.33	. .	. .	4
5	. .	. .	.32	. .	.92	. .	.33	.08	. .	.24	. .	. .	5
6	. .	. .	.58	.07	.52	. .	.06	. .	.03	.14	.02	. .	6
7	.12	.03	.10	.12	.05	. .	.11	. .	. .	. .	.02	.02	7
8	.01	.09	. .	.71	.09	. .	.14	.21	. .	. .	. .	. .	8
9	.33	.31	.06	1.02	. .	. .	.23	.03	.04	. .	.03	. .	9
10	.88	.24	.08	.01	. .	.22	.33	.01	. .	. .	.17	.02	10
11	.10	.01	.46	.19	.28	. .	.10	. .	. .	. .	.01	. .	11
12	.41	.13	.08	.26	. .	.46	.34	.06	. .	. .	.31	. .	12
13	.05	.12	.60	.38	. .	. .	. .	. .	. .	.05	.05	. .	13
14	.13	.08	.76	.72	. .	.03	.19	. .	1.08	.87	.80	.02	14
15	.04	.25	.26	.79	.14	.10	.02	. .	. .	.05	.08	. .	15
16	.02	.03	.13	.23	.24	.23	.73	.03	.59	.02	. .	. .	16
17	.16	. .	.02	.09	.58	.02	. .	.28	.12	.03	. .	. .	17
18	.31	. .	. .	.29	.21	.03	.02	.11	.10	. .	.02	.03	18
19	.04	.32	. .	.79	.09	.10	06	. .	.02	. .	. .	. .	19
20	.15	. .	. .	.38	. .	.18	.05	. .	.04	. .	. .	.66	20
21	. .	.22	. .	.06	. .	. .	.33	.04	.02	.03	. .	.12	21
22	.20	. .	. .	.10	. .	.02	.24	.09	. .	. .	. .	.20	22
23	.10	. .	.10	. .	. .	. .	.49	.04	. .	. .	. .	.42	23
24	.12	.02	.75	.03	. .	.02	.04	. .	. .	. .	.13	.43	24
25	.14	.05	.27	.10	. .	.01	1.03	. .	. .	. .	. .	.10	25
26	.47	.04	.73	.33	.01	.11	.13	. .	.03	. .	.12	.10	26
27	.73	.05	.81	.28	.10	.62	.10	. .	. .	. .	.43	.41	27
28	.64	.02	.48	.10	.06	.30	.13	. .	. .	. .	. .	.32	28
29	.80	.02	.35	.07	.09	.13	.27	. .	. .	. .	.40	.43	29
30	.22	X	1.06	.29	.05	.56	.25	. .	.72	.13	.36	1.13	30
31	.11	X	.38	X	.05	X	.05	.03	X	.78	X	.19	31
TOTAL	6.53	2.27	8.45	8.07	4.34	3.14	7.02	2.57	5.64	5.79	2.95	5.74	YEAR'S TOTAL 62.56
Days with .01 in. or more	26	21	23	28	19	17	29	15	15	14	15	19	241
Days with .04 in. or more	23	15	22	25	18	11	26	11	11	12	10	15	198

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

13 MAY 1914

LLANDOVERY

CARMARTHEN

1913

RE

Kept at Llandovery

in the County of Carm

by Douglas Thomas Ll

...very

...in.

...l 1 ft. — in.

...vel 249 ft.

IMPORTANT NO... ...sult entered to the previous day. If an O... ...ule, he is earnestly requested to add the rea... ...he space provided for it at the end of th... paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.20	.23	.66	.02	.00	.00	.00	.00	.00	.23	.08	1
2	.08	.37	.47	.10	.15	.17	.00	.00	.00	.28	.40	.12	2
3	.12	.06	.38	.00	.32	.00	.00	.00	.00	.02	.00	.23	3
4	.83	.13	.25	.00	.02	.00	.00	.00	.97	.18	.17	.36	4
5	.13	.10	.00	.00	.31	.34	.11	.00	.00	.03	.36	.52	5
6	.18	.21	.36	.00	.12	.27	.06	.00	.00	.33	.17	.02	6
7	.10	.80	.09	.00	.37	.53	.00	.00	.00	.61	.00	.03	7
8	.01	.47	.02	.00	.31	.04	.07	.17	.00	.30	.07	.09	8
9	.00	.39	.32	.02	.10	.90	.31	.14	.00	.00	.00	.20	9
10	.20	.02	.22	.03	.01	.00	.03	.85	.04	.25	.66	.00	10
11	.30	.00	.02	.55	.01	.00	.01	.05	.07	.26	.48	.20	11
12	.00	.00	.01	.00	.02	.10	.10	.04	.06	.00	1.06	.06	12
13	.09	.00	.82	.05	.00	.00	.11	.08	.84	.00	.59	.04	13
14	.21	.00	.73	.25	.00	.00	.00	.02	.18	.41	.10	.03	14
15	.47	.00	.84	1.53	.00	.00	.05	.21	.00	.00	.10	.03	15
16	.18	.00	.33	.23	.00	.03	.10	.00	.23	.00	.26	.00	16
17	.31	.00	.62	.33	.03	.00	.29	.00	.00	.00	.37	.00	17
18	.11	.00	.53	.53	.04	.02	.15	.00	.00	.00	.17	.00	18
19	.48	.00	.28	.03	.04	.12	.05	.00	.23	.30	.17	.00	19
20	.18	.00	.36	.21	.12	.00	.00	.00	.03	.28	1.90	.00	20
21	.00	.00	.23	.05	.35	.02	.32	.20	.60	.18	.27	.00	21
22	.85	.00	.67	.00	.07	.24	.00	.76	.03	.00	.02	.00	22
23	.12	.00	.04	.02	.10	.04	.00	.09	.02	.00	.17	.13	23
24	.32	.03	.00	.08	.00	.00	.00	.00	.12	.00	.23	.06	24
25	.00	.04	.00	.42	.00	.00	.00	.00	.03	.02	.10	.12	25
26	.16	.01	.00	1.62	.00	.07	.00	.00	.04	.26	.00	.99	26
27	.02	.03	.12	.41	.00	.00	.00	.00	.00	.32	.01	.04	27
28	.00	.00	.22	.32	.11	.00	.00	.00	.00	.34	.02	.17	28
29	.02		.28	.24	.04	.00	.00	.18	.00	.76	.15	.00	29
30	.45		.02	.02	.09	.00	.00	.00	.00	.27	.10	.00	30
31	.03		.39		.08		.00	.00		.27		.00	31
Total	5.98	2.82	8.85	7.64	2.83	2.89	1.76	2.79	3.49	5.67	8.33	3.52	YEAR'S TOTAL 56.57
Rain Days.	26	14.3	27	22	23	14	14	12	15	20	26	20	233.2

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

13 MAY 1914

RE[redacted]

Kept at Llandovery Carmarthenshire

in the County of Carmarthen

by Douglas Thomas Mayberry Jones

Time of Observation 9 a.m.

Nearest Railway Station Llandovery

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 249 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·20	·23	·66	·02	·00	·00	·00	·00	·00	·23	·08	1
2	·08	·37	·47	·10	·15	·17	·00	·00	·00	·28	·40	·12	2
3	·12	·06	·38	·00	·32	·00	·00	·00	·00	·02	·00	·23	3
4	·83	·13	·25	·00	·02	·00	·00	·00	·97	·18	·17	·36	4
5	·13	·10	·00	·00	·31	·34	·11	·00	·00	·03	·36	·52	5
6	·18	·21	·36	·00	·12	·27	·06	·00	·00	·33	·17	·02	6
7	·10	·80	·09	·00	·37	·53	·00	·00	·00	·61	·00	·03	7
8	·01	·47	·02	·00	·31	·04	·07	·17	·00	·30	·07	·09	8
9	·00	·39	·32	·02	·10	·90	·31	·14	·00	·00	·00	·20	9
10	·20	·02	·22	·03	·01	·00	·03	·85	·04	·25	·66	·00	10
11	·30	·00	·02	·55	·01	·00	·01	·05	·07	·26	·48	·20	11
12	·00	·00	·01	·00	·02	·10	·10	·04	·06	·00	1·06	·06	12
13	·09	·00	·82	·05	·00	·00	·11	·08	·84	·00	·59	·04	13
14	·21	·00	·73	·25	·00	·00	·00	·02	·18	·41	·10	·03	14
15	·47	·00	·84	1·53	·00	·00	·05	·21	·00	·00	·10	·03	15
16	·18	·00	·33	·23	·00	·03	·10	·00	·23	·00	·26	·00	16
17	·31	·00	·62	·33	·03	·08	·29	·00	·00	·00	·37	·00	17
18	·11	·00	·53	·53	·04	·02	·15	·00	·00	·00	·17	·00	18
19	·48	·00	·28	·03	·04	·12	·05	·00	·23	·30	·17	·00	19
20	·18	·00	·36	·21	·12	·00	·00	·00	·03	·28	1·90	·00	20
21	·00	·00	·23	·05	·35	·02	·32	·20	·60	·18	·27	·00	21
22	·85	·00	·67	·00	·07	·24	·00	·76	·03	·00	·02	·00	22
23	·12	·00	·04	·02	·10	·04	·00	·09	·02	·00	·17	·13	23
24	·32	·03	·00	·08	·00	·00	·00	·00	·12	·00	·23	·06	24
25	·00	·06	·00	·42	·00	·00	·00	·00	·03	·02	·10	·12	25
26	·16	·01	·00	1·62	·00	·07	·00	·00	·04	·26	·00	·99	26
27	·02	·03	·12	·41	·00	·00	·00	·00	·00	·32	·01	·04	27
28	·00	·00	·22	·32	·11	·00	·00	·00	·00	·34	·02	·17	28
29	·02		·28	·24	·04	·00	·00	·18	·00	·76	·15	·00	29
30	·45		·02	·02	·09	·00	·00	·00	·00	·27	·10	·00	30
31	·03		·39		·08		·00	·00		·27		·00	31
Total	5·98	2·82	8·85	7·64	2·83	2·89	1·76	2·79	3·49	5·67	8·33	3·52	YEAR'S TOTAL 56·57
Rain Days.	26	14·3	27	22	23	14	14	12	15	20	26	20	233 2

W.7,000, XI. 13

REG 4106

LLANDOVERY, NANTYRHOG FAEN

1917–30

1917–18, 1920

1919 22–24

FORM A. BRITISH RAINFALL. 1918

Kept at Llandovery

in the County of Carm

by D. L. L. Jones

4

L. L.

Llandovery,

Gauge 5 in.

Ground 1 ft. in.

Sea Level 249. ft.

IMPORTANT NO … the result entered to the previous day. If an … ersal rule, he is earnestly requested to add the reading … r in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·01	·26	·38	·00	·31	·00	·00	·32	·01	·15	·16	1
2	·00	·00	·00	·59	·00	·17	·00	·00	·00	·17	·24	·14	2
3	·20	·09	·00	·10	·00	·11	·04	·02	·03	·75	·05	·03	3
4	·06	·24	·12	·02	·00	·00	·00	·02	·21	·62	·02	·00	4
5	·58	·00	·15	·21	·00	·07	·00	·05	·00	·75	·38	·00	5
6	·06	·00	·22	·00	·00	·06	·00	·00	·00	·43	·37	·30	6
7	·70	·00	·00	·00	·00	·02	·17	·12	·00	·20	·26	·00	7
8	·05	·00	·13	·21	·00	·03	·61	·76	·10	·71	·56	·26	8
9	·00	·00	·03	·30	·07	·00	·00	·76	·00	·22	·63	·00	9
10	·25	·00	·30	·27	·04	·04	·00	·36	·01	·31	·06	·00	10
11	·14	·00	·06	·21	·00	·00	·00	·37	·00	·65	·14	·00	11
12	·10	·00	·00	·03	1·08	·13	·00	·14	·02	·24	·02	·02	12
13	·10	·00	·03	·22	·00	·02	·00	1·25	·40	·08	·06	·08	13
14	·00	·00	·00	·15	·03	·00	·00	·53	·00	·09	·02	·09	14
15	·00	·00	·00	·07	·12	·00	·17	·00	·13	·30	·00	·54	15
16	·00	·07	·00	·16	·00	·00	·04	·04	·01	·15	·02	·20	16
17	·00	·04	·06	·64	·06	·00	·90	1·48	·75	·09	·05	·00	17
18	·00	·00	·05	·10	·02	·00	·79	·35	·81	·17	·00	·00	18
19	·00	·58	·47	·02	·00	·40	·00	·11	·05	·00	·02	·00	19
20	·00	·18	·03	·00	·34	1·38	·00	·25	·18	·00	·22	·00	20
21	·00	·00	·05	·00	·03	·03	·00	·03	·01	·14	·10	·00	21
22	·00	·00	·00	·00	·00	·03	·00	1·02	·00	·24	·09	·00	22
23	·00	·35	·00	·00	·18	·12	·01	·36	·00	·15	·02	·67	23
24	·00	·03	·00	·00	·00	·18	·03	·57	·01	·84	·05	·17	24
25	·00	·12	·09	·00	·00	·00	·02	·37	·06	·15	·25	·00	25
26	·00	·00	·00	·00	·34	·05	·03	·41	·34	·08	·39	·00	26
27	·00	·02	·04	·00	·52	1·25	·80	1·00	·00	·17	·05	·00	27
28	·00	·06	·18	·00	·11	·00	·04	·57	·00	·02	·02	·00	28
29	·00	X	·06	·00	·00	·00	·00	·20	·00	·63	·12	·00	29
30	·00	X	·00	·00	·00	·00	·00	·48	·00	·14	·24	·08	30
31	·00	X	·00	X	·44	X	·00	·38	X	·02	X	·00	31
Total	2·24	1·79	2·33	3·68	3·38	4·40	3·65	12·00	3·44 3·97	8·52 8·57	4·55	2·14	52·64 52·12 YEAR'S TOTAL
Rain Days.	10	12	18	17	14	18	13	27	17	29	27	13	215

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL 1918

Kept at Llansawel.

in the County of Carmarthen.

by D. T. H. Jones.

Lat. 52 Long. 4

Time of Observation 9 a.m.

Nearest Railway Station Llansawel.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 249 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.01	.26	.38	.00	.31	.00	.00	.32	.01	.15	.16	1
2	.00	.00	.00	.59	.00	.17	.00	.00	.00	.17	.24	.14	2
3	.20	.09	.00	.10	.00	.11	.04	.02	.03	.75	.05	.03	3
4	.06	.24	.12	.02	.00	.00	.00	.02	.21	.62	.02	.00	4
5	.58	.00	.15	.21	.00	.07	.00	.05	.00	.75	.38	.00	5
6	.06	.00	.22	.00	.00	.06	.00	.00	.00	.43	.37	.30	6
7	.70	.00	.00	.00	.00	.02	.17	.12	.00	.20	.26	.00	7
8	.05	.00	.13	.21	.00	.03	.61	.76	.10	.71	.56	.26	8
9	.00	.00	.03	.30	.07	.00	.00	.76	.00	.22	.63	.00	9
10	.25	.00	.30	.27	.04	.04	.00	.36	.01	.91	.06	.00	10
11	.14	.00	.06	.21	.00	.00	.00	.37	.00	.65	.14	.00	11
12	.10	.00	.00	.03	1.08	.13	.00	.14	.02	.24	.02	.02	12
13	.10	.00	.03	.22	.00	.02	.00	1.25	.40	.08	.06	.08	13
14	.00	.00	.00	.15	.03	.00	.00	.53	.00	.09	.02	.09	14
15	.00	.00	.00	.07	.12	.00	.17	.00	.13	.30	.00	.54	15
16	.00	.07	.00	.16	.00	.00	.04	.04	.01	.15	.02	.20	16
17	.00	.04	.06	.64	.06	.00	.90	1.48	.75	.09	.05	.00	17
18	.00	.00	.05	.10	.02	.00	.79	.35	.81	.17	.00	.00	18
19	.00	.58	.47	.02	.00	.40	.00	.11	.05	.00	.02	.00	19
20	.00	.18	.03	.00	.34	1.38	.00	.26	.18	.00	.22	.00	20
21	.00	.00	.05	.00	.03	.03	.00	.03	.01	.14	.10	.00	21
22	.00	.00	.00	.00	.00	.03	.00	1.02	.00	.24	.09	.00	22
23	.00	.35	.00	.00	.18	.12	.01	.36	.00	.15	.02	.07	23
24	.00	.03	.00	.00	.00	.18	.03	.57	.01	.84	.05	.17	24
25	.00	.12	.09	.00	.00	.00	.02	.37	.06	.15	.25	.00	25
26	.00	.00	.00	.00	.34	.05	.03	.41	.34	.08	.39	.00	26
27	.00	.02	.04	.00	.52	1.25	.30	1.00	.00	.17	.00	.00	27
28	.00	.06	.18	.00	.11	.00	.04	.57	.00	.02	.02	.00	28
29	.00	X	.06	.00	.00	.00	.00	.20	.00	.63	.12	.00	29
30	.00	X	.00	.00	.00	.00	.00	.48	.00	.14	.24	.08	30
31	.00	X	.00	X	.44	X	.00	.38	X	.02	X	.00	31
Total	2.24	1.79	2.33	3.68	3.38	4.40	3.65	12.00	3.44 3.97	8.52 8.57	4.55	2.14	YEAR'S TOTAL 52.12 52.64
Rain Days.	10	12	18	17	14	18	13	27	17	29	27	13	215

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

Cov. for auth.

FORM A. BRITISH RAINFALL. 12 6 19

Kept at Llandovery.

in the County of Carmarthen.

by D. T. M. Jones.

Lat. 52 Long. 4

Time of Observation 9. A.M

Nearest Railway Station Llandovery.

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 249. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.02	.08	.00	.27	.00	.00	.00	.11	.31	.03	1.02	.01	1
2	.00	.11	.00	.06	.00	.00	.00	.21	.21	.05	.19	.95	2
3	.00	.08	.00	.12	.32	.00	.00	.00	.61	.17	.05	.09	3
4	.03	.10	.03	.00	.00	.00	.00	.10	.68	.72	.64	.49	4
5	.00	.06	.02	.28	.21	.00	.00	.44	.17	.83	.02	.06	5
6	.04	.73	.00	.76	.00	.14 .14	.00	.03	.21	.35	.00	.09	6
7	.02	.41	.00	.08	.41	.00	.00	.00	.68	.12	.50	.15	7
8	.36	.11	.00	.08	.00	.00	.04	.00	.37	.20	.01	.04	8
9	.05	.42	.00	.23	.00	1.12	.30	.00	.47	.52	.11	.34	9
10	.06	.09	.00	.04	.00	.00	.28	.00	.37	.17	.35	.43	10
11	.04	.08	.08	.00	.00	.00	.52	.00	.16	.04	.00	.32	11
12	.08	.45	.03	.00	.17	.00	.16	.00	.30	.00	.00	.12	12
13	.02	.10	.00	.00	.02	.04	.00	.00	.43	.06	.00	.27	13
14	.56	.00	.05	.00	.00	.05	.47	.03	.40	.03	.00	.75	14
15	1.19	.00	.00	.00	.00	.00	1.15	.00	.56	.06	.00	.92	15
16	.19	.00	.00	.32	.00	.06	.17	.02	.17	.18	.00	.39	16
17	.68	.00	.00	.00	.00	.04	.21	.01	.12	.14	.00	.64	17
18	.98	.00	.07	.00	.00	.28	.10	.01	.61	.07	.00	.64	18
19	.20	.20	.20	.08	.00	.05	.31	.04	.07	.03	.00	.26	19
20	.46	.18	.00	.34	.00	.08	.02	.01	.61	.02	.00	.03	20
21	.21	.16	.00	.04	.00	.03	.11	.00	.69	.02	.00	.05	21
22	.58	.03	.00	.00	.63	.00	.31	.02	.37	.15	.00	.77	22
23	.02	.00	.00	.00	1.00	.00	.17	.02	.40	.00	.14	.07	23
24	.03	.13	.00	.00	.00	.00	.08	.18	.37	.03	.24	.07	24
25	.02	.02	.00	.00	.23	.00	.50	.41	.05	.05	.14	.06	25
26	.03	.00	.00	.00	.00	.00	.23	.03	.41	.06	.19	.48	26
27	.09	.14	.48	.00	.00	.00	.00	.56	.20	.03	.40	.23	27
28	.00	.18	1.03	.00	.00	.00	.00	.03	.00	.06	.49	.23	28
29	.00		.13	.29	.00	.00	.00	.00	.71	.04	.02	.10	29
30	.00		.29	.00	.00	.00	.00	.00	.07	.00	.07	.29	30
31	.00		.61		.00		.00	.08 7.03		.01		.07	31
Total	5.96 5.71	3.86	3.02	2.99	2.99	1.91	5.03	2.29 2.31	10.78	4.24	4.58	9.41	YEAR'S TOTAL 56.03
Rain Days.	24.	21.	12.	14.	8.	11.	18.	19.	29.	28.	17.	31	232

W. 7,500, XI. 12

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llandovery

in the County of Carmarthenshire.

by D. T. M. Jones

Lat. 52 Long. 4

Time of Observation 0900 hours.

Nearest Railway Station Llandovery

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 249 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·04	·00	·08	·28	·00	·62	·00	·17	·09	·01	·42	1
2	·00	·26	·00	·24	·02	·00	·23	·09	·43	·03	·00	·45	2
3	·16	·27	·00	·11	·05	·00	·32	·04	·17	1·36	·00	·15	3
4	·00	·01	·02	·02	·03	·00	·02	·83	·12	·13	·00	1·00	4
5	·00	·00	·20	·10	·52	·00	·31	·11	·02	·12	·00	·00	5
6	·00	·00	·59	·02	·31	·00	·04	·03	·00	·13	·01	·01	6
7	·16	·06	·05	·24	·01	·00	·04	·00	·02	·00	·04	·00	7
8	·16	·12	·00	·67	·11	·00	·10	·23	·00	·00	·00	·00	8
9	·53	·73	·06	·84	·00	·00	·10	·06	·00	·00	·05	·00	9
10	1·26	·42	·24	·01	·00	·27	·30	·00	·00	·00	·17	·00	10
11	·24	·13	·24	·20	·20	·00	·09	·00	·00	·00	·00	·00	11
12	·68	·23	·05	·15	·02	·65	·16	·12	·00	·01	·31	·00	12
13	·17	·12	·52	·60	·00	·02	·00	·00	·03	·01	·08	·00	13
14	·12	·05	·83	·45	·00	·11	·18	·00	1·50	·75	1·05	·00	14
15	·07	·13	·23	·85	·09	·22	·01	·00	·01	·03	·20	·00	15
16	·08	·00	·08	·27	·09	·65	·50	·02	·79	1·08	·02	·00	16
17	·24	·01	·02	·14	·47	·82	·01	·39	·97	·06	·02	·00	17
18	·50	·01	·00	·10	·24	·20	·00	·09	·93	·00	·00	·00	18
19	·04	·32	·00	·49	·17	·16	·12	·03	·00	·00	·00	·00	19
20	·15	·00	·00	·65	·00	·18	·04	·00	·05	·03	·00	·36	20
21	·00	·00	·00	·01	·00	·01	·29	·05	·00	·06	·00	·19	21
22	·26	·00	·00	·12	·00	·08	·19	·10	·00	·00	·00	·14	22
23	·02	·00	·12	·00	·00	·00	·35	·00	·00	·00	·00	·33	23
24	·17	·01	·45	·05	·75	·02	·00	·00	·00	·00	·05	1·02	24
25	·04	·04	·25	·16	·45	·18	·66	·00	·00	·00	·00	·18	25
26	·32	·08	·63	·45	·00	·02	·36	·00	·03	·00	·04	·06	26
27	·42	·04	·73	·15	·00	·75	·07	·00	·00	·00	·03	·35	27
28	·60	·05	·48	·05	·04	·40	·09	·00	·00	·00	·00	·17	28
29	·43	·03	·12	·10	·11	·12	·55	·00	·00	·00	·05	·77	29
30	·42		·43	·31	·06	·62	·15	·00	·31	·05	·34	·64	30
31	·21		·42		·04		·07	·00		·67		·32	31
TOTAL	7·45	3·16	6·76	7·63	4·06	5·45	5·97	2·19	5·55	4·61	2·47	5·56	YEAR'S TOTAL 60·86
Days with ·01 in. or more	25	22	22	29	21	29	28	14	15	16	16	16	247
Days with ·04 in. or more	24	17	20	25	17	15	25	11	10	11	11	15	201

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

4104

LLANDDEUSANT, PONTERYNFE

1911 – 20

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

Kept at The alha... 11 ...nuwdon

in the County of C... 5 in.

by J. I. Jeffr... ove Ground 1 ft. 1

,, Sea Level 652·6 ft.

9 am

Name Llanddeusant

Distance 5 Direction S.E.

IMPORTANT ... nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									H	H	·36	·20	1
2									H	·22	·19	·55	2
3									H	H	·65	·65	3
4									·015	H	·74	1·00	4
5									·02	·09	·05	·02	5
6									H	H	·19	1·18	6
7									H	H	·75	·04	7
8									H	H	·64	1·20	8
9									H	H	·13	·90	9
10									H	H	H	·83	10
11									·16	H	·19	·29	11
12									1·00	H	1·35	·18	12
13									·06	·04	·23	·72	13
14									H	H	·21	1·00	14
15									H	H	·72	·09	15
16									H	H	·26	·49	16
17									H	H	·75	1·06	17
18									H	·05	·65	1·61	18
19									1·10	·11	·34	·89	19
20									·01	·21	H	·42	20
21									·36	1·00	H	·13	21
22									H	·26	H	·69	22
23									·25	1·00	H	·47	23
24									·12	·35	H	·22	24
25									·20	·15	H	·09	25
26									·005	·26	·02	·11	26
27									·55	H	·23	·14	27
28									H	H	·02	·14	28
29									·35	·62	H	·04	29
30									H	·59	·18	·02	30
31										·05		·02	31
Total									4·20	5·00	8·85	14·82	TOTAL for year 32.87
No. of Rain Days									13 (14)	15	22	31	

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A 2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at The alhin Llandeusant.

in the County of Carmarthen

by J. I. Griffith (Head Teacher)

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 1
" " " Sea Level 652·6 ft.

Time of Observation 9 am

Nearest Railway Station
Name Llanpumsaint
Distance 5 m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									H	H	·36	·20	1
2									H	·22	·19	·55	2
3									H	H	·65	·65	3
4									·015	H	·74	1·00	4
5									·02	·09	·05	·02	5
6									H	H	·19	1·18	6
7									H	H	·75	·04	7
8									H	H	·64	1·20	8
9									H	H	·13	·90	9
10									H	H	H	·83	10
11									·16	H	·19	·29	11
12									1·00	H	1·35	·18	12
13									·06	·04	·23	·72	13
14									H	H	·21	1·00	14
15									H	H	·72	·09	15
16									H	H	·76	·49	16
17									H	H	·75	1·06	17
18									H	·05	·65	1·61	18
19									1·10	·11	·34	·89	19
20									·01	·21	H	·42	20
21									·36	1·01	H	·13	21
22									H	·26	H	·69	22
23									·25	1·00	H	·47	23
24									·12	·35	H	·22	24
25									·20	·15	H	·09	25
26									·005	·26	·02	·11	26
27									·55	H	·23	·14	27
28									H	H	·02	·14	28
29									·35	·62	H	·04	29
30									H	·59	·18	·02	30
31										·05		·02	31
Total									4·20	5·00	8·85	14·82	TOTAL for year 32·87
No. of Rain Days									14 13	15	22	31	

9,000, IX. '10.

Ca. for auth. 16.VI.13.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

Kept at Old Council School Llangadock

in the County of Carmarthen 2

by J. D. Griffiths

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llangadock

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 654.6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.49	—	.10	.60	.02	.07	.09	—	—	.21	1
2	.07	.07	.83	—	—	.95	.04	—	—	—	—	—	2
3	.20	—	.34	.15	—	.08	.05	.88	.28	—	.09	.21	3
4	.59	—	1.24	—	.13	.06	—	1.45	—	—	.32	.06	4
5	.47	.10	.37	—	.30	—	—	.24	.02	—	.03	.12	5
6	.43	.25	.07	—	.19	—	—	.12	.06	—	.02	.20	6
7	.05	.51	.39	.05	.10	.53	.18	—	.02	—	.02	.18	7
8	.47	.31	.33	.15	.04	.19	—	.34	.05	—	.03	—	8
9	.15	.25	.10	.14	—	.14	.08	.52	—	—	.02	.76	9
10	.50	.23	—	—	—	—	.27	.02	.07	—	.49	.11	10
11	.02	.16	—	—	—	—	.08	—	—	—	.41	1.12	11
12	.10	.51	.20	.17	.05	—	.10	—	—	—	—	.10	12
13	.14	.07	.14	—	—	—	.16	.07	—	.33	—	.91	13
14	.18	.05	.87	—	.07	.03	—	.06	.14	.02	—	.19	14
15	.70	.06	.02	—	.04	.42	—	.03	—	—	—	.26	15
16	.43	—	.84	—	.13	.03	—	.57	—	.21	.04	.05	16
17	.23	—	.21	—	.10	.26	—	.77	—	—	.14	.72	17
18	.07	—	.10	—	.07	.04	—	.32	—	.20	.07	.10	18
19	.02	.42	—	—	—	.08	.12	.59	—	.02	.04	.08	19
20	.04	.07	.68	—	.05	—	—	.10	—	.64	.06	.08	20
21	—	.12	.70	—	.06	.02	—	.34	—	.15	.02	.10	21
22	.03	.51	.34	—	.45	.07	.21	.65	—	.01	.09	.45	22
23	.14	.05	.38	—	—	.49	.06	.68	—	—	.38	.07	23
24	—	.02	.16	—	.06	.57	—	.01	—	—	.02	.13	24
25	—	—	.30	—	—	.37	.16	.80	—	—	.59	1.54	25
26	—	.30	.30	—	—	.06	.01	.28	—	1.48	.76	.59	26
27	—	.18	.10	—	—	.81	1.15	—	—	1.40	.25	.93	27
28	—	.31	—	—	—	.48	.93	.61	.16	.33	.50	.03	28
29	—	.31	.23	—	—	.29	.36	.17	.71	.35	—	.02	29
30	—		.26	.01	—	.46	.15	.02	.26	.63	.14	.03	30
31	.05		.22		—		.24	.07		—		.31	31
Total	5.02	4.68	10.24	.64	1.88	6.97	4.42	4.78	1.80	5.44	4.43	4.66	YEARS TOTAL 55.45
Rain Days.	28	28	27	6	16	23	19	26	11	13	20	24	234

5.02 1.88 6.97 234

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

17 APR 1914

Kept at The Council School Llanadensant

in the County of Carmarthen 2

by T. I. Griffiths.

Lat. ..... Long. .....

Time of Observation 9

Nearest Railway Station Llangadock

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 7 in.

" " " " Sea Level 654·6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·18	·70	·26	·16	—	—	—	—	—	·41	·02	1
2	·01	·06	·42	·12	·18	·12	—	—	—	·79	·40	·19	2
3	·13	·08	·24	—	·41	—	—	—	—	—	·02	·48	3
4	·63	·20	·32	—	·06	·02	—	—	·87	·16	·05	·05	4
5	·27	·11	·04	—	·46	·34	·18	—	·04	·04	·41	·21	5
6	·33	·28	·28	—	·16	·35	·14	—	—	·50	·22	·38	6
7	·27	·84	·08	—	·67	·45	—	—	—	·95	·20	·01	7
8	·07	·62	·02	—	·43	·15	·04	·10	·01	·07	·04	·06	8
9	—	·13	·20	—	·39	·87	·18	·15	·02	·10	·51	—	9
10	1·10	—	·17	·15	·10	·01	—	·40	·05	·28	·34	—	10
11	·80	—	·03	·27	·13	—	—	·05	·02	·25	1·18	·25	11
12	—	—	·12	—	·09	·03	—	·04	·05	—	·70	·01	12
13	—	—	·96	·08	—	—	·11	·07	·82	—	·50	—	13
14	·49	—	·41	·40	—	—	—	·01	·35	·43	·05	·04	14
15	·62	—	1·02	2·05	—	—	—	·21	·05	—	·08	·03	15
16	·29	—	·27	·18	—	·01	—	·05	·01	—	·20	·08	16
17	·14	—	·45	·22	—	·01	·22	—	—	—	·28	—	17
18	·29	—	·75	·17	·03	—	·12	—	—	—	·25	—	18
19	·90	—	·34	·18	·03	·41	·06	—	·22	·30	·27	—	19
20	23	—	·60	·18	·04	—	—	—	·03	·35	1·51	—	20
21	·69	—	·38	—	·27	—	·75	·25	—	·30	·28	—	21
22	·20	—	·84	·28	·06	·24	—	·86	·48	—	—	—	22
23	·18	—	·04	·31	·02	—	—	·07	·23	—	·23	·06	23
24	—	·11	—	·51	—	·09	—	—	—	—	·22	·03	24
25	—	—	—	1·98	—	·02	—	—	·15	—	·09	·19	25
26	—	—	—	·47	—	—	—	—	·02	·03	—	·16	26
27	—	—	·20	·69	—	—	—	·02	—	·28	·01	·06	27
28	·15	·05	·24	·55	·08	—	—	—	—	·54	—	·19	28
29	—		·69	—	·05	—	—	—	—	·75	·11	—	29
30	·65		·02	—	·06	—	—	·07	—	·43	·18	—	30
31	·13		·42		·12		—	·04	—	·07		—	31
Total	8·65	2·66	10·25	9·05	4·05	3·12	1·30	2·39	3·45	6·68	8·44	2·47	YEAR'S TOTAL 62·81
Rain Days.	24	11	28	19	22	15	9	15	17	19	27	19	225

W.7,000, XI. 13

REGISTER OF RAINFALL IN 19[illegible]

FORM A. BRITISH RAINFALL. 5 FEB 1915

Kept at Llandeilo and Llandovery

in the County of Carmarthen

by J. I. Griffiths

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Llangadock

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 654·6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·14	·09	—	—	·15	·28	1·10	—	·07	·16	·20	1
2	·04	—	·15	—	·04	·03	·65	·35	—	·04	·15	·63	2
3	·03	—	·47	·10	·75	—	—	·02	—	·02	·01	·62	3
4	·61	—	·10	·20	·37	—	·05	·05	—	—	·22	·82	4
5	—	—	·45	·33	·10	—	·38	·02	—	·01	·16	—	5
6	·20	·16	·04	·04	·16	—	·08	·14	—	—	·21	·37	6
7	·05	·74	·55	·13	·78	·15	·50	·05	—	—	·04	·59	7
8	·29	—	·04	·15	·49	·28	·01	·87	—	—	·01	·21	8
9	·58	·07	·29	·41	·23	·83	—	·43	·06	—	·07	—	9
10	·15	·44	·15	—	·12	·05	—	—	·20	—	·02	—	10
11	—	·54	·52	—	·27	·25	—	—	—	—	·39	·68	11
12	—	1·31	·12	—	·10	—	—	—	·18	—	·36	·25	12
13	—	·86	·95	·05	—	—	·07	·23	·65	·30	·25	·10	13
14	—	·90	·54	—	—	—	·02	·22	·01	·03	·30	—	14
15	·02	·02	·26	—	—	—	·13	—	·22	·01	·31	·22	15
16	—	—	·08	—	—	—	·10	—	·43	—	—	·08	16
17	—	·96	·42	—	—	—	·05	—	·03	—	—	1·69	17
18	—	·06	·26	—	—	·02	·06	—	·13	·01	—	·67	18
19	—	·29	·13	—	—	—	·92	—	·15	—	·04	·15	19
20	—	·64	·45	—	—	·15	—	—	—	—	—	·01	20
21	—	·26	—	—	—	·31	·23	—	—	·41	—	—	21
22	—	·18	·01	·05	—	·08	·01	·26	—	·87	—	—	22
23	—	·10	·56	—	—	—	·13	·03	—	—	—	—	23
24	·06	—	·31	—	—	·03	·19	·11	—	·11	·17	—	24
25	·26	—	—	—	—	—	·42	·93	—	·36	·20	·61	25
26	·02	—	·20	—	—	—	·23	·24	—	·34	·59	·44	26
27	·09	·04	—	—	—	—	·14	·01	·01	·09	·83	1·61	27
28	·22	·14	·35	—	·13	—	—	—	—	·10	·18	·43	28
29	·50	—	·18	—	·09	—	·23	·02	—	·06	·97	·31	29
30	·06	X	·35	—	—	—	—	·01	—	·05	·83	1·27	30
31	·86	X	·03	X	·06	X	·59	—	X	·26	X	·25	31
99 Total	4·07 4·07	8·12	8·08	1·46	3·78 3·72	2·33	5·47	5·03	2·07	3·58	6·52	12·15	YEAR'S TOTAL 62·68 62·610
Rain Days.	14	19	28	9	14	12	23	19	11	18	23	23	216

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Llanddawsant

in the County of Carmarthen

by J. Thomas

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.86	.40	.02	—	.42	—	—	.39	.17	.24	—	.59	1
2	.26	.56	.40	.51	—	.02	.08	.40	.14	.03	—	.08	2
3	—	.81	.67	.07	.06	—	.81	.01	—	—	—	.48	3
4	.14	.41	.04	—	.06	.01	.78	.04	—	—	—	.86	4
5	.05	1.10	.02	.14	.03	.02	—	.08	—	—	—	1.29	5
6	.35	.03	.01	.47	—	—	.38	.15	—	—	—	.23	6
7	.33	.93	—	.05	.11	—	.22	.04	—	—	—	.69	7
8	.22	.69	—	—	—	—	—	.04	—	.02	.50	—	8
9	.31	.73	—	.19	—	—	—	.06	—	—	.18	.90	9
10	.56	.08	.10	.19	—	3.03	.02	.09	—	.08	.12	.09	10
11	.03	.10	.07	—	—	—	—	.13	—	.09	1.41	.02	11
12	.21	.34	—	—	.25	—	—	.08	—	.12	.41	—	12
13	.05	.37	—	.01	.59	—	—	.35	.14	.01	.15	.18	13
14	.23	.05	—	.01	—	—	.01	.09	.05	—	.11	.54	14
15	.45	.04	—	—	.07	—	.25	.07	.21	.38	.17	.19	15
16	.10	2.36	—	.01	.22	—	.82	.07	.01	—	—	.05	16
17	.06	.66	.02	—	.19	—	.01	.04	—	—	—	—	17
18	.02	.77	.03	—	—	—	.06	.05	—	—	—	—	18
19	.01	.06	—	.37	.22	—	.95	—	—	—	—	—	19
20	.60	.01	—	.02	—	—	—	.02	—	.15	—	.25	20
21	.33	.03	—	—	.17	—	.52	—	.03	.08	—	.29	21
22	.01	.03	.02	.03	.32	.09	.94	—	.02	.04	—	.97	22
23	.01	.17	.13	—	—	.21	.15	—	.09	.77	—	.33	23
24	—	—	.02	.09	—	—	—	—	—	.30	—	.72	24
25	—	—	—	—	—	.39	.05	—	—	—	.08	.10	25
26	—	.74	—	—	—	—	.63	—	.03	—	—	.67	26
27	—	.09	—	—	—	.14	.26	—	—	.83	—	.36	27
28	—	.10	—	—	—	.11	—	.01	.18	.06	—	.03	28
29	—	X	—	—	—	1.13	.20	.02	.03	.05	.55	.13	29
30	.29	X	—	.31	—	—	.01	—	—	.59	.77	1.10	30
31	—	X	—	X	—	X	.13	.22	X	.13	X	.89	31
													YEAR'S TOTAL
Total	5.47	11.66	1.45	2.47	2.71	5.15	7.28	2.45	1.10	3.97	4.45	12.03	60.19
Rain Days.	23	26	13	15	13	10	21	22	12	18	11	26	210

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL

Kept at Llanddewsant

in the County of Carmarthen

by J. Thomas

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.33	.03	—	—	—	.43	.41	—	—	.46	.67	—	1
2	.86	.47	.28	—	.02	.13	.17	—	.36	1.29	.56	—	2
3	.10	2.54	—	.01	.05	.13	—	—	.27	.45	.80	.09	3
4	.64	.41	—	.03	.30	.82	—	—	.23	.18	.50	—	4
5	.09	.45	.09	—	.02	.12	.03	—	—	.70	.05	—	5
6	.41	.34	.03	—	.53	.01	.78	—	—	.60	.57	.05	6
7	.01	.05	.03	—	.05	—	.07	—	—	.61	.90	.22	7
8	.03	.04	—	—	.11	.20	—	—	—	.13	.06	.07	8
9	.01	.14	.01	—	.03	.15	.02	—	—	.04	.06	.24	9
10	.04	.34	—	.14	.01	—	.04	—	—	.06	.01	.10	10
11	.10	.09	.01	.40	.09	.11	—	—	.06	.01	.01	—	11
12	.05	.19	.01	.13	.48	—	.59	.31	.02	.31	.01	—	12
13	—	.28	.06	.10	.01	—	—	.70	—	.31	—	—	13
14	.02	.54	.13	.03	.11	—	—	.21	—	.25	—	—	14
15	—	.64	.03	.18	.07	—	—	.17	.05	.20		—	15
16	.06	.04	—	.40	.01	—	.03	—	.84	.11	—	—	16
17	.56	.34	—	.18	—	—	—	.07	.33	.28	.08	—	17
18	.20	.30	.16	.17	—	—	—	.01	—	.19	.08	.30	18
19	.58	.04	.41	.31	—	—	—	.01	—	.01	.12	.05	19
20	.34	.01	.25	.02	—	—	—	—	—	—	.07	.29	20
21	.39	—	.08	.07	.05	—	.12	—	—	—	.11	.04	21
22	.01	—	—		.01	.06	—	.01	—	.67	.07	.15	22
23	.22	.11	.06	.38	—	—	—	.27	—	.74	.58	.18	23
24	—	.07	.02	.77	.83	.03	.09	.25	—	.78	.11	.13	24
25	.08	.07	.35	—	.24	.04	—	1.16	.10	.05	.46	.02	25
26	.11	.03	.12	—	.01	.13	.15	.45	.72	.50	.16	—	26
27	.03	—	.75	—	.04	.29	—	.59	.62	1.08	—	—	27
28	.01	.16	—	—	—	—	—	.01	.02	.66	.27	1.38	28
29	—	.06	.05	—	—	.32	—	.46	—	.75	.07	.48	29
30	—	X	—	—	—	.18	—	.07	—	.54	—	.03	30
31	—	X	—	X	.05	X	—	.32	X	.68	X	.02	31
99 Total	5.28	7.78	2.93	3.32	3.12	3.15	2.50	5.07	3.62	12.64	6.38	3.84	YEAR'S TOTAL 59.63
Rain Days.	25	26	20	16	22	16	12	17	12	29	24	18	237

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Pontcrynge, Llanddeusant

in the County of Carmarthen

by J. Thomas

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	–	.20	.29	–	.56	–	.16	.06	–	.18	.18	1
2	.01	–	.01	.44	–	.10	–	–	–	.09	.22	.04	2
3	.14	.10	–	.12	–	.14	.12	.01	–	.65	.10	–	3
4	–	.25	.19	.01	–	–	–	–	.11	.31	.02	–	4
5	.52	–	.47	.22	–	.12	–	.16	.14	.57	.47	–	5
6	.05	–	.29	–	–	.07	–	.06	–	.38	.27	.32	6
7	.46	–	–	–	–	–	–	.05	–	.72	.11	.04	7
8	.04	–	.16	.12	–	–	.79	.60	.05	.63	.37	.19	8
9	–	–	.01	.16	–	–	–	.48	.01	.30	.38	–	9
10	.19	–	.90	.46	.04	.04	–	.62	–	.36	.03	–	10
11	.19	–	.08	.40	–	–	–	.73	–	.44	.06	–	11
12	.13	–	.03	.02	1.05	.18	–	.06	.01	.26	–	–	12
13	.10	–	.07	.11	–	.05	–	1.03	.36	.07	.05	.06	13
14	–	–	–	.15	.01	–	–	.14	–	.08	.01	.05	14
15	–	–	–	.09	.08	–	.14	–	.12	.55	–	.88	15
16	–	.04	–	.15	–	–		.04	.07	.08	–	.28	16
17	.01	.02	.08	.41	.10	–	.65	1.50	.47	.18	.01	–	17
18	–	–	.04	.14	.03	–	.69	.04	.88	.04	–	–	18
19	–	.40	.12	–	–	.30		–	.14	–	.03	–	19
20	–	.14	.06	–	.46	1.20	.23	.22	.13	–	.14	–	20
21	–	–	–	–	.02	–		.24	–	.20	.06	–	21
22	–	–	–	–	–	.03		.96	–	.25	.04	–	22
23	–	.18	–	–	.34	.15		.63	–	.20	–	.06	23
24	–	–	.02	–	–	.22	.15	.22	–	.72	.02	.10	24
25	–	.11	.07	–	–	–	.02	.66	.12	.05	.20	–	25
26	–	–	–	–	.47	–		.24	.35	.07	.33	–	26
27	–	.01	–	–	.46	.32	.68	.96	–	.03	–	–	27
28	–	.01	.09	–	.17	.27		.45	–	.01	.06	–	28
29	–	X	–	–	–	–	.02	.06	–	.79	.11	.18	29
30	–	X	.05	–	–	–		.41	–	.26	.15	–	30
31	–	X	.06	X	.62	X		.70	X	.01	X	–	31
99 Total	1.85	1.26	3.00	3.29	3.85	3.75	3.49	11.43	3.02	8.30	3.42	2.38	YEAR'S TOTAL 49.04
Rain Days.	12	10	20	16	13	15	10	27	15	28	24	12	202

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

22.1.19

Kept at Llanddewsant

in the County of Carmarthen

by J. Thomas

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	.23	–	.10	–	–	–	.19	.10	.04	1.54	–	1
2	–	.35	–	.02	–	–	–	.12	.01	.07	.20	.81	2
3	–	.29	–	.18	.42	.11	–	–	.38	.23	.17	.07	3
4	.03	–	–	–	–	–	–	.07	.26	.72	1.35	.87	4
5	–	–	–	.35	.14	–	–	.33	.08	1.16	.13	.04	5
6	–	1.12	–	.16	–	.14	–	–	.12	.59	.01	.12	6
7	–	.56	–	.07	.38	.02	–	.01	1.07	.04	.66	.52	7
8	.40	.08	–	–	–	–	–	–	.10	.29	.06	.03	8
9	.03	.17	–	.08	–	.68	.17	–	.62	.58	.11	.68	9
10	.04	.11	–	.21	–	–	.53	–	.43	.13	.24	.50	10
11	.01	.13	.19	–	–	–	.55	–	.50	.02	.05	.40	11
12	.10	.39	.06	–	.27	–	.32	–	.18	–	–	.15	12
13	.06	.07	–	–	.01	.05	–	–	.32	.09	–	.27	13
14	.85	–	.01	–	–	.01	.33	.03	.33	.02	–	.74	14
15	1.40	–	–	–	–	.01	.64	–	.53	.17	–	1.08	15
16	–	–	–	.25	.07	.04	.13	.03	.28	–	–	.18	16
17	.74	–	–	–	–	.03	.33	–	.24	.25	–	.63	17
18	1.00	–	.06	–	–	.77	.20	.05	.63	.03	–	.74	18
19	.64	.18	.16	.05	–	.02	.17	.01	.04	.03	–	.11	19
20	.85	.20	–	.16	–	.06	.10	–	.48	–	–	–	20
21	.54	.10	–	.04	–	.01	.29	–	.89	–	–	.03	21
22	.12	–	–	–	.47	–	.84	.01	.25	.16	–	.69	22
23	.65	–	–	–	.81	–	.11	–	.13	–	–	.01	23
24	.08	.21	–	–	–	–	.45	–	.29	.02	.25	.06	24
25	–	–	–	–	.30	–	.67	.52	.08	.15	.05	.04	25
26	–	–	–	.03	–	–	.33	.02	.28	.05	.14	.56	26
27	.18	.11	.77	–	–	.02	–	.41	.44	.05	.35	.14	27
28	–	.14	.63	–	–	–	–	.02	–	.03	.32	.20	28
29	–	X	.16	–	–	–	–	–	.87	–	–	.10	29
30	–	X	.77	–	–	–	–	–	.07	.12	.03	.14	30
31	–	X	.67	X	–	X	–	.02	X	.08	X	.05	31
99 Total	7.72	4.44	3.48	1.70	2.87	1.97	6.16	1.84	10.00	5.12	5.66	9.96	YEAR'S TOTAL 60.92
Rain Days.	18	17	10	13	9	14	17	15	29	25	17	29	213

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL

Kept at Llanddewisant

in the County of Carmarthen

by J. Thomas

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 19	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.72	–	.11	–	.27	–	.07	–	.62	.20	.01	.77	1
2	.36	–	.40	–	.02	–	.07	–	.04	.05	.01	.39	2
3	.01	–	.05	.19	.18	–		–	–	–	.01	.50	3
4	–	.48	.35	–	–	.04	–	.06	.32	.01	–	.12	4
5	.25	.25	–	–	.06	–	–	–	.11	–	.02	.64	5
6	.64	.01	.87	–	–	–	–	–	.03	–	–	.18	6
7	.12	–	.17	.11	–	.04	–	–	.10	–	–	.11	7
8	1.01		.12	.03	–	.14	–	–	–	–	–	–	8
9	.30	–	.04	.09	–	–	–	–	–	–	.08	.02	9
10	.61	–	1.40	.10	.06	–	–	–	–	.04	.02	.71	10
11	.10	–	1.78	.15	.30	.03	.24	–	–	.03	.16	.15	11
12	.01	–	.38	.22	.09	1.40	–	–	–	.11	–	.01	12
13	.65	–	–	.49	–	–	–	–	.98	.40	–	.42	13
14	.65	.01	–	.53	.13	–	.03	–	–	.19	–	.16	14
15	.03	–	–	.14	–	–	–	–	–	.12	–	.74	15
16	.03	.72	–	–	–	.17	.02	.06	–	–	.38	.01	16
17	–	.49	–	–	–	.21	–	.23	–	–	.72	.07	17
18	.10	.46	.59	–	–	–	.19	.71	.17	–	.25	.16	18
19	.30	.24	.35	–	–	.42	–	.43	.19	–	.13	.03	19
20	.40	.15	.14	–	.06	–	–	.01	.69	–	–	.29	20
21	.04	1.18	–	–	–	–	.09	.13	.12	–	.03	.06	21
22	–	.04	–	–	–	.10	.02	–	.35	–	.02	.83	22
23	–	–	–	–	–	–	–	.05	–	.38	.20	.13	23
24	.01	–	–	.01	.03	.24	–	.03	.04	.14	.22	.25	24
25	.22	–	–	.02	.12	.01	–	.91	.17	.01	.14	.11	25
26	.20	–	.30	.26	–	.06	–	.30	.16	–	–	.83	26
27	.37	–	.16	.19	–	–	–	.39	–	–	–	–	27
28	–	–	.17	–	–	–	–	.05	.01	–	.03	.63	28
29	–	X	.06	.05	–	.03	–	.04	–	.03	.04	.35	29
30	.01	X	.01	.11	–	.15	–	.37	–	–	.94	.94	30
31		X	.13	X	–	X	.18	–	X	–	X	.02	31
99 Total	8.04	4.03	7.58	2.69	1.32	3.04	.91	3.77	4.10	1.71	3.41	9.63	YEAR'S TOTAL 50.23
Rain Days.	24	11	20	16	11	14	9	15	16	13	19	29	197

W, 6,500, VII. 18. W W O

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llanddewisant, Pontargynge

in the County of Carmarthen

by J. Thomas

Lat. ..... Long .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.03	.05	.12	.79	—	.96	—	.18	.06	—	.80	1
2	.40	.18	—	.22	.05	—	.18	.08	.28	.10	—	.64	2
3	.02	.38	—	.12	.06	—	.28	.06	.08	2.07	—	.07	3
4	—	—	.01	—	.01	—	—	1.46	.10	.29	—	—	4
5	—	—	.37	—	.97	—	.34	.10	.01	.35	—	—	5
6	—	—	.73	.07	.41	—	.09	—	—	.02	—	—	6
7	.25	—	.05	.20	.04	—	.03	—	—	—	.02	—	7
8	.03	.13	—	.71	.12	—	.06	.15	—	—	—	—	8
9	.49	.66	.04	.86	—	—	.22	.02	.09	—	.02	—	9
10	1.18	.37	.23	—	—	.48	.23	—	—	—	.19	—	10
11	.13	.01	.41	.52	.39	.07	.12	—	—	—	—	—	11
12	.59	.54	.14	.31	.01	.53	.27	.06	.03	—	.43	—	12
13	.03	.05	.81	.65	—	.03	—	—	—	.14	.09	—	13
14	.12	.10	.83	.82	—	.26	.22	—	1.57	.67	1.46	—	14
15	.05	.26	.13	1.19	.02	.08	—	—	.02	.04	.07	—	15
16	.05	.02	.17	.28	.04	.19	.80	—	.48	.69	.01	—	16
17	.23	—	—	.01	.47	.21	—	.54	1.44	.01	—	—	17
18	.49	—	—	.26	.15	.05	.04	.07	.96	—	—	.05	18
19	.02	.24	—	1.20	.10	.04	.07	—	—	—	—	—	19
20	.10	—	—	.24	—	.18	.03	—	—	—	—	.78	20
21	—	—	—	.03	—	—	.60	.03	—	—	—	.13	21
22	.35	—	—	.04	—	.02	.47	.12	—	—	—	.15	22
23	.15	—	.06	—	—	—	.61	.01	—	—	—	.63	23
24	.14	—	.81	.03	—	.01	—	—	—	—	.13	.83	24
25	.10	.15	.28	.10	.14	.01	.68	—	—	—	—	.16	25
26	.62	.06	.79	.28	—	.19	.30	—	—	—	.21	.14	26
27	1.29	.01	.86	.35	.05	.57	.06	—	—	—	.10	.76	27
28	.90	.06	.61	.12	.01	.35	.04	—	—	.01	—	.07	28
29	.70	—	.27	.20	.82	.12	.40	—	—	—	.36	.98	29
30	.43	~~X~~	.55	.30	.02	.53	.08	—	.81	.20	.40	1.16	30
31	.20	~~X~~	.47	~~X~~	.03	~~X~~	.03	—	~~X~~	1.16	~~X~~	.34	31
99 TOTAL	9.06	3.25	8.67	9.23	4.70	3.92	7.21	2.70	6.05	5.81	3.49	7.59	YEAR'S TOTAL 71.68
Days with .01 in. or more	26	17	22	26	21	19	26	12	13	14	13	16	225
14	22	13	21	23	15	15	23	9	10	11	10	16	188

(14,193). Wt. 12958—215. 7500. 12/19. Gp.132. A.&E.W.

Section [A] for the ent

Station No. 4109

METFORM 1090
(Rev. Feb. 1965)

RE ... IN 1911

Kept at Llanelly

in the County of Carm

Diameter of funnel of gauge

Height of top of gauge above

Height of ground above sea le

THE MORNING MEASURE ... REVIOUS DAY

An observer who does not conf ... January 1st of the following year in the space on the right o ... structions Overleaf

Jan. 1, following

LLANELLY

CWMLLIEDI W.W

1911 - 1920

Date	Jan.	Feb.	Mar.							Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.				in.	in.	in.		
1	06		08	11	25			10			25	07		1
2	01	08	01	07	30			35		26	17	28		2
3			04		85			09			38	26		3
4			41		05			107	01		57	55		4
5	28		32	01				29		11	06	06		5
6	23		15					30		01	22	83		6
7	31										61	02		7
8	65		21								62	85		8
9	16		01								37	61		9
10	17	10	124		02						01	63		10
11	27	01	03		18			01	12		27	15		11
12		02	68		04			01	74		66	04		12
13			04		02				03	01	24	22		13
14		21	14		04					07	15	65		14
15	01	31	03			06					70	12		15
16	02	05				47					18	34		16
17	03	05	01	05		115					41	35		17
18		43	06	43		28				16	36	32		18
19		08		16		03	02	11	46	10	25	112		19
20	02	12	02	66		04			22	34	01	30		20
21		54	06	03		16	17		04	79		09		21
22	04	13	01	21		23			23	21	01	64		22
23	03	15	03	01	05	01		24	68	83	08	30		23
24	06	50		06	02	41		39	05	08		34		24
25	39	05		40		03	11	04	13	22		05		25
26	10	44		53	01			52	03	32	01	40		26
27		99		02			03	78	26	04	61	25		27
28		31	01	31				10		01	02	11		28
29		X	01	04		70	11	01	36	74		13		29
30		X	02	03		03	03	02		36	29	02		30
31		X	01	X		X	18		X	09	X	11		31
TOTAL	284	457	3·63	3·13	1·83	3·60	0·65	4·43	3·36	4·75	7·51	10·21		Year's Total 50·51

*Days with .01 in. or more.

*Days with .04 in. or more.

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .....

(P.T.O.)

Section A for the entry of Daily Observations

Station No. 4109

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1961

Kept at Llanelly Crwn Medi W.W.

in the County of Carmarthen

COPY

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	06		08	11	25			10			25	07		1
2	01	08	01	07	30			35		26	17	28		2
3			04		85			09			38	26		3
4			41		05			107	01		57	55		4
5	28		32	01				29		11	06	06		5
6	23		15					30		01	22	83		6
7	31										61	02		7
8	65		21								62	85		8
9	16		01								37	61		9
10	17	10	124		02						01	63		10
11	27	01	03		18			01	12		27	15		11
12		02	68		04			01	74		66	04		12
13			04		02				03	01	24	22		13
14		21	14		04					07	15	65		14
15	01	31	03			06					70	12		15
16	02	05				47					18	34		16
17	03	05	01	05		115					41	35		17
18		43	06	43		28				16	36	32		18
19		08		16		03	02	11	46	10	25	112		19
20	02	12	02	66		04			22	34	01	30		20
21		54	06	03		16	17		04	79		09		21
22	04	13	01	21		23			23	21	01	64		22
23	03	15	03	01	05	01		24	68	83	08	30		23
24	06	50		06	02	41		39	05	08		34		24
25	39	05		40		03	11	04	13	22		05		25
26	10	44		53	01			52	03	32	01	40		26
27		99		02			03	78	26	04	61	25		27
28		31	01	31				10		01	02	11		28
29		X	01	04		70	11	01	36	74		13		29
30		X	02	03		03	03	02		36	29	02		30
31		X	01	X		X	18		X	09	X	11		31
TOTAL	2·84	4·57	3·63	3·13	1·83	3·60	0·65	4·43	3·36	4·75	7·51	10·21	Year's Total	50·51
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .....

(P.T.O.)

WD rec'd 3.V.12 Eka D 85

REGISTER OF RAINFALL IN 19 11

FORM A2. BRITISH RAINFALL.

Kept at Cwm-Llidi Water Works, Llanelly.

in the County of Carmarthen 3

by George Watkeys.

RAIN GAUGE — Pattern ____ Diameter of top 5 in. Height of top above Ground 3 ft. ____ in. „ „ „ Sea Level 240 ft. 4109

Time of Observation ____

Nearest Railway Station — Name Llanelly; Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·11

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	—	·31	·01	·03	—	·03	·18	—	—	·09	·29	1
2	·06	—	·08	·11	·25	—	—	·10	—	—	·25	·07	2
3	·01	·08	·01	·07	·30	—	—	·35	—	·26	·17	·28	3
4	—	—	·04	—	·85	—	—	·09	—	—	·38	·26	4
5	—	—	·41	—	·05	—	—	1·07	·01	—	·54	·55	5
6	·28	—	·32	·01	—	—	—	·29	—	·11	·06	·06	6
7	·23	—	·15	—	—	—	—	·30	—	·01	·22	·83	7
8	·31	—	—	—	—	—	—	—	—	—	·61	·02	8
9	·65	—	·21	—	—	—	—	—	—	—	·62	·85	9
10	·16	—	·01	—	—	—	—	—	—	—	·34	·61	10
11	·17	·12	1·24	—	·02	—	—	—	—	—	·01	·63	11
12	·27	·01	·03	—	·18	—	—	·01	·12	—	·27	·15	12
13	—	·02	·68	—	·02	—	—	·01	·74	—	·66	·04	13
14	—	—	·04	—	·02	—	—	—	·03	·01	·24	·22	14
15	—	·22	·14	—	·04	—	—	—	—	·07	·15	·65	15
16	·01	·31	·03	—	—	·06	—	—	—	—	·70	·12	16
17	·02	·05	—	—	—	·47	—	—	—	—	·18	·34	17
18	·03	·05	·01	·05	—	1·15	—	—	—	—	·41	·35	18
19	—	·03	·06	·43	—	·28	—	—	—	·16	·36	·32	19
20	—	·08	—	·16	—	·03	·02	·11	·46	·10	·25	1·12	20
21	·02	·12	·02	·66	—	·04	—	—	·22	·34	·01	·30	21
22	—	·54	·06	·03	—	·16	·17	—	·04	·79	—	·09	22
23	·04	·13	·01	·21	—	·23	—	—	·23	·21	·01	·64	23
24	·03	·15	·03	·01	·05	·01	—	·24	·68	·83	·08	·30	24
25	·06	·50	—	·06	·02	·41	—	·39	·05	·08	—	·34	25
26	·39	·015	—	·40	—	·03	·11	·04	·13	·22	—	·05	26
27	·10	·24	—	·53	·01	—	—	·52	·03	·32	·01	·40	27
28	—	·99	—	·02	—	—	·03	·78	·26	·04	·61	·26	28
29	—		·01	·31	—	—	—	·10	—	·01	·02	·11	29
30	—		·01	·04	—	·70	·11	·01	·36	·74	—	·13	30
31	—		·02	—	—	—	·03	·02		·36		·02	31
Total	~~3·94~~ 2·84	~~4·26~~ 4·57	~~3·93~~ 3·63	3·11 3·13	~~1·86~~ 1·83	~~3·57~~ 3·60	·50 ·65	~~4·61~~ 4·43	~~3·36~~ 3·36	~~4·66~~ 4·75	~~4·31~~ 7·51	10·39 10·21	TOTAL for year ~~50·30~~ 50·51
No. of Rain Days	18	18	24	17	12	13	7	19	14	19	26	31	217

9,000, IX. '10.

Section A for the entry of Daily Observations

Station No. 4109

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1912

COPY

Kept at Llanelly-Cwmlleddiw

in the County of Carmarthen

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	02		22		23	78	05	12	02	70		24		1
2	03	03	23	01		29	03		01	01	07	03		2
3	14	04	30	04	09	10	01	128	33		11	64		3
4	56		7[illegible]3	02	03			20			103	01		4
5	63	10	15	03	18			53	01		01	19		5
6	43	07	01		30		02	04		03	17	03		6
7	03	50	20	01	46	63	12	03	01		12	14		7
8	81	27	19	03	04	10	18	15	02		02			8
9	02	22	02	07		20	48	63	03		05	81		9
10	54	05	03			06	15	07			17	06		10
11	02		01		02		41				22	107		11
12	17	09	50	09	20	04		10	[illegible]	01	03	03		12
13	32		16	05		03		01	[illegible]	27		67		13
14	31	07	86			01		07		02	01	16		14
15	67	22	04		03	85		03			02	42		15
16	36	06	66		17	05		64		70		18		16
17	14	04	20		02	64		70		02	28	38		17
18	05	14	14			03		54		33	09	10		18
19	01	15			02	06		34		18	01	09		19
20	02	07	64		01			06		31	04	02		20
21	01	41	26		27		06	35		29		33		21
22	24	42	27		18	07	17	132		21	12	44		22
23	19	15	64			12	05	64		06	38	13		23
24	09	09	27			51	01	01		25	01	20		24
25		01	08			14	16	14		26	53	98		25
26		13	11			03	04	53		79	42	26		26
27		19	13			108	92		04	127	02	97		27
28		14	01			45	57	67	16	40	165	02		28
29		17				06	31	14	29	09	01	01		29
30		X	15	11		04	17			31	02	03		30
31	01	X	44	X		X	28	33	X	03	X	23		31
TOTAL	5·82	3·83	7·65	0·46	2·25	6·37	4·19	9·67	0·92	6·54	5·61	8·87	Year's Total	62·18
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) .....

(P.T.O.)

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 25 JAN 1913 4189

Kept at Cwmllidi Water Works Llanelly

in the County of Carmarthen 3

by Geo Watkeys

Lat. ..... Long. .....

Time of Observation 9 a.m

Nearest Railway Station Llanelly

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. – in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .23

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.11	.01	.17	.44	.11	—	.04	.28	.33	—	.03	.02	1
2	.02	—	.22	—	.23	.78	.05	.12	.02	.70	—	.24	2
3	.03	.03	.23	.01	—	.29	.03	—	.01	.01	.07	.03	3
4	.14	.04	.30	.04	.09	.10	.01	1.28	.33	—	.11	.64	4
5	.56	—	.73	.02	.03	—	—	.20	—	—	1.03	.01	5
6	.63	.10	.15	.03	.18	—	—	.53	.01	—	.01	.19	6
7	.43	.07	.01	—	.30	—	.02	.04	—	.03	.17	.03	7
8	.03	.50	.20	.01	.46	.63	.12	.03	.01	—	.12	.14	8
9	.81	.27	.19	.03	.04	.10	—	.15	.02	—	.02	—	9
10	.02	.22	.02	.07	—	.20	.18	.63	.03	—	.05	.81	10
11	.54	.05	.03	—	—	.06	.48	.01	—	—	.17	.06	11
12	.02	—	.01	—	.02	—	.15	—	—	—	.22	1.07	12
13	.17	.09	.50	.09	.20	.04	.41	.10	—	.01	.03	.03	13
14	.32	—	.16	.05	—	.03	—	.01	—	.27	—	.64	14
15	.31	.01	.86	—	—	.01	—	.01	—	.02	.01	.16	15
16	.67	.22	.04	—	.03	.85	—	.03	—	—	.02	.42	16
17	.36	.06	.66	—	.17	.05	—	.64	—	.70	—	.18	17
18	.14	.04	.20	—	.02	.64	—	.70	—	.02	1.28	.38	18
19	.05	.14	.14	—	—	.03	—	.54	—	.33	.09	.10	19
20	.01	.15	—	—	.02	.06	—	.34	—	.18	.01	.09	20
21	.02	.07	.64	—	.01	—	—	.06	—	.31	.04	.02	21
22	.01	.41	.26	—	.27	—	.06	.35	—	.29	—	.33	22
23	.24	.42	.27	—	.18	.07	.17	1.32	—	.21	.12	.44	23
24	.19	.15	.64	—	—	.12	.05	.04	—	.06	.38	.13	24
25	.09	.09	.27	—	—	.51	.01	.01	—	.25	.01	.20	25
26	—	.01	.08	—	—	.14	.16	.14	—	.26	.53	.98	26
27	—	.13	.11	—	—	.03	.04	.53	—	.79	.42	.26	27
28	—	.19	.13	—	—	1.08	.92	—	.04	1.27	.02	.97	28
29	—	.14	.01	—	—	.45	.57	.67	.16	.40	1.65	.02	29
30	—		—	—	—	.06	.31	.14	.29	.09	.01	.01	30
31	—		.15	—	—		.17	—		.31		.03	31
	.01	.17	.44	.11		.04	.28	.33		.03	.02	.23	YEAR'S TOTAL
Total	5.92	3.67	7.38	.79	2.36	6.33	3.95	9.62	1.25	6.61	5.62	8.66	62.06
Rain Days.	23	23	29	10	17	23	20	27	11	27	26	30	264

W. 7,500, XI. 12

Section A for the entry of Daily Observations

Station No. 4109

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1913

COPY

Kept at Cwmdiedi, Llw, Llanelly

in the County of Carmarthen

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	08	28	37	22							39	08		1
2	09	18	07	18	22	17				19	25	30		2
3	10	01	10		48					18	02	20		3
4	62	04	07		10	94	02		62	13	13	13		4
5	12	05	02		19	36	07		26	03	69	19		5
6	19	11	22		20	39	04			34	28	54		6
7	04	51	02		62	41	06			70	27	08		7
8	08	32			38	03	29	06		04	02	25		8
9	01	46	24		20	74	10		01	01	66	13		9
10	75		15	02	31	01	01	55	05	64	13			10
11	49	02	01	24	21	01		03	06	15	65	20		11
12	03		01		15	14	32	03	01	01	67			12
13	13		89	16	70		10	23	133		32			13
14	26	02	50	27				04	22	54	24	21		14
15	47		36	124				03	12	02	08	11		15
16	15		97	11			16	01	01	01	22			16
17	10		12	12			21				37			17
18	04		30	26		04	07		19		09			18
19	53		16		12	06	07		74	14	17			19
20	44		33	37	05			02	04	25	106			20
21	02		32	18	13	05	16	23	03	24	16	01		21
22	11		91		14	38		66	53	01	01	02		22
23	06		03		08	03		04	34		16	12		23
24	19	17		21	02					01	22	01		24
25		01		25					14	04	10	20		25
26				152		03			08	02		36		26
27	16		14	23						25		05		27
28	21		18	29	21			01		99	05	25		28
29	01	X	20	60	18			02		34	19	01		29
30	67	x		30	07					49	14			30
31	09	x	45	x	03	x		01	x	17	x			31
TOTAL	6·24	2·18	7·14	6·77	4·79	3·79	1·68	1·97	4·78	5·94	7·74	3·45	Year's Total	56·47
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .....

(P.T.O.)

Ex. 24 Co. for W.D. 28. IV. 14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 16 JAN 1914

Kept at Cwmlliedi Reservoir.

in the County of Carmarthen.

by G. Watkeys

Lat. ..... Long. .....

Time of Observation 9. am

Nearest Railway Station Pencelly

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 0 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. January nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·23	hail&rain ·09	—	·45	·30	·03	—	—	·01	—	·17	·14	1
2	·08	hail&rain ·28	·37	hail&rain ·22	—	—	—	—	—	—	·39	·08	2
3	·09	hail&rain ·18	·07	·18	·22	·17	—	—	—	·19	·25	·30	3
4	·10	·01	·10	—	·48	—	—	—	—	·18	·02	·20	4
5	·62	·04	·07	—	·10	·94	·02	—	·62	·13	·13	hail&rain ·13	5
6	·12	·05	·02	—	·19	·36	·07	—	·26	·03	·69	·19	6
7	·19	·11	·22	—	hail&rain ·20	·39	·04	—	—	·34	·28	·34	7
8	·04	·51	·02	—	·62	·41	·06	—	—	·70	·27	·08	8
9	·08	·32	—	—	·38	·03	·29	·06	—	·04	·02	·25	9
10	·01	·46	·24	—	·20	·74	·10	—	·01	·01	·66	·13	10
11	·75	—	·15	·02	·31	·01	·01	·55	·05	·64	·13	—	11
12	hail&rain ·49	·02	·01	·24	·21	·01	—	·03	·06	·15	hail&rain ·65	·20	12
13	·03	—	·01	—	·15	·14	·32	·03	·01	·01	·67	—	13
14	hail&rain ·13	—	·89	·16	·70	—	·10	·23	1·33	—	·32	—	14
15	·26	·02	·50	·27	—	—	—	·04	·22	·54	·24	·21	15
16	hail&rain ·47	—	hail&rain ·36	1·24	—	—	—	·03	·12	·02	·08	·11	16
17	hail&rain ·15	—	snow&rain ·97	·11	—	—	·16	·01	·01	·01	·22	—	17
18	·10	—	snow&rain ·12	·12	—	—	·21	—	—	—	·37	—	18
19	·04	—	hail&rain ·30	·26	—	·04	·07	—	·19	—	·09	—	19
20	hail&rain ·53	—	hail&rain ·16	—	·12	·06	·07	—	·74	·14	·17	—	20
21	hail&rain ·44	—	hail&rain ·33	·37	·05	—	—	·02	·04	·25	1·06	—	21
22	·02	—	hail&rain ·32	·18	·13	·05	·16	·23	·03	·24	·16	·01	22
23	·11	—	hail&rain ·91	—	·14	·38	—	·66	·53	·01	·01	·02	23
24	·06	—	·03	—	·08	·03	—	·04	·34	—	·16	hail&rain ·12	24
25	·19	·17	—	·21	·02	—	—	—	—	·01	·22	·01	25
26	—	·01	—	hail&rain ·25	—	—	—	—	·14	·04	·10	·20	26
27	—	—	—	hail&rain 1·52	—	·03	—	—	·08	·02	—	·36	27
28	·16	—	·14	·23	—	—	—	—	—	·25	—	rain&snow ·05	28
29	·21		·18	·29	·21	—	—	·01	—	·99	·05	rain&snow ·25	29
30	·01		·20	·60	·18	—	—	·02	—	·34	·19	·01	30
31	·67		—		·07		—	—		·49		—	31
Total	6·38	2·27	6·69	6·92	5·06	3·82	1·68	1·96	4·79	5·74	7·44	3·59	YEAR'S TOTAL 56·70
Rain Days.	29	14 13	25 26	19	22	17 16	14	14 15	19 18	25 26	28	22 21	248 247

6·24 2·18 7·14 6·77 4·79 3·79 1·68 1·97 4·78 5·94 7·74 3·45 56·47

W.7,000, XI. 13

Section A for the entry of Daily Observations

Station No. 4109

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1964

Kept at Llanelly Cwmllediwg

Copy

in the County of Carmarthen

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	01	02	09	06		28	30	141			25	08		1
2					05		15	22		05	03	27		2
3	02		44	20	54			48		01		14		3
4	39		12	27	13		126	02			35	48		4
5	05		40	26	03		02				20	02		5
6	04	31	13	03	16	03	05	10			37	42		6
7	36	33	44	11	70	10	79	54	08	02	082	30		7
8	48		19	04	55	12	01	34		03	12	22		8
9	71	20	11	23	45	58		42	20		08	01		9
10	05	49	05	45	10	02		04	66			06		10
11		62	79	02	40	60			02		19	79		11
12		73	63						51		37	18		12
13		48	36	01			21		98	02	21	17		13
14		36	18				06	40	03	01	54	03		14
15		03	21					32	30		49	24		15
16		01	04				08		65			04		16
17		66	17				20		01			81		17
18		08	30			19	03		14		01	69		18
19		21	22				29		08		04	32		19
20		40	21			41	01	03	01			30		20
21		13	01					04		30				21
22		13	19	10	02	08		66		62		01		22
23		10	62				10	02		19				23
24		05	22	02		03	03	07			18			24
25	35	03	29		04		09	86		63	15	70		25
26		02	01				03	04		22	75	56		26
27	12	11					01	03		04	21	108		27
28	08	08	58		16		02			05	17	70		28
29	32	X	10		11		01	11			34	03		29
30	02	X	20							11	53	43		30
31	36	X		X	07	X	87		X	28	X	42		31
TOTAL	3.36	5.58	7.30	1.80	3.51	2.44	6.52	6.15	3.67	2.58	5.60	9.50	Year's Total 58.01	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) .....

(P.T.O.)

REGISTER OF RAINFALL IN 19 14

FORM A 09 BRITISH RAINFALL 22 JAN 1915

Kept at Cwmllwchi

in the County of Carmarthen. 3

by Geo Watkeys

Lat. ..... Long. .....

Time of Observation 9. am

Nearest Railway Station Llanelly

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 0 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .42

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.36	.08	—	—	.07	—	.84	—	—	.28	Hail & Rain .53	1
2	.01	.02	Hail & Rain .09	.06	—	.28	.3	1.41	—	—	.25	.08	2
3	—	—	—	—	.05	—	.15	.22	—	.05	.03	.27	3
4	.02	—	.44	.2	.54	—	—	.48	—	.01	—	Hail & Rain .14	4
5	.39	—	.12	.27	.13	—	1.26	.02	—	—	.35	Hail & Rain .48	5
6	Hail & Rain .05	—	.4	.26	.03	—	.02	—	—	—	.2	Hail & Rain .03	6
7	Hail & Rain .04	.31	.13	.03	.16	.03	.05	.1	—	—	.34	Hail & Rain .42	7
8	.36	.33	.44	Hail & Rain .11	.4	.1	.79	.54	.08	.02	.02	.3	8
9	Hail & Rain .48	—	.19	.04	.55	.12	.01	.34	—	.03	.12	Hail & Rain .22	9
10	.41	.20	Hail & Rain .11	Hail & Rain .23	.45	.58	—	.42	.2	—	.08	.01	10
11	.05	.49	Hail & Rain .05	.45	.1	.02	—	.04	.66	—	—	.06	11
12	—	Hail & Rain .62	.49	.02	.4	.6	—	—	.02	—	.19	.49	12
13	—	Hail & Rain .43	.63	—	—	—	—	—	.51	—	.37	.18	13
14	—	Hail & Rain .48	.36	.01	—	—	.21	—	.98	.02	.21	.17	14
15	—	.36	.18	—	—	—	.06	.4	.03	.01	.54	.03	15
16	—	.03	.21	—	—	—	—	.32	.3	—	.49	.24	16
17	—	.01	Hail & Rain .04	—	—	—	.08	—	.65	—	—	.04	17
18	—	.66	Hail & Rain .14	—	—	—	.2	—	.01	—	—	.81	18
19	—	.08	Hail & Rain .3	—	—	.19	.03	—	.14	—	.01	.49	19
20	—	.21	Hail & Rain .22	—	—	—	2.19	—	.08	—	.04	Hail & Rain .32	20
21	—	.40	Hail & Rain .21	—	—	.41	.01	.03	.01	—	—	.3	21
22	—	.13	.01	—	—	—	—	.04	—	(.30) .03	—	—	22
23	—	Hail & Rain .13	Hail & Rain .19	.1	.02	.08	—	.66	—	.62	—	.01	23
24	—	.10	.62	—	—	—	.1	.02	—	.19	—	—	24
25	—	.105	.22	.02	—	.03	.03	.07	—	—	.18	—	25
26	.35	.03	.29	—	.04	—	.09	.86	—	.63	.15	.7	26
27	—	(.02)	.01	—	—	—	.03	.04	—	.22	Hail & Rain .43	.56	27
28	.12	.11	—	—	—	—	.01	.03	—	.04	Hail & Rain .21	1.08	28
29	.08	X	.58	—	.16	—	.02	—	—	.05	.17	Hail & Rain .4	29
30	.32	X	.1	—	.11	—	.01	.11	—	—	.34	.03	30
31	.02	X	.2	X	—	X	—	—	X	.11	X	.43	31
	.36	.08	—	—	.07	—	.87	—	—	.28	.53	.42	YEAR'S TOTAL
Total	~~3.10~~	~~5.86~~	~~4.38~~	~~1.80~~	~~3.44~~	~~2.51~~	~~5.65~~	~~7.02~~	~~3.67~~	~~1.30~~	~~5.35~~	~~7.61~~	~~57.59~~
Rain	3.36	5.58	7.30	1.80	3.51	2.44	6.52	6.15	3.67	2.58	5.60	9.50	58.01
Days.	15	23	28	13	15	11	22	20	13	15	22	28	225

W. 8,000. X. 14.

Section A for the entry of Daily Observations

Station No. 4109

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~65~~ 15

Kept at Cwm Giedi Res. Llanelly

in the County of Carmarthen

COPY

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	60	56			42		05	56	55	25		45		1
2	42	16	56	04		36	21	48	14	07		17		2
3	02	15	25	11	12	02	08	16				62		3
4	08	31	07		18	15			02			50		4
5	14	55	05	13	02	07		18				126		5
6	42	03		34		03	30	33				21		6
7	33	111		02			16	10		28	04	62		7
8	19	29						14		04	35	01		8
9	06	17		12				19			33	94		9
10	62	24	14	18		05	02	01		17	02	05		10
11	02	07			02			25		02	179	02		11
12	43	31		06	26			02		05	40	16		12
13	11	30		02	66			10	27	24	24	15		13
14	15	05						05	37		03	91		14
15	40	04			19		36	04	29	02	23	38		15
16	03	154		02	30		58		05			05		16
17	04	40			09					01				17
18	02	49	03	01			19	25						18
19	01	03		29	26		50							19
20	74	01		02	07					08		18		20
21	47	12			02	01	17		09	30		16		21
22	05	01	30	05		08	22		02	13		42		22
23		15	31			19	04		05	68		43		23
24				04					01	14		29		24
25	01	01				14	05		08		07	20		25
26		32				04	71		04			61		26
27		08				16	17		02	60		12		27
28		13				08	02		32	12		04		28
29		X				150		01	24	17	64	05		29
30	16	X		39		01			05	55	39	32		30
31	01	X		X		X	37	08	X	26	X	30		31
TOTAL	5·53	7·63	1·71	1·84	2·61	2·89	4·20	2·95	2·61	4·18	4·53	9·62	Year's Total 50·30	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) ..... (P.T.O.)

Corrected for WD 16.V.16 — l & m c — 4069

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 5 JAN 1916 4109

Kept at Lwynllwedi Reservoir, Llanelly

in the County of Carmarthen

by Llanelly Corporation.

Lat. ____ Long. ____

Time of Observation 9. a.m.

Nearest Railway Station Llanelly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 0 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .30

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Hail Rain .12	.01	Hail Rain .13	-	.39	-	.01	.37	.08	.05	.26	.39	1
2	.60	.56	-	-	.42	-	.05	.56	.55	.25	-	.45	2
3	.12	.16	.56	.04	-	.36	.21	.48	Hail Rain .14	.07	-	.17	3
4	Hail Rain .02	.15	.25	.11	.12	.02	.08	.16	-	-	-	.62	4
5	.08	.31	.07	-	.18	.15	-	-	.02	-	-	.50	5
6	.14	.55	.05	.13	.02	.07	-	.18	-	-	-	1.26	6
7	.12	.03	-	.34	-	.03	.30	.33	-	-	-	Hail Rain .21	7
8	Hail Rain .33	Snow Rain 1.11	-	.02	-	-	.16	.10	-	.28	.04	.62	8
9	.19	Snow Rain .29	-	-	-	-	-	.14	-	.04	.35	.01	9
10	.06	Hail Rain .17	-	.12	-	-	-	.19	-	-	.33	.94	10
11	.62	Snow Rain .24	.14	.18	-	.05	.02	.01	-	.17	.02	.05	11
12	.02	.04	-	-	.02	-	-	.25	-	.02	1.79	Snow Hail Rain .02	12
13	.43	.31	-	.06	.26	-	-	.02	-	.05	.40	Snow .16	13
14	.11	.30	-	.02	.66	-	-	.10	.27	.24	.24	.15	14
15	.15	Snow Rain .05	-	-	-	-	-	.05	.37	-	.03	.91	15
16	Hail Rain .40	.04	-	-	.19	-	.36	.04	.29	.02	.23	.38	16
17	Hail Rain .03	1.54	-	.02	.30	-	.58	-	.05	-	-	.05	17
18	Hail Rain .04	.40	-	-	.09	-	-	-	-	.01	-	-	18
19	.02	Hail Rain .49	Snow .03	.01	-	-	.19	.25	-	-	-	-	19
20	.01	Hail Rain .03	-	.29	.26	-	.50	-	-	-	-	-	20
21	.14	.01	-	.02	.04	-	-	-	-	.08	-	.18	21
22	Snow Rain .47	.12	-	-	.02	.01	.17	-	.09	.30	-	.16	22
23	Snow Rain .05	.01	.30	.05	-	.08	.22	-	.02	.13	-	.42	23
24	-	.15	.31	-	-	.19	.04	-	.05	.68	-	Hail Rain .43	24
25	-	-	-	.04	-	-	-	-	.01	.14	-	.29	25
26	.01	.01	-	-	-	.14	.05	-	.08	-	.04	.20	26
27	-	.32	-	-	-	.04	.11	-	.04	-	-	.61	27
28	-	Hail Rain .08	-	-	-	.16	.14	-	.02	.60	-	Hail Rain .12	28
29	-	-	-	-	-	.08	.02	-	.32	.12	-	.04	29
30	-	X	-	-	-	1.50	-	.01	Hail Rain .24	.17	.64	.05	30
31	.16	X	-	X	-	X	-	-	X	.55	X	.32	31
Total	.01 / ~~5.94~~	.13 / ~~7.51~~	— / ~~1.84~~	.39 / ~~1.45~~	- / ~~3.00~~	.01 / ~~2.88~~	.37 / ~~3.84~~	.08 / ~~3.24~~	.05 / ~~2.64~~	.26 / ~~3.97~~	.39 / ~~4.40~~	.30 / ~~9.41~~	YEAR'S TOTAL ~~50.42~~
Rain Days.	5.53 / 25	4.63 / 27	1.71 / 9 8	1.84 / 15 16	2.61 / 14 13	2.89 / 14 15	4.20 / 18	2.95 / 17	2.61 / 17	4.18 / 20	4.53 / 12	9.62 / 28	50.30 / 216

W. 8,000, X. 15.

Section A for the entry of Daily Observations

Station No. 4109

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1916

Kept at Cwmliedi W.W. Llanelly

COPY

in the County of Carmarthen

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	32	04			07	32	11	03		145	52			1
2	82	33	21		01	06	06		49	267	57			2
3	03	85			06	30			16	63	24	16		3
4	34	29		02	29	63			19	09	39	02		4
5	31	09	09		08	20	12		01	27	05			5
6	29	34			38	10	96			19	74	06		6
7	02	06	02		10	02	06			04	58	32		7
8	03	09	01		35	07				23	04	15		8
9		10			02	38				01	09	20		9
10	04	57	03	18	11		09			08	22	19		10
11	04	17	01	48	56		08		11	09	05			11
12	06	10	03	02	66		52	43	01	30	01	01		12
13		38	15	03	04		02	26	03	14	01			13
14	06	62	01	09	31			02		11		02		14
15	05	36	04	35	35		07	04	03	07				15
16	08	04		56	06		08		02	40				16
17	54	38	01	12				02	112	66	12	01		17
18	04	28	19	07					17	06	01	24		18
19	42	02	21	20							06	19		19
20	37	05	26	02							07	18		20
21	14		19	15	03	19					01	20		21
22	01					27	02	10		74	08	33		22
23	06	03	03	17		19		40		48	40	20		23
24		02	05	18	32	04	02	36		57	02	10		24
25	04	03	13		22	18		104	04	12	32	06		25
26	24	01	03		03	19		01	50	41	04			26
27	11		74		04	01		17	72	75	01	01		27
28		18				04			02	71	44	150		28
29		20	05			72		42		51	07	29		29
30		X				12		09		67		02		30
31		X		X	14	X		17	X	55	X	03		31
TOTAL	4.46	5.63	2.49	2.64	4.23	4.03	2.21	3.56	3.62	13.00	5.16	4.49	Year's Total	55.52
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .....

(P.T.O.)

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 4000

Kept at Cwmlleidi Water Works -

in the County of Carmarthen

by George Waddup -

Lat. ..... Long. .....

Time of Observation 9. am

Nearest Railway Station Llanelly

Diameter of Funnel of Rain Gauge 5 in. 4109

Height of top of Gauge above Ground 3 ft. 0 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	–	.20	–	–	.14	.12	–	.17	–	Rain+rain .55	–	1
2	.32	.04	–	–	.07	.32	.11	.03	–	1.45	.52	–	2
3	.82	.33	rain+snow .21	–	.01	rain+hail .06	.06	–	.49	2.64	hail+rain .57	–	3
4	.03	hail+rain .85	–	–	.06	.30	–	–	.16	.63	.24	.16	4
5	.34	snow+rain .29	–	.02	.29	.63	–	–	.19	.09	.39	.02	5
6	.31	.09	rain+snow .09	–	.08	.20	.12	–	.01	.27	.05	–	6
7	.29	hail+rain .34	–	–	.38	.10	.96	–	–	.19	hail+rain .74	.06	7
8	.02	hail+rain .06	.02	–	.10	.02	.06	–	–	.04	hail+rain .58	.32	8
9	.03	snow+rain .09	snow .01	–	.35	.07	–	–	–	.23	.04	.15	9
10	–	hail+rain .10	–	–	.02	hail+rain .38	–	–	–	.01	.09	hail+rain .20	10
11	.04	hail+rain .57	snow .03	.18	.11	–	.09	–	–	.08	.22	hail+rain .19	11
12	.04	hail+rain .17	snow .01	.48	.56	–	.08	–	.11	.09	.05	–	12
13	.06	hail+rain .10	.03	.02	.66	–	.52	.43	.01	.30	.01	.01	13
14	–	.38	.15	rain+snow .03	.04	–	.02	.26	.03	.14	.01	–	14
15	.06	rain+snow .62	.01	.09	.31	–	–	.02	–	.11	–	.02	15
16	.05	.36	.04	.35	.35	–	.07	.04	.03	hail+rain .07	–	–	16
17	.08	.04	–	.56	.06	–	.08	–	.02	.40	–	–	17
18	.54	.38	.01	.12	–	–	–	.02	1.12	.66	snow+rain .12	snow .01	18
19	.04	.28	.19	.4	–	–	–	–	.17	.06	snow+rain .01	hail+rain .24	19
20	hail+rain .42	.07	.21	.20	–	–	–	–	–	–	.06	hail+rain .19	20
21	.34	.05	.26	.02	–	–	–	–	–	–	.07	.18	21
22	.14	–	.19	hail+rain .15	.03	.19	–	–	–	–	.01	.20	22
23	.01	–	–	–	–	.24	.02	.10	–	.74	.08	.33	23
24	.06	snow .03	rain+snow .03	.14	–	.19	–	.40	–	.48	.40	snow+rain .20	24
25	–	snow .02	.05	.18	.32	.04	.02	.36	–	.57	.02	.10	25
26	.04	snow .03	hail+rain .13	–	.22	.18	–	1.04	.04	.12	.32	.06	26
27	.24	snow .01	.03	–	.03	.19	–	.01	.50	.41	hail+rain .04	–	27
28	.11	–	snow+rain .14	–	.04	.01	–	.17	.72	.75	.01	.01	28
29	–	snow .18	–	–	–	.04	–	–	.02	.71	.44	1.50	29
30	–	X	.05	–	–	.72	–	.42	–	.57	.04	.29	30
31	–	X	–	X	–	X	–	.09	X	.67	X	.02	31
Total	4.46"	5.43"	2.66"	2.64"	4.09"	4.05"	2.33"	3.39"	3.79"	12.45"	5.71"	4.46"	YEAR'S TOTAL 55.46"
Rain Days.	4.46 24	5.64 25	3.48 21	2.64 15	4.23 22	4.03 19	2.21 13	3.56 15	3.62 15	13.00 28	5.16 27	4.49 23	55.52 247

W. 8,000, VIII. 16

Section A for the entry of Daily Observations

Station No. 4109

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1967

Kept at Cwm Uiedi Res. Llanelly

in the County of Carmarthen

COPY

Diameter of funnel of gauge ..... in.
Height of top of gauge above ground ..... ft. ..... in.
Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	01		32	46		20			19		33	06		1
2	03			52		10				20	40	07		2
3	20	52		08		15	96			110	35	08		3
4		12	44	05			04		04	26	04	02		4
5	45		18	21		36		04	11	33	38			5
6			22			07				32	30	26		6
7	54					03	46	18		22	10			7
8	05		27	13		11	37	114	28	63	60	30		8
9			06	06	12			22	03	33	29	04		9
10	52		59	18	02			50		14	10			10
11	02		10	32				129		39	43			11
12	36		02	01	63			03	02	39		03		12
13	02		23	04	01	05		132	48	10	10	07		13
14				13	03			64	02	05	02	05		14
15				08	04		07		33	48		56		15
16		19		09				04	03	08	11	14		16
17	01	10	09	39	12		125	103	32	18	14	01		17
18		02	03	01	13		38	01	97	10				18
19		116	07			31			04					19
20		02	03		81	118		14	12		06			20
21			03		05			33		25	05			21
22	01					06		89		13				22
23		62			12	14		56		08	03			23
24		03				21	54	24	02	41	04	01		24
25		15	05			12	10	26	25	08	14			25
26					59	03	06	24	33	07	40			26
27			05		22	60	83	123	02	06	02			27
28		06	16		05	07	06	39		07	08			28
29		X	09					01		65	07	04		29
30		x						66		10	11			30
31		x	05	x	64	x		48	x	09	x			31
TOTAL	2.22	2.99	3.08	2.76	3.58	3.79	5.12	11.87	3.60	7.29	4.69	1.74		Year's Total 52.73
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .....

(P.T.O.)

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 4109

Kept at Cwm Lliedi Reservoir, Llanelly.
in the County of Carmarthen.
by Corporation of Llanelly.

Lat. ____ Long. ____
Time of Observation 9 a.m.
Nearest Railway Station Llanelly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.	.06	.05	.	.64	.	.	.48	.	.09	.11	1
2	.01	.	.32	.46	.	.20	.	.	.19	.	.33	.06	2
3	.03	.	.	.32	.	.10	.	.	.	.20	.40	.04	3
4	.20	.52	.	.08	.	.15	.96	.	.	1.10	.35	.08	4
5	.	.12	.44	.05	.	.	.04	.	.04	.26	.04	.02	5
6	.45	.	.18	.21	.	.36	.	.04	.11	.33	.38	.	6
7	.	.	.22	.	.	.07	.	.	.	.32	.30	.26	7
8	.54	.	.	.	.	.03	.46	.18	.	.22	.10	.	8
9	.05	.	.24	.13	.	.11	.37	1.14	.28	.63	.60	.30	9
10	.	.	.06	.06	.12	.	.	.22	.03	.33	.39	.04	10
11	.52	.	.39	.18	.02	.	.	.30	.	.14	.10	.	11
12	.02	.	.10	.32	.	.	.	1.39	.	.39	.43	.	12
13	.36	.	.02	.01	.63	.	.	.03	.02	.39	.	.03	13
14	.02	.	.23	.04	.01	.05	.	1.32	.48	.10	.10	.04	14
15	.	.	.	.13	.03	.	.	.64	.02	.05	.02	.05	15
16	.	.	.	.08	.04	.	.07	.	.33	.48	.	.36	16
17	.	.19	.	.09	.	.	.	.04	.03	.08	.11	.14	17
18	.01	.10	.09	.39	.12	.	1.25	1.03	.32	.18	.14	.01	18
19	.	.02	.03	.01	.13	.	.38	.01	.94	.10	.	.	19
20	.	1.16	.04	.	.	.31	.	.	.04	.	.	.	20
21	.	.02	.03	.	.81	1.18	.	.14	.12	.	.06	.	21
22	.	.	.03	.	.05	.	.	.33	.	.35	.05	.	22
23	.01	.	.	.	.	.06	.	.89	.	.13	.	.	23
24	.	.62	.	.	.12	.14	.	.56	.	.08	.03	.	24
25	.	.03	.	.	.	.21	.54	.24	.02	.41	.04	.01	25
26	.	.15	.05	.	.	.18	.10	.36	.25	.08	.14	.	26
27	.	.	.	.	.59	.03	.06	.24	.33	.07	.40	.	27
28	.	.	.05	.	.22	.60	.83	1.23	.02	.06	.02	.	28
29	.	X	.16	.	.05	.07	.06	.39	.	.07	.08	.	29
30	.	X	.09	.	.	.	.	.01	.	.65	.07	.04	30
31	.	X	.	X	.	X	.	.16	X	.10	X	.	31
Total	2.25	2.93 .06	3.09 .05	2.81 —	2.94 .64	4.43	5.12	11.39 .48	4.08 —	7.20 .09	4.67 .11	1.85 —	YEAR'S TOTAL 52.76
Rain Days.	23 12	19 11	20	16	15	17	12	23 24	18	25 28	25	16 15	213

W. 8,000, IX. 17.

Section A for the entry of Daily Observations

Station No. 4109

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1918

Kept at Cwmdwyfran Rec. Llanelly

in the County of Carmarthen

COPY

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		32		16	08			62		06	112	02		1
2	03	29		12				50	03	02	23	83		2
3		22		35	16	13		04	55	16	18	41		3
4	01	14						21	67	54	75	78		4
5	01	03		33	23			61	39	95	09	09		5
6	08	83		08		35			16	31	02	04		6
7	06	33		04	12		02	12	64	15	29	25		7
8	43	02				11	17		08	67	10	03		8
9	05	03		32		38 18	18		68	34	09	56		9
10	01	14		10		38	38		39	15	29	66		10
11	02	23	18				56		40	01	10	37		11
12		30			47	03	02		14			13		12
13	25	03		02		04			92	38		39		13
14	84		01		11		39	04	36	02		76		14
15	175					02	85		53	17		94		15
16	30			94		07	16	23	18	10		07		16
17	50			22		09	23	11	10	08		40		17
18	79	05	15			56	08	04	49	36		53		18
19	31	45	27	09			28	03	07	04		08		19
20	24	16	03	14		05	05	08	18	01				20
21	29	05		04		08	42		43	03		13		21
22	08				63		52		15	39		56		22
23	78				24	06	10		16		10	04		23
24	07	21					12	15	50	03	28	08		24
25		01		10	19		31	20	04	05	10	11		25
26	08	02		09			09	04	14	35	06	73		26
27	03	05	28			01		43	19	13	63	12		27
28		14	43			01			02	08	36	31		28
29		X	45						144		02	09		29
30		X	31					02	07	09	23	19		30
31		X	37	X		X		03	X	25	X	14		31
TOTAL	7.01	4.05	2.48	3.14	2.23	1.99	4.93	3.50	10.10	5.92	5.04	9.84	Year's Total 60.23	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .....

(P.T.O.)

Exp 9m85

REGISTER OF RAINFALL IN 19 | 8

FORM A. BRITISH RAINFALL. 1918 4109

Kept at Cwm Lliedi Reservoir, Llanelly
in the County of Carmarthen.
by Geo. Wackett, C.E.

Lat. ____ Long. ____
Time of Observation 9 am.
Nearest Railway Station Llanelly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 240. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .14.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	.14	.37	–	–	–	–	.03	.04	.25	.23	1
2	–	.32	–	.16	.08	–	–	.62	–	.06	1.12	.02	2
3	.03	.29	–	.12	–	–	–	.50	.03	.02	.23	.83	3
4	–	.22	–	.35	.16	.13	–	.04	.55	.16	.18	.41	4
5	.01	.14	–	–	–	–	–	.21	.67	.54	.75	.78	5
6	.01	.03	–	.33	.23	–	–	.61	.39	.95	.09	.09	6
7	.08	.83	–	.08	–	.35	–	–	.16	.31	.02	.04	7
8	.06	.33	–	.04	.12	–	.02	.12	.64	.15	.29	.25	8
9	.43	.02	–	–	–	.11	.17	–	.08	.67	.10	.03	9
10	.05	.03	–	.32	–	.38	.18	–	.68	.34	.09	.56	10
11	.01	.14	–	.16	–	–	.38	–	.39	.15	.29	.66	11
12	.02	.23	.18	–	–	–	.56	–	.40	.01	.10	.34	12
13	–	.30	–	–	.47	.03	.02	–	.14	–	–	.13	13
14	.25	.03	–	.02	–	.04	–	–	.92	.38	–	.39	14
15	.84	–	.01	–	.11	–	.39	.04	.36	.02	–	.76	15
16	1.75	–	–	–	–	.02	.85	–	.53	.14	–	.94	16
17	.30	–	–	.94	–	.07	.16	.23	.18	.10	–	.04	17
18	.50	–	–	.22	–	.09	.23	.11	.10	.08	–	.40	18
19	.79	.05	.15	–	–	.56	.08	.04	.49	.36	–	.53	19
20	.31	.45	.27	.09	–	–	.28	.03	.07	.04	–	.08	20
21	.24	.16	.03	.14	–	.05	.05	.08	.18	.01	–	–	21
22	.29	.05	–	.04	–	.08	.42	–	.43	.03	–	.13	22
23	.08	–	–	–	.63	–	.52	–	.15	.39	–	.56	23
24	.78	–	–	–	.24	.06	.10	–	.16	–	.10	.04	24
25	.07	.21	–	–	–	–	.12	.15	.50	.03	.28	.08	25
26	–	.01	–	.10	.19	–	.31	.20	.04	.05	.10	.11	26
27	.08	.02	–	.09	–	–	.09	.04	.14	.35	.06	.73	27
28	.03	.05	.28	–	–	.01	–	.43	.19	.13	.63	.12	28
29	–	X	.43	–	–	.01	–	–	.02	.08	.36	.31	29
30	–	X	.45	–	–	–	–	–	1.44	–	.02	.09	30
31	–	X	.31	X	–	X	–	.02	X	.09	X	.19	31
Total	7.01	3.91 (14)	2.25 (37)	3.35	2.23	1.99	4.93	3.47 (03)	10.00 (07)	5.74 (25)	5.06 (23)	9.93 (14)	60.09 (YEAR'S TOTAL)
Rain Days.	23	22	10	16	9	15	19	18	29	28	19	30	238
		4.05	2.48	3.14				3.50	10.10	5.92	5.64	9.84	60.23

W. C,500, VII. 18. W W C

Section A for the entry of Daily Observations

Station No. 4109

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1919

Kept at Cwm Usedi Llanelly

in the County of Carmarthen

COPY

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	73		17	11	11		17		21	16		61		1
2	37		25	01	03		05		04	02	02	38		2
3		07	14		40	04			01		05	50		3
4		36	36		16	21	37	13	19	03		09		4
5	06	57	03		07				04	01	02	25		5
6	34	10	71						04		01	21		6
7	12		08	26		05			24		01	05		7
8	37		44			06			03		13			8
9	24		08	19	02				02		25	01		9
10	73		85	10	08					08	10	64		10
11	33		91	12	33	13	07			10		04		11
12	16		22	09	03	135			03	08	13	02		12
13	84	05	04	28			01		52	15		13		13
14	56	03		18	11		04	08	03	24		12		14
15	43	09		06	03		-			19		28		15
16	07	82			07	20	09	04			27	05		16
17	01	51	04			19	04	07			52	04		17
18	15	19	96	01			16	25	08		38	17		18
19	57	50	45			36		32	26		34	04		19
20	30	21	14		09		01	08	23		02	24		20
21	02	71	01		08		33	02	41		08	09		21
22		03				15	03		31		02	25		22
23	02									98	14	02		23
24	05			02	01	14		01	06	50	37	33		24
25	70			02	03	04		73	10	03	08	26		25
26	15		14	26		04		10	14	16	01	62		26
27	26		06	34				32				06		27
28	03		42	02				20	01		31	65		28
29	02	X	09	05				06		04	04	23		29
30		X	01	12		16		81	02		55	47		30
31		X	18	X		X	30	01	X		X	09		31
TOTAL	1·63	4·24	6·78	2·24	1·65	3·12	1·67	3·23	3·02	2·77	3·85	6·94	Year's Total	47·14
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) ..... (P.T.O.)

corrected for WD

3637

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

14 JAN 20

4109

Kept at Cwmllicidi, Llanelly.

in the County of Carmarthen.

by George Wadley, C. E.

Lat. ..... Long. .....

Time of Observation 9 am.

Nearest Railway Station Llanelly.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .09

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	—	—	.18	.12	—	.16	.30	.01	.02	—	.55	1
2	.73	—	.17	.11	.11	—	.17	—	.21	.16	—	.61	2
3	.37	—	.25	.01	.03	—	.05	—	.04	.02	.02	.38	3
4	—	.07	.14	—	.40	.04	—	—	.01	—	.05	.50	4
5	—	.36	.36	—	.16	.21	.37	.13	.19	.03	—	.09	5
6	.06	.57	.03	—	.07	—	—	—	.04	.01	.02	.25	6
7	.34	.10	.71	—	—	—	—	—	.04	—	.01	.21	7
8	.12	—	.08	.26	—	.05	—	—	.24	—	.01	.05	8
9	.37	—	.44	—	—	.06	—	—	.03	—	.13	—	9
10	.24	—	.08	.19	.02	—	—	—	.02	—	.25	.01	10
11	.73	—	.85	.10	.08	—	—	—	—	.08	.10	.64	11
12	.33	—	.91	.12	.33	.13	.07	—	—	.10	—	.04	12
13	.16	—	.22	.09	.03	1.35	—	—	.03	.08	.13	.02	13
14	.84	.05	.04	.28	—	—	.01	—	.52	.15	—	.13	14
15	.56	.03	—	.18	.11	—	.04	.08	.03	.24	—	.12	15
16	.43	.09	—	.06	.03	—	—	—	—	.19	—	.28	16
17	.07	.82	—	—	.07	.20	.09	.04	—	—	.27	.05	17
18	.01	.51	.04	—	—	.19	.04	.07	—	—	.52	.04	18
19	.15	.19	.96	.01	—	—	.16	.25	.08	—	.38	.14	19
20	.57	.50	.45	—	—	.36	—	.32	.26	—	.34	.04	20
21	.30	.21	.14	—	.09	—	.01	.08	.23	—	.02	.24	21
22	.02	.71	.01	—	.08	—	.33	.02	.41	—	.08	.09	22
23	—	.03	—	—	—	.15	.03	—	.31	—	.02	.25	23
24	.02	—	—	—	—	—	—	—	—	.98	.14	.02	24
25	.05	—	—	.02	.01	.14	—	.01	.06	.50	.37	.33	25
26	.70	—	—	.02	.03	.04	—	.73	.10	.03	.08	.26	26
27	.15	—	.14	.26	—	.04	—	.10	.14	.16	.01	.62	27
28	.26	—	.06	.34	—	—	—	.32	—	—	—	.06	28
29	.03		.42	.02	—	—	—	.20	.01	—	.31	.65	29
30	.02		.09	.05	—	—	—	.06	—	.04	.04	.23	30
31	—		.01		—		—	.81		—		.47	31
	—	—	.18	.12	—	.16	.30	.01	.02	—	.55	.09	YEAR'S TOTAL
TOTAL	7.63	4.24	6.60	2.30	1.77	2.96	1.53	3.52	3.01	2.77	3.30	16.40	47.19
Days with .01 in. or more	26	14	24	8	16	14	13	16	22	15	23	30	231

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Section A for the entry of Daily Observations

Station No. 4109

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1962 0

Kept at Llwyndiwg Llanelly

in the County of Carmarthen

COPY

Diameter of funnel of gauge ..... in.
Height of top of gauge above ground ..... ft. ..... in.
Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		02	07	10	63		91	05	22	31	02	55		1
2	45	02		26	04		14	18	67	04	01	33		2
3	04	10		06			09	04	16	160		10		3
4			04	07	23		02	106	12	73				4
5		01	23		116		38	07		19				5
6			34	05	71		10		06	37	04			6
7	21	07	07	14	02		34	03		02		02		7
8	03	03		101	23		17	69						8
9	51	47	07	122		04	24	07	06		13			9
10	63	31	09	03		27	50	01			20			10
11	14	03	22	26	33	22	19				02			11
12	39	09	08	27	02	36	20	03	03	04	19			12
13	08	05	49	28			01		01	34	02			13
14	23	08	67	70			14		186	53	72	01		14
15	08	15	05	42	07	47	03		13	02	07			15
16	02	02	22	12	15	11	64	05	132	131	09			16
17	19		03		34	07	03	61	161	06	02			17
18	12	03		17	03	05		16	20					18
19	03	28		54	04	41	33	02	02					19
20	07	07		12		40	20			06		30		20
21				10			46	01	03	16		09		21
22	22			49			26	06				49		22
23	03		20	03			32	18				60		23
24	03	01	60	09		06	12	01			06	38		24
25	15	03	17	06			126		04		03	01		25
26	42	02	46	12		09			12		17	24		26
27	39	08	40	31	08	99	28		03		77	50		27
28	72	19	54	19	30	50	29				02	11		28
29	36	05	32	17	46	15	54				34	54		29
30	42	X	30	28	06	66	26		125	49	38	81		30
31	20	X	38	X	05	X	06	13	X	102	X	12		31
TOTAL	6·16	2·21	6·04	7·66	4·95	4·85	8·51	3·46	7·94	7·29	8·30	5·29	Year's Total 67·57	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .....

(P.T.O.)

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llanelly Corporation Cwmlledi Reservoir

in the County of Carmarthen

by Llanelly Corporation.

Lat. 51.41 N Long. 4.10 W.

Time of Observation 9 am.

Nearest Railway Station Llanelly.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 240. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .12

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	Hail & Rain .20	.05	.38	.28	.05	.66	.06	.13	1.25	1.02	.38	1
2	—	.02	.07	.10	.63	—	.91	.05	.22	.31	.02	.55	2
3	.45	.02	—	.26	.04	—	.14	.18	.67	.04	.01	.33	3
4	.04	.10	—	.06	—	—	.09	.04	.16	1.60	—	.10	4
5	—	—	.04	.07	.23	—	.02	1.06	.12	.73	—	—	5
6	—	.01	.73	—	1.16	—	.38	.07	—	.19	—	—	6
7	—	—	.34	.05	.71	—	.10	—	.06	.37	.04	—	7
8	.21	.07	Snow .07	.14	.02	—	.34	.03	—	.02	—	.02	8
9	.03	.03	—	1.01	.23	—	.17	.69	—	—	—	—	9
10	.51	.47	.07	1.22	—	.04	.74	.07	.06	—	.13	—	10
11	.63	.31	.09	.03	—	.27	.50	.01	—	—	.20	—	11
12	.14	.03	.22	.26	.33	.22	.19	—	—	—	.02	—	12
13	.39	.09	.08	.27	.02	.36	.20	.03	.03	.04	.19	—	13
14	.08	.05	.49	.28	—	—	.01	—	.01	.34	.02	—	14
15	.23	.08	Rain & Snow .67	.70	—	—	.14	—	1.86	.53	.72	.01	15
16	.08	.15	.05	.42	.07	.47	.03	—	.13	.02	.07	—	16
17	.02	.02	.22	.12	.15	.11	.64	.05	1.32	1.31	.09	—	17
18	.19	—	.03	—	.34	.07	.03	.61	1.61	.06	.02	—	18
19	.12	.03	—	.17	.03	.05	—	.16	.20	—	—	—	19
20	.03	.26	—	.54	.04	.41	.33	.02	.02	—	—	—	20
21	.07	.07	—	.12	—	.40	.20	—	—	.06	—	Hail & Rain .20	21
22	—	—	—	.10	—	—	.46	.07	Hail & Rain .03	.16	—	Hail & Rain .09	22
23	.22	—	—	.49	—	—	.76	.06	—	—	—	.49	23
24	.03	—	.20	.03	—	—	.32	.18	—	—	—	.60	24
25	.03	.01	.60	.09	—	.06	.12	.01	—	—	.06	.38	25
26	.15	.03	.17	.06 Hail & Rain	—	—	1.76	—	.04	—	.03	.01	26
27	.42	.02	.46	.12	—	.09	—	—	.12	—	.17	.24 Hail & Rain	27
28	.39	.08	.40	.31	.08	.99	.88	—	.03	—	.77	.50	28
29	Snow & Rain .72	.19	.54	Hail & Rain .19	.30	.50	.29	—	—	—	.02	.11	29
30	Hail & Rain .36	X	.32	.17	.46	.15	.54	—	—	—	.34	.54	30
31	.42	X	.30	X	.06	X	.26	—	X	.49	X	.81	31
	.20	.05	.38	.28	.05	.66	.06	.13	1.25	1.02	.38	.12	YEAR'S TOTAL
TOTAL	6.06	2.36	5.71	7.76	5.18	4.34	9.11	3.39	6.82	7.52	3.94	5.46	67.54
Days with .01 in. or more	26.	23	23	28	19	16	29	19	19	17	19	17	255
Days with .04 in. or more	21.	13.	22.	26.	16	16	25.	13.	14	15	12	14.	207.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEO[illegible] ANIZATION.

LLANELLY
CYNHEIDRE
CARMARTHEN
1920

1 FEB 1921

Kept at Cynh[illegible] 4·10 W.

in the County of [illegible] Llanelly

by Llanelly Gauge 5" in.

e Ground 1 ft. 6 in.

Sea Level 505 ft.

IMPORTANT tered to the previous day.

If an Observer pref sted to add the reading at 9 a.m the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 20

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·19	·08	·39	·29	·06	·76	·07	·16	1·12	·78	·38	1
2	—	·03	·06	·10	·75	-	1·42	—	·22	·22	·04	·36	2
3	·61	·06	-	·20	·04	-	·12	·15	·68	·04	-	·44	3
4	·03	·17	-	·05	-	-	·13	·19	·12	1·61	-	·12	4
5	-	-	·03	·09	·16	-	·42	1·71	·08	·68	-	-	5
6	-	·03	·29	-	1·38	-	·15	·06	-	·18	-	-	6
7	-	-	·31	·09	·84	-	·27	-	·03	·35	·03	-	7
8	·37	·05	·02	·12	-	-	·14	-	-	-	·04	-	8
9	·02	·08	-	·94	·25	-	·19	·78	-	-	-	-	9
10	·58	·52	·14	1·20	-	·04	·41	·12	·04	-	·06	-	10
11	1·18	·31	·39	·04	-	·26	·44	-	-	-	·22	·03	11
12	·53	·02	·73	·22	·38	·24	·26	-	-	-	·05	—	12
13	·55	·15	·07	·32	-	·39	·32	·04	-	·08	·46	-	13
14	·06	·06	·58	·38	-	-	-	·07	-	·28	·03	-	14
15	·54	·07	·71	·73	-	-	·42	-	1·72	·59	·88	-	15
16	·21	·19	·22	·49	·07	·32	·04	-	·08	·08	·05	-	16
17	·08	·02	·32	·10	·17	·08	·88	·06	·75	·93	·08	-	17
18	·48	-	·03	-	·70	·13	-	·72	1·38	·29	-	-	18
19	·30	·02	-	·28	·12	-	-	·12	·84	-	-	-	19
20	·06	·38	-	·65	·03	·63	·35	-	-	-	-	-	20
21	·08	·08	-	·11	-	·32	·13	-	-	·07	-	·45	21
22	-	-	-	·09	-	-	·58	·03	·06	·06	-	·11	22
23	·32	-	-	·49	-	-	·45	·03	-	-	-	·48	23
24	·12	-	·34	-	-	-	·54	·28	-	-	-	·54	24
25	·03	-	·89	·09	-	·05	·07	-	-	-	·03	·53	25
26	·11	·03	·18	·06	-	-	1·59	-	-	-	-	-	26
27	·39	·02	·53	·19	-	·16	-	-	·18	-	·18	·28	27
28	·42	·03	·57	(·24)	·09	·98	·22	-	-	-	·72	·58	28
29	·56	·13	·62	·08	·76	·54	·56	-	-	-	·11	·09	29
30	·50		·33	·14	·67	·11	·62	-	-	-	·30	·72	30
31	·41		·32		-		·27	-		·66		1·08	31
TOTAL	·19 8·61	·08 2·59	·39 7·31	·29 7·90	·06 6·20	·76 4·31	·07 11·75	·16 4·43	1·12 6·34	·78 7·24	·38 4·06	·20 6·19	YEAR'S TOTAL 76·83
Days with ·01 in. or more	8·73 26	2·48 22	7·52 23	7·80 27	5·97 16	5·21 15	11·06 27	4·52 15	7·30 14	6·80 18	3·66 17	6·91 15	233
Days with ·04 in. or more	23	13	20	27	15	15	27	13	13	16	14	14	210

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METE[illegible] ANIZATION. 1 FEB 1921

Kept at Cynheidre Llanelly.

in the County of Carmarthen.

by Llanelly Corporation Waterworks

Lat. 51·41 N Long. 4·10 W.

Time of Observation 9 a.m.

Nearest Railway Station Llanelly.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 505 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 20

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·19	·08	·39	·29	·06	·76	·07	·16	1·12	·78	·38	1
2	—	·03	·06	·10	·75	-	1·42	—	·22	·22	·04	·36	2
3	·61	·06	-	·20	·04	-	·12	·15	·68	·04	-	·44	3
4	·03	·17	-	·05	-	-	·13	·19	·12	1·61	-	·12	4
5	-	-	·03	·09	·16	-	·42	1·71	·08	·68	-	-	5
6	-	·03	·29	-	1·38	-	·15	·06	-	·18	-	-	6
7	-	-	·31	·09	·84	-	·27	-	·03	·35	·03	-	7
8	·37	·05	·02	·12	-	-	·14	-	-	-	·04	-	8
9	·02	·08	-	·94	·25	-	·19	·78	-	-	-	-	9
10	·58	·52	·14	1·20	-	·04	·41	·12	·04	-	·06	-	10
11	1·18	·31	·39	·04	-	·26	·44	-	-	-	·22	·03	11
12	·53	·02	·73	·22	·38	·24	·26	-	-	-	·05	—	12
13	·55	·15	·07	·32	-	·39	·32	·04	-	·08	·46	-	13
14	·06	·06	·53	·38	-	-	-	·07	-	·28	·03	-	14
15	·54	·07	·71	·73	-	-	·42	-	1·72	·59	·88	-	15
16	·21	·19	·22	·49	·07	·32	·04	-	·08	·08	·05	-	16
17	·08	·02	·32	·10	·17	·08	·88	·06	·75	·93	·08	-	17
18	·48	-	·03	-	·70	·13	-	·72	1·38	·29	-	-	18
19	·30	·02	-	·28	·12	-	-	·12	·84	-	-	-	19
20	·06	·38	-	·65	·03	·63	·35	-	-	-	-	-	20
21	·08	·03	-	·11	-	·32	·13	-	-	·07	-	·43	21
22	-	-	-	·09	-	-	·58	·03	·06	·06	-	·11	22
23	·32	-	-	·49	-	-	·45	·03	-	-	-	·48	23
24	·12	-	·34	-	-	-	·54	·28	-	-	-	·54	24
25	·03	-	·89	·09	-	·05	·07	-	-	-	·03	·53	25
26	·11	·03	·18	·06	-	-	1·59	-	-	-	-	-	26
27	·39	·02	·53	·19	-	·16	-	-	·18	-	·18	·28	27
28	·42	·03	·57	(2·6)	·09	·98	·22	-	-	-	·72	·58	28
29	·56	·13	·62	·08	·76	·54	·56	-	-	-	·11	·09	29
30	·50		·33	·14	·67	·11	·62	-	-	-	·30	·72	30
31	·41		·32		-		·27	-		·66		1·08	31
TOTAL	8·61	2·59	7·31	7·90	6·20	4·31	11·75	4·43	6·34	7·24	4·06	6·19	76·83
Days with ·01 in. or more	26	22	23	27	16	15	27	15	14	16	17	15	233
Days with ·04 in. or more	24	13	20	27	15	15	24	13	13	16	14	14	210

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOR[illegible] ...GANIZATION.

4108

LLANELLY FILTER BEDS

1920 - 29

Kept at Llanelly Co... ...O.

in the County of Co... ...4. 10W.

by Llanelly ... ...Llanelly

...ain Gauge 5 in.

...bove Ground 1 ft. 0 in.

..., Sea Level 237.50 ft.

IMPORTANT NOT... ...entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .08

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.25	.05	.33	.26	.02	.51	.04	.11	1.29	.93	.33	1
2	–	.01	.05	.08	.54	–	.33	.09	.21	.19	.02	.45	2
3	.38	.02	–	.24	–	–	.10	.13	.60	.02	–	.19	3
4	.04	.07	–	.05	–	–	–	.04	.13	1.36	–	.12	4
5	–	–	.07	.07	.19	–	–	.93	.11	.76	–	–	5
6	–	.01	.21	–	1.10	–	.35	.04	–	.24	–	–	6
7	–	–	.32	.07	.55	–	.09	–	–	.24	–	–	7
8	.16	.03	Hail & Snow .04	.14	–	–	.34	.02	.04	–	.03	–	8
9	.02	.06	–	.90	.19	–	.10	.61	–	–	–	–	9
10	.55	.43	.12	1.24	–	.02	.25	.04	.04	–	.05	–	10
11	.76	.33	.16	–	–	.25	.38	–	–	–	.10	–	11
12	.15	.01	.20	.25	.28	.24	.16	–	–	–	.01	–	12
13	.50	.07	.05	.25	–	.37	.16	.02	.01	.02	.17	–	13
14	.06	.02	.45	.28	–	–	–	–	–	.23	–	–	14
15	.30	.07	Snow Rain .88	.66	–	–	.10	–	1.69	.55	.60	–	15
16	.23	.15	.12	.37	–	.41	.01	–	.13	–	.05	–	16
17	.04	.01	.40	.10	.20	.10	.54	.04	1.16	1.21	.08	–	17
18	.28	–	.04	–	.30	.08	.01	.48	1.59	.05	–	–	18
19	.23	.02	–	.15	.03	.02	–	.12	.14	–	–	–	19
20	.04	.29	–	.45	.02	.33	.19	–	–	–	–	–	20
21	.08	–	–	.10	–	.33	.21	–	–	(.05)	–	.27	21
22	–	–	–	.12	–	–	.35	–	–	.11	–	.11	22
23	.21	–	–	.33	–	–	.22	–	–	–	–	.45	23
24	.04	.01	.19	.02	–	–	.25	.15	–	–	–	.56	24
25	.02	.01	.56	.07	–	.05	.10	–	–	–	.04	.36	25
26	.08	–	.15	.04	–	–	1.14	–	–	–	.02	–	26
27	.37	–	.47	.16	–	.14	–	–	.08	–	.17	.12	27
28	.33	.09	.33	.23	.05	.81	.19	–	.01	–	.64	.60	28
29	Snow Rain .77	.15	.53	.20	.25	.40	.23	–	–	–	.01	.13	29
30	.42		.35	.15	.47	.08	.41	–	–	–	.27	.49	30
31	.37		.27		.03		.24	–		–		.73	31
TOTAL	.25 6.51	.05 2.11	.33 6.04	.26 7.05	.02 4.46	.51 3.65	.04 7.46	.11 2.75	1.29 6.05	.93 6.20	.33 3.19	.08 4.91	YEAR'S TOTAL 60.45
Days with .01 in. or more	6.98 26	1.91 21	6.29 23	6.98 27	4.22 15	4.14 16	6.99 26	2.82 14	7.23 15	5.94 14	2.59 11	4.66 14	227
Days with .04 in. or more	24	11	23	26	11+2	13 14	24	12	13	12	11	14	195

(44,283). 10/19. (52,638). Wt. 10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llanelly Corporation Filter Bed

in the County of Carmarthen

by Llanelly Corporation

Lat. 51·41 N Long. 4·10 W.
Time of Observation 9 am.
Nearest Railway Station Llanelly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 237·50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·08

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·25	·05	·33	·26	·02	·31	·04	·11	1·29	·93	·33	1
2	–	·01	·05	·08	·54	–	·83	·09	·21	·19	·02	·45	2
3	·38	·02	–	·24	–	–	·10	·13	·60	·02	–	·19	3
4	·04	·07	–	·05	–	–	–	·04	·13	1·36	–	·12	4
5	–	–	·07	·07	·19	–	–	·93	·11	·76	–	–	5
6	–	·01	·21	–	1·10	–	·35	·04	–	·24	–	–	6
7	–	–	·32	·07	·55	–	·09	–	–	·24	–	–	7
8	·16	·03	Hail & Snow ·04	·14	–	–	·34	·02	·04	–	·03	–	8
9	·02	·06	–	·90	·19	–	·10	·61	–	–	–	–	9
10	·55	·43	·12	1·24	–	·02	·25	·04	·04	–	·05	–	10
11	·76	·33	·16	–	–	·25	·38	–	–	–	·10	–	11
12	·15	·01	·20	·25	·28	·24	·16	–	–	–	·01	–	12
13	·50	·07	·05	·25	–	·37	·16	·02	·01	·02	·17	–	13
14	·06	·02	·45	·28	–	–	–	–	–	·23	–	–	14
15	·30	·07	Snow Rain ·88	·66	–	–	·10	–	1·69	·55	·60	–	15
16	·23	·15	·12	·37	–	·41	·01	–	·13	–	·05	–	16
17	·04	·01	·40	·10	·20	·10	·54	·04	1·16	1·71	·08	–	17
18	·28	–	·04	–	·30	·08	·01	·48	1·59	·05	–	–	18
19	·23	·02	–	·15	·03	·02	–	·12	·14	–	–	–	19
20	·04	·29	–	·45	·02	·33	·19	–	–	–	–	–	20
21	·08	–	–	·10	–	·33	·21	–	–	(03)	–	·27	21
22	–	–	–	·12	–	–	·35	–	–	·11	–	·11	22
23	·21	–	–	·33	–	–	·22	–	–	–	–	·45	23
24	·04	·01	·19	·02	–	–	·25	·15	–	–	–	·56	24
25	·02	·01	·56	·07	–	·05	·10	–	–	–	·04	·36	25
26	·08	–	·15	·04	–	–	1·14	–	–	–	·02	–	26
27	·37	–	·47	·16	–	·14	–	–	·08	–	·17	·12	27
28	·33	·09	·33	·23	·05	·81	·19	–	·01	–	·64	·60	28
29	Snow & Rain ·77	·15	·53	·20	·25	·40	·23	–	–	–	·07	·13	29
30	·42		·35	·15	·47	·08	·41	–	–	–	·27	·49	30
31	·37		·27		·03		·24	–		–		·73	31
TOTAL	6·51 (6·25)	2·11 (2·05)	6·01 (5·33)	7·05 (6·26)	4·46 (4·02)	3·65 (3·51)	7·46 (7·04)	2·75 (2·11)	6·05 (5·29)	6·30 (5·93)	3·19 (3·33)	4·91 (4·08)	YEAR'S TOTAL 60·45
Days with ·01 in. or more	26 (26·68)	21 (21·91)	23 (26·29)	27 (26·98)	15 (14·22)	16 (14·14)	26 (25·99)	14 (12·82)	15 (14·23)	14 (15·94)	16 (16·59)	14 (14·66)	227
Days with ·04 in. or more	24	11	23	26	11 (12)	13 (14)	24	12	13	12	11	14	195

(44,283). 10/19. (52,638). Wt 10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL ORGANIZATION.

R

4110. LLANELLY.
UPPER LLEDI RES
1920 – [illegible]
B1707

1 FEB 1921

Kept at Upper Lle... O.....

in the County of Ca... 4·10 W.

by Llanelly Corpo... Llanelly

in Gauge 5" in.

ve Ground 3 ft. 0 in.

Sea Level 290 ft.

IMPORTANT NOT... ntered to the previous day.

If an Observer prefers no... ested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·19

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	Hail+Rain ·23	·17	·41	·31	·05	·65	·03	·15	1·24	1·06	·45	1
2	—	·01	·06	·08	·73	-	·95	·34	·22	·18	·03	·32	2
3	·43	·02	—	·36	-	-	·11	·19	·71	—	—	·64	3
4	·03	·22	·17	·06	-	-	·22	·07	·13	1·68	—	·09	4
5	—	—	·05	·09	·27	-	·01	1·20	·10	·75	—	—	5
6	—	·02	·25	-	1·38	-	·40	·18	—	·16	—	—	6
7	—	—	·44	·06	·85	-	·12	·06	·02	·39	·03	—	7
8	·40	·10	Snow ·08	·24	·01	-	·29	—	·02	·02	·02	·01	8
9	·03	·01	—	1·19	·38	-	·20	·82	—	—	—	—	9
10	·69	·38	·16	1·26	—	·03	·28	·13	·01	—	·03	—	10
11	1·14	·34	·31	·06	-	·28	·33	-	-	-	·06	-	11
12	·18	·03	·28	·26	·35	·21	·13	·03	—	—	·18	-	12
13	·68	·17	·09	·35	-	·35	·32	-	-	·06	·28	-	13
14	·09	·04	·46	·34	-	-	·02	-	·03	·27	-	-	14
15	·58	·14	1·32	·77	-	-	·13	-	2·30	·65	·98	-	15
16	·28	·18	·13	·44	·06	·22	·14	-	·11	·12	·12	-	16
17	·14	·14	·44	·09	·17	·11	·68	·02	1·32	1·20	·11	-	17
18	·47	-	-	-	·46	·08	·02	·63	1·25	·06	-	-	18
19	·36	·03	-	·27	·06	·03	-	·15	·28	-	-	-	19
20	·09	·40	-	·53	·02	·63	·28	-	-	-	-	-	20
21	·06	·03	-	·10	-	·32	·25	-	-	·06	-	·46	21
22	—	-	-	·15	-	-	·48	·02	·08	·21	-	·16	22
23	·37	-	-	·61	-	·04	·32	·05	-	-	-	·48	23
24	·03	-	·35	-	-	-	·36	·18	-	-	-	·70	24
25	·02	-	·56	·09	-	·06	·08	-	-	-	·08	·60	25
26	·13	·06	·31	·05	-	-	1·36	-	·02	-	·02	·02	26
27	·42	·03	·46	·20	-	·05	-	-	·03	-	·19	·26	27
28	·47	·01	·40	·22	·01	1·09	·34	-	·10	-	·75	·54	28
29	·79	·20	·51	·19	·24	·67	·49	-	-	-	·12	·12	29
30	·32		·53	·19	·39	·11	·52	-	-	-	·40	·70	30
31	·55		·76		·04		·29	-		·52		1·00	31
TOTAL	·23 8·83 8·98	·17 2·99 2·93	·41 7·79 8·03	·31 8·66 8·56	·05 5·78 5·52	·65 4·33 4·93	·03 9·77 9·15	·15 4·10 4·22	1·24 6·88 7·87	1·06 7·57 7·39	·45 4·46 3·85	·19 6·55 6·29	YEAR'S TOTAL 77·71
Days with ·01 in. or more	26	22	23	27	17	19	24	16	18	16	17	16	244
Days with ·04 in. or more	22	13	23	27	14	15	24	12	12	15	12	14	205

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEORO[illegible]CE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Upper Llwdi Reservoir Llanelly
in the County of Carmarthen
by Llanelly Corporation Waterworks

Lat. 51.41 N Long. 4.10 W.
Time of Observation 9 a.m.
Nearest Railway Station Llanelly
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .19

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.23	.17	.41	.31	.05	.65	.03	.15	1.24	1.06	.45	1
2	—	.01	.06	.08	.73	—	.95	.34	.22	.18	.03	.32	2
3	.43	.02	—	.36	—	—	.11	.19	.71	—	—	.64	3
4	.03	.22	.17	.06	—	—	.22	.07	.13	1.68	—	.09	4
5	—	—	.05	.09	.27	—	.01	1.20	.10	.75	—	—	5
6	—	.02	.25	—	1.38	—	.40	.18	—	.16	—	—	6
7	—	—	.44	.06	.85	—	.12	.06	.02	.39	.03	—	7
8	.40	.10	snow .08	.24	.01	—	.29	—	.02	.02	.02	.01	8
9	.03	.01	—	1.19	.38	—	.20	.82	—	—	—	—	9
10	.69	.58	.16	1.26	—	.03	.28	.13	.01	—	.03	—	10
11	1.14	.34	.31	.06	—	.28	.33	—	—	—	.06	—	11
12	.18	.03	.28	.26	.35	.21	.13	.03	—	—	.18	—	12
13	.68	.17	.09	.35	—	.35	.32	—	—	.06	.28	—	13
14	.09	.04	.46	.34	—	—	.02	—	.03	.27	—	—	14
15	.58	.14	1.32	.77	—	—	.13	—	2.30	.65	.98	—	15
16	.28	.18	.13	.44	.06	.22	.14	—	.11	.12	.12	—	16
17	.14	.14	.44	.09	.17	.11	.68	.02	1.32	1.20	.11	—	17
18	.47	—	—	—	.46	.08	.02	.63	1.25	.06	—	—	18
19	.36	.03	—	.27	.06	.03	—	.15	.28	—	—	—	19
20	.09	.40	—	.53	.02	.63	.28	—	—	—	—	—	20
21	.06	.03	—	.10	—	.32	.25	—	—	.06	—	.46	21
22	—	—	—	.15	—	—	.48	.02	.08	.21	—	.16	22
23	.37	—	—	.61	—	.04	.32	.05	—	—	—	.48	23
24	.03	—	.35	—	—	—	.36	.18	—	—	—	.70	24
25	.02	—	.56	.09	—	.06	.08	—	—	—	.08	.60	25
26	.13	.06	.31	.05	—	—	1.36	—	.02	—	.02	.02	26
27	.42	.03	.46	.20	—	.05	—	—	.03	—	.19	.26	27
28	.47	.01	.40	.22	.01	1.09	.34	—	.10	—	.75	.54	28
29	.79	.20	.51	.19	.24	.67	.49	—	—	—	.12	.12	29
30	.32	XX	.53	.19	.39	.11	.52	—	—	—	.40	.70	30
31	.55	XX	.26	XX	.04	XX	.29	—	XX	.52	XX	1.00	31
TOTAL	.23 8.83 8.98	.17 2.99 2.93	.41 7.79 8.93	.31 8.66 8.56	.05 5.78 5.52	.65 4.33 4.93	.03 9.77 9.15	.15 4.10 4.22	1.24 6.88 7.87	1.06 7.57 7.39	.45 4.46 3.85	.19 6.55 6.29	YEAR'S TOTAL 77.74
Days with .01 in. or more	26	21	23	27	17	19	29	16	18	16	17	16	244
Days with .04 in. or more	22	13	23	27	14	15	26	12	12	15	12	14	205

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

18 APL 1921

1 The Old Market, Llanelly
2 Llanelly &c. Cwmlliedi Res.
3 Llanelly Corporation Filter Beds
The Rainfall at 4 Cynheidre, Llanelly
5 Upper Llwiedi Reservoir, Llanelly

measured on the morning of January 1st, 1921.

was (1) .14"
(2) .12"
(3) .08"
(4) .20"
(5) .19"

Signed Geo Walkey
Asst.

This form should be folded so as to bring the printed address outside and returned to the Superintendent. The communication should contain nothing of the nature of a letter.

cor. 3.V.12

WFD

REGI ... N 19 11

FORM A2. BRITISH RAINFALL. 7 FEB 1912

LLANELLY

OLD MARKET YARD

1911 1920

Kept at The Old Market

in the County of Carmar...

by George Wa...

...rn

...eter of top 5 ins.

...t of top above Ground 10 ft. – in.

„ „ Sea Level 35 ft.

...vation

...ay Station { Name Llanelly G.W.R. / Distance ... Direction ...

IMPORTANT NOTE.— ... a.m., and the result entered to the previous day. If an Obser... almost universal rule, he is earnestly requested to add the reading ... lowing year in the space provided for it at the end of this paragraph. ... measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	–	.27	.01	–	–	.04	.21	–	–	.09	.21	1
2	.03	—	.04	.13	.20	-	-	.02	–	–	.23	.09	2
3	—	—	—	.08	.24	-	-	.29	-	.13	.12	.30	3
4	–	–	—	-	.80	-	-	.12	-	–	.34	.29	4
5	–	–	.24	-	.03	-	-	.70	-	-	.50	.61	5
6	.38	–	.23	-	—	-	-	.39	-	.08	.02	.08	6
7	.25	–	.07	.	—	-	_	.16	_	-	.25	.08	7
8	.18	–	—	-	–	-	_	-	_	-	.75	.89	8
9	.35	–	.17	-	–	-	_	-	_	-	.49	.87	9
10	.15	—	—	-	–	-	_	-	_	-	.30	.76	10
11	.22	.05	1.15	-	.16	-	_	-	_	-	.02	.47	11
12	.19	.01	.03	-	.23	-	_	.01	.11	-	.23	.10	12
13	—	.07	.64	-	—	.	-	-	.71	-	.60	.04	13
14	—	—	.03	-	.01	_	-	-	.04	-	.20	.28	14
15	—	.12	.09	-	.01	-	-	_	-	.05	.09	.68	15
16	—	.21	.03	-	—	.04	_	_	-	-	.70	.12	16
17	–	.03	.01	-	—	.51	_	_	-	—	.20	.32	17
18	—	.02	—	.02	—	1.26	-	_	-	—	.34	.39	18
19	-	.33	.04	.42	—	.03	-	_	.	.14	.35	.38	19
20	-	.04	—	.19	–	.12	_	.09	.68	.08	–	1.20	20
21	-	.10	.01	.35	–	—	-	-	.20	.20	-	.38	21
22	-	.38	.07	.01	-	.12	.02	-	.02	.86	–	.12	22
23	-	.10	-	.16	-	.08	-	-	.20	.12	-	.68	23
24	.06	.12	–	-	-	.01	-	.11	.50	.53	.05	.34	24
25	.03	.40	-	.04	-	.49	-	.39	.06	.05	.01	.32	25
26	.15	.11	-	.26	-	-	.04	-	.12	.16	-	.06	26
27	.04	.30	–	.45	-	-	-	.47	.01	.30	-	.30	27
28	–	.75	–	.01	–	-	.01	.70	.14	.04	.46	.21	28
29	–		–	.28	–	-	-	.06	.01	—	.02	.05	29
30	–		.01	.05	–	-	.19	–	.23	.49	.01	.08	30
31	–		.01	–	–		.01	.02	–	.35		.02	31
	–	.27	.01	–	–	.04	.21	–	–	.09	.21	.05	
Total	2.13	3.14	3.14	2.66	1.68	2.66	.31	3.44	3.03	3.58	6.34	10.75	43.19
No. of Rain Days	10	18	18	15	8	10	6	13	14	15	24	31	185

9,000, IX. '10.

cor. 3.V.12

REGISTER OF RAINFALL IN 19 11

FORM A2. BRITISH RAINFALL. 7 FEB 1912

Kept at The Old Market Yard, Hall Street, Llanelly

in the County of Carmarthen 3

by George Watkeys

RAIN GAUGE: Pattern ____ Diameter of top 5 ins. Height of top above Ground 10 ft. - in. " " " Sea Level 35 ft.

Time of Observation ____

Nearest Railway Station: Name Llanelly G.W.R. Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	—	.27	.01	-	-	.04	.21	—	—	.09	.21	1
2	.03	—	.04	.13	.20	-	-	.02	—	—	.23	.09	2
3	—	—	—	.08	.24	-	-	.29	-	.13	.12	.30	3
4	—	—	—	-	.80	-	-	.12	-	—	.34	.29	4
5	—	—	.24	-	.03	-	-	.70	-	-	.50	.61	5
6	.38	-	.23	-	—	-	-	.39	-	.08	.02	.04	6
7	.25	—	.07	-	—	-	—	.16	-	-	.25	.08	7
8	.18	—	—	-	—	-	-	-	-	-	.75	.89	8
9	.35	—	.14	-	—	-	-	-	-	-	.49	.87	9
10	.15	—	—	-	—	-	-	-	-	-	.30	.76	10
11	.22	.05	1.15	-	.16	-	-	-	-	-	.02	.47	11
12	.19	.01	.03	-	.23	-	-	.01	.11	-	.23	.10	12
13	—	.07	.64	-	—	-	-	-	.71	-	.60	.04	13
14	—	—	.03	-	.01	-	-	-	.04	-	.20	.29	14
15	—	.12	.09	-	.01	-	-	-	-	.05	.09	.68	15
16	—	.21	.03	-	—	.04	-	-	-	-	.70	.12	16
17	—	.03	.01	-	—	.51	-	-	-	—	.20	.32	17
18	—	.02	—	.02	—	1.26	-	-	-	—	.34	.39	18
19	-	.33	.04	.42	—	.03	-	-	-	.14	.35	.38	19
20	-	.04	—	.19	-	.12	-	.09	.68	.08	-	1.20	20
21	-	.10	.01	.55	-	—	-	-	.20	.20	-	.38	21
22	-	.38	.07	.01	-	.12	.02	-	.02	.86	-	.12	22
23	-	.10	-	.16	-	.08	-	-	.20	.12	-	.68	23
24	.06	.12	—	-	-	.01	-	.11	.50	.53	.05	.34	24
25	.03	.40	-	.04	-	.49	-	.39	.06	.05	.01	.32	25
26	.15	.11	-	.26	-	-	.04	-	.12	.16	-	.06	26
27	.04	.30	-	.45	-	-	-	.47	.01	.30	-	.30	27
28	-	.75	-	.01	-	-	.01	.70	.14	.04	.46	.21	28
29	-		-	.28	-	-	-	.06	.01	—	.02	.05	29
30	-		.01	.05	-	-	.19	-	.23	.49	.01	.08	30
31	-		.01	-	-		.01	.02	-	.35		.02	31
		.27	.81			.04	.21			.84	.21	.85	
Total	2.13	3.14	3.14	2.66	1.68	2.66	.31	3.44	3.02	3.58	6.34	10.75	TOTAL for year 43.19
No. of Rain Days	10	18	18	15	8	10	6	14	14	15	24	31	185

9,000, IX. '10.

REGISTER OF RAINFALL IN 19 12

FORM A. BRITISH RAINFALL. 25 JAN 1913

Kept at Old Market Yard - Llanelly

in the County of Carmarthen

by Geo Watkeys - (C.E. W.W.)

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llanelly

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 10 ft. — in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .16

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	—	.15	.35	.08	—	.01	.21	.13	—	.03	—	1
2	—	—	.21	—	.15	.81	.02	.01	.01	.68	.01	.28	2
3	—	—	.26	—	—	.28	—	—	—	.01	.05	.02	3
4	.13	.02	.24	.01	.05	—	—	1.25	.12	—	.11	.30	4
5	.38	—	1.00	—	.02	—	—	.10	—	—	.67	—	5
6	.57	.03	.16	—	.12	—	—	.54	—	—	.01	.19	6
7	.18	.11	.04	—	.23	—	—	.05	—	—	.13	.04	7
8	—	.54	.16	—	.26	.64	.12	.53	—	.01	.09	.14	8
9	1.24	.33	.01	.02	.02	.12	—	.01	—	—	.01	.01	9
10	.05	.23	.01	.13	—	.13	.15	.61	.01	—	.04	.78	10
11	.51	.04	.01	—	—	.11	.30	.21	—	—	.13	.05	11
12	.04	—	.39	—	—	—	.10	—	—	—	.22	1.36	12
13	.15	.03	.07	.08	.18	.05	.35	.11	—	—	.01	.02	13
14	.43	—	—	—	—	—	—	.04	—	.19	—	.40	14
15	.21	.05	.79	—	—	—	—	—	—	.01	—	.00	15
16	.60	.20	.08	.01	.01	.78	—	.01	—	—	—	.34	16
17	.38	.04	.70	—	.05	.03	—	.48	—	.40	—	.15	17
18	.03	.03	.23	—	.03	.44	—	.66	—	.01	.23	.40	18
19	.11	.10	.13	—	—	.01	—	.37	—	.20	.08	.13	19
20	.01	.10	—	—	—	.03	.01	.44	—	.10	.01	.10	20
21	.01	.05	.65	—	—	—	—	.08	—	.30	.03	.01	21
22	—	.30	.29	—	.15	—	—	.23	—	.42	—	.22	22
23	.20	.42	.17	—	.35	.05	.11	.92	—	.16	.06	.35	23
24	.12	.16	.40	—	—	.13	.01	.44	—	.04	.26	.10	24
25	.11	.06	.16	—	—	.50	.12	.54	—	.35	—	.11	25
26	.01	.05	.04	—	—	.15	.10	.17	—	.25	.41	1.11	26
27	—	.08	.09	—	—	—	.02	—	—	.65	.60	.31	27
28	—	.14	.07	—	—	1.00	1.06	—	.02	1.19	—	.78	28
29	—	.15	—	—	—	.35	.56	.70	.13	.49	1.49	.02	29
30	—		.02	—	—	—	.40	.15	.22	.08	—	—	30
31	—		.18	—	—		.15	—		.37		.02	31
Total	5.52	3.26	6.80	.60	1.70	5.61	3.59	8.89	.64	5.44	4.68	7.83	YEAR'S TOTAL
Rain Days.	22	23	28	6	14	19	17	25	4	20	22	28	230

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 16 JAN 1914

Kept at Old market, in the County of Carmarthen by Geo Watkeys.

Lat. ..... Long. .....
Time of Observation 9 am
Nearest Railway Station Llanelly
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft. 0 in.
" " " " Sea Level 35' T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. January 1 Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16	·05	—	·41	—	—	—	—	—	—	·23	·06	1
2	·10	·35	·45	·18	—	—	—	—	—	—	·39	·08	2
3	·90	·20	·08	·12	·20	·09	—	—	—	1·32	·36	·20	3
4	·10	—	·09	—	·40	—	—	—	—	·04	·01	·16	4
5	·68	·01	·06	—	—	·75	·03	—	·40	·22	·16	·14	5
6	·15	·05	-	—	·19	·58	·04	—	·38	—	·78	·16	6
7	·20	·12	·23	—	·14	·31	—	—	—	·34	·27	·59	7
8	·04	·55	·02	—	·55	·30	·01	—	—	·63	·31	·07	8
9	·08	·32	—	—	·41	-	·09	·02	—	·03	·01	·11	9
10	—	·37	·16	—	·30	·45	·04	·05	—	—	·62	·07	10
11	·99	—	·08	—	·31	—	—	·66	·06	·50	·26	—	11
12	·66	—	—	·15	·20	—	—	·06	·03	·23	·72	·12	12
13	—	—	—	—	·17	·06	·18	—	—	-	·82	—	13
14	·13	—	·59	·04	·6	—	·04	·28	1·55	—	·25	—	14
15	·30	·03	·46	·18	—	—	-	—	·25	·60	·22	·12	15
16	·48	—	·41	1·18	—	—	—	-	·11	—	·02	·06	16
17	·14	—	·87	·05	—	-	·09	—	-	—	·15	—	17
18	·16	-	·17	·07	-	—	·17	—	-	—	·22	-	18
19	·10	-	·32	—	-	-	·06	-	-	—	·10	—	19
20	·46	-	·13	·21	·07	·06	-	-	·61	·15	·09	—	20
21	·69	—	·28	·33	·04	-	-	—	·03	·21	1·01	—	21
22	·02	-	·22	·12	·14	-	·17	·10	·02	·24	·24	—	22
23	1·18	—	1·00	·02	·05	·31	-	·02	·50	—	—	·12	23
24	·06	-	·05	—	·05	—	—	—	·35	—	·16	—	24
25	·20	·19	-	·19	—	-	—	—	—	—	·16	·03	25
26	—	—	-	·25	—	—	—	-	·13	·02	·07	·11	26
27	—	—	-	1·61	—	—	-	—	·06	·03	—	·32	27
28	·15	—	·15	·18	-	-	—	—	—	·29	—	w. ·08	28
29	·17		·20	·26	·19	—	—	—	—	·69	·03	·23	29
30	·07		·12	·70	·16	—	-	—	—	·36	·12	-	30
31	·63		·01		·4		—	—		·45		-	31
Total	~~8·13~~ 8·05	2·24	~~6·15~~ 6·41	6·25	3·64	2·91	·92	1·19	~~4·48~~ 4·48	~~6·35~~ 6·23	~~7·78~~ 7·06	2·83	YEAR'S TOTAL ~~52·87~~
Rain Days.	27	11 10	~~23~~ 24	~~19~~ 18	19	9	11	7	14	~~18~~ 19	27	~~19~~ 18	~~204~~ 203

8.02 2·19 6.56 5·84 3·64 2·91 ·92 1·19 4·48 6.58 7.61 2·77 52·71

W.7,000, XI. 13

CARMARTHEN
OLD MARKET
1914

FORM A.
BRITISH RAINFALL.
22 JAN 1915

REC

Kept at Old

in the County of Ca

by Geo Sa

...nelly

...in.

...d 10 ft. — in.

...evel 35 ft.

IMPORTANT N... ...esult entered to the previous day. If an ... rule, he is earnestly requested to add the r... the space provided for it at the end of this paragraph. Full instructions for ... of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·33.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·31	·07	—	—	·06	—	·84	—	—	·22	·62	1
2	—	·02	·09	·04	—	·24	·27	1·15	—	—	·23	·12	2
3	—	—	—	—	·03	—	·11	·07	—	—	·05	·31	3
4	—	—	·35	·78	·5	—	—	·22	—	—	—	·14	4
5	·32	—	·12	·25	·08	—	1·1	·01	—	—	·25	·62	5
6	·03	—	·35	·17	—	—	·02	—	—	—	·09	·03	6
7	·03	·3	·12	·01	·1	·01	·03	·06	—	—	·34	·44	7
8	·19	·35	·35	·08	·7	·09	·55	·22	·14	—	—	·33	8
9	·37	—	·13	·02	·4	·05	—	·35	—	—	·08	·24	9
10	·43	·16	·06	·32	·33	·51	—	·26	·16	—	·04	—	10
11	·05	·52	·03	·21	·03	—	—	·04	·4	—	—	·06	11
12	—	·68	·71	—	·2	·56	—	—	—	—	·1	·92	12
13	—	·9	·44	—	—	—	—	—	·39	—	·25	·16	13
14	—	·52	·5	—	—	—	·16	—	·7	·03	·24	·13	14
15	—	·35	·24	—	—	—	·06	·33	—	—	·59	·05	15
16	—	·01	·18	—	—	—	—	·23	·24	—	·41	·22	16
17	—	—	·04	—	—	—	·11	—	·42	—	—	·09	17
18	—	·64	·17	—	—	—	·15	—	—	—	—	·82	18
19	—	·06	·28	—	—	—	·01	—	·15	—	—	·66	19
20	—	·26	·1	—	—	—	2·16	—	·08	—	·03	·40	20
21	—	·47	·18	—	—	—	—	—	—	—	—	·26	21
22	—	·18	·01	—	—	—	—	·03	—	·31	—	·04	22
23	—	·16	·18	·06	—	—	—	·53	—	·64	—	—	23
24	—	·04	·64	—	—	—	·05	—	—	·16	—	—	24
25	—	·03	·27	—	—	·01	·01	·06	—	·01	·15	·03	25
26	·3	·06	·34	—	—	—	·04	·86	—	·6	·12	·62	26
27	·01	·03	·04	—	—	—	—	—	—	·13	·72	·63	27
28	·11	·09	—	—	—	—	—	—	—	·12	·27	1·16	28
29	·04	X	·32	—	·12	—	—	—	—	·06	·15	·72	29
30	·37	X	·1	—	·12	—	·02	—	—	—	·4	·03	30
31	·01	X	·19	X	—	X	—	—	X	·1	X	·48	31
Total	·31	·09	—	~~·00~~	·06	—	·87	—	—	·22	·62	·33	YEAR'S TOTAL
	~~2·26~~	~~0·17~~	~~6·86~~	~~1·34~~	~~2·61~~	~~1·53~~	~~4·88~~	~~5·29~~	~~2·68~~	~~2·16~~	~~4·76~~	~~10·33~~	~~50·87~~
	2·57	5·93	6·79	1·34	2·67	1·47	5·75	4·42	2·68	2·38	5·16	10·04	51·20
Rain Days.	~~15~~ 14	22	~~27~~ 28	10	~~11~~ 12	~~8~~ 7	~~17~~	~~16~~ 15	9	~~10~~ 11	20	28	~~192~~ 192

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

22 JAN 1915

REC[redacted]

Kept at Old Market

in the County of Carmarthen. 3

by Geo Sattley

Lat. ____ Long. ____

Time of Observation 9 am

Nearest Railway Station Llanelly

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 10 ft. — in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .33.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.31	.07	—	—	.06	—	.84	—	—	.22	.62	1
2	—	.02	.09	.04	—	.24	.27	1.15	—	—	.23	.12	2
3	—	—	—	—	.03	—	.11	.07	—	—	.05	.31	3
4	—	—	.35	.18	.5	—	—	.22	—	—	—	.14	4
5	.32	—	.12	.25	.08	—	1.1	.01	—	—	.25	.62	5
6	.03	—	.35	.17	—	—	.02	—	—	—	.09	.03	6
7	.03	.3	.12	.01	.1	.01	.03	.06	—	—	.34	.44	7
8	.19	.35	.35	.08	.7	.09	.55	.22	.14	—	—	.33	8
9	.37	—	.13	.02	.4	.05	—	.35	—	—	.08	.24	9
10	.43	.16	.06	.32	.33	.51	—	.26	.16	—	.04	—	10
11	.05	.52	.03	.21	.03	—	—	.04	.4	—	—	.06	11
12	—	.68	.71	—	.2	.56	—	—	—	—	.1	.92	12
13	—	.9	.44	—	—	—	—	—	.39	—	.25	.16	13
14	—	.52	.5	—	—	—	.16	—	.7	.03	.24	.13	14
15	—	.35	.24	—	—	—	.06	.33	—	—	.59	.05	15
16	—	.01	.18	—	—	—	—	.23	.24	—	.41	.22	16
17	—	—	.04	—	—	—	.11	—	.42	—	—	.09	17
18	—	.64	.17	—	—	—	.15	—	—	—	—	.82	18
19	—	.06	.28	—	—	—	.01	—	.15	—	—	.66	19
20	—	.26	.1	—	—	—	2.16	—	.08	—	.03	.40	20
21	—	.47	.18	—	—	—	—	—	—	—	—	.26	21
22	—	.18	.01	—	—	—	—	.03	—	.31	—	.04	22
23	—	.16	.18	.06	—	—	—	.53	—	.64	—	—	23
24	—	.07	.64	—	—	—	.05	—	—	.16	—	—	24
25	—	.03	.27	—	—	.01	.01	.06	—	.01	.15	.03	25
26	.3	.06	.34	—	—	—	.07	.86	—	.6	.12	.62	26
27	.01	.03	.07	—	—	—	—	—	—	.13	.72	.63	27
28	.11	.09	—	—	—	—	—	—	—	.12	.27	1.16	28
29	.04	X	.52	—	.12	—	—	—	—	.06	.15	.72	29
30	.37	X	.1	—	.12	—	.02	—	—	—	.4	.03	30
31	.01	X	.19	X	—	X	—	—	X	.1	X	.48	31
	.31	.07	—	.06	.06	—	.87	—	—	.22	.62	.33	YEAR'S TOTAL
Total	2.26	6.11	6.86	1.34	2.61	1.53	4.88	5.29	2.68	2.16	4.76	10.33	50.87
Rain Days.	2.57 14	5.93 22	6.79 28	1.34 10	2.67 12	1.47 7	5.75 17	4.42 15	2.68 9	2.38 11	5.16 20	10.04 28	51.20 193

W. 8,000. X. 14.

copy for WP 15.3.16

SAME

4068

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 3 JAN 1916

Kept at The Old Market, Llanelly

in the County of Carmarthen

by Llanelly Corporation.

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Llanelly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 10 ft. 0 in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .31

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.33	–	.13	–	.20	–	.06	.28	.10	–	.19	.31	1
2	.56	.39	–	–	.40	–	–	.37	.09	.24	–	.45	2
3	.38	.18	.30	.03	–	.12	.09	.66	.16	.03	–	.10	3
4	.02	.13	.20	.14	.11	–	.06	.13	–	–	–	.58	4
5	.05	.32	.03	–	.13	.10	–	–	.03	–	–	.52	5
6	.11	.90	.04	.01	.05	.01	–	.10	–	–	–	1.26	6
7	.38	.13	–	.36	–	–	.25	.24	–	–	–	.20	7
8	.37	1.03	–	.03	–	–	.14	.15	–	.34	.01	.63	8
9	.20	.32	–	.02	–	–	–	.09	–	.04	.31	–	9
10	.06	.11	.16	.15	–	–	–	.14	–	–	.34	.64	10
11	.46	.16	.03	.19	–	–	–	–	–	.12	.02	.06	11
12	.03	.05	–	–	–	–	–	.22	–	–	1.75	.03	12
13	.42	.41	–	.09	.23	–	–	–	–	.05	Hail & Rain .45	Snow & Rain .22	13
14	.07	.32	–	–	.70	–	–	.08	.11	.09	Hail & Rain .16	.10	14
15	.09	–	–	–	–	–	–	–	.28	–	Hail & Rain .02	.92	15
16	.38	.06	–	–	.14	–	.25	–	.15	–	Hail & Rain .16	.32	16
17	.03	1.06	–	–	.21	–	.57	–	.04	–	–	.06	17
18	.06	.49	.03	–	.08	–	–	–	–	.01	–	–	18
19	.03	.45	.02	–	–	–	.09	.05	–	.01	–	–	19
20	.01	–	–	.02	.24	–	.41	–	–	–	–	–	20
21	.64	.02	–	.24	.06	–	–	–	–	.12	–	.10	21
22	.55	.07	–	–	–	–	.15	–	.09	.37	–	.20	22
23	.07	–	.13	.06	–	.05	.22	–	–	.10	–	.42	23
24	–	.14	.31	–	–	.14	.06	–	–	.70	–	.31	24
25	–	–	.02	–	–	–	–	–	.03	.09	–	.42	25
26	–	–	–	–	–	.11	.07	–	.04	–	.03	.15	26
27	–	.35	–	–	–	.01	.50	–	.03	–	–	.50	27
28	–	.09	–	–	–	.09	.16	–	.01	.64	–	.13	28
29	–	[illegible]	–	–	–	.06	–	–	.34	.05	–	.04	29
30	–	X	–	–	–	.85	–	.01	.24	.17	.64	.07	30
31	.12	X	–	X	–	X	–	–	X	.66	X	.33	31
	–	.13	–	.20	–	.06	.28	.10	–	.19	.31	.31	YEAR'S TOTAL
Total	5.42	4.18	1.40	1.34	2.55	1.54	3.07	2.52	1.77	3.83	4.11	9.07	43.80
Rain Days.	5.09 24 23	7.31 22 23	1.27 12 11	1.54 12 13	2.35 12 11	1.60 10 11	3.29 15	2.34 13	1.67 15 14	4.02 18 19	4.23 12	9.07 24	43.78 19 2

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

6 JAN 1917

Kept at Old Market. Llanelly.

in the County of Carmarthen.

by Geo Sadler.

Lat. ..... Long. .....

Time of Observation 9. am

Nearest Railway Station Llanelly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 10 ft. 0 in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.31	-	.22	-	-	-	.08	-	.13	-	.75	-	1
2	.27	.02	-	-	.04	.34	.09	.03	-	1.27	.45	-	2
3	.60	.30	.16	-	-	-	.10	-	.12	2.54	.33	-	3
4	.04	.94	-	-	.04	.20	-	-	.48	.56	.44	.12	4
5	.32	.42	-	.02	.29	.50	-	-	.19	.04	.38	-	5
6	.21	.13	.09	-	.08	.10	.09	-	-	.21	.01	.04	6
7	.18	.22	-	-	.41	.18	.76	-	-	.14	.72	-	7
8	.03	.04	-	-	.08	-	-	-	-	.04	.68	.42	8
9	.01	.03	-	-	.29	.02	-	-	-	.16	.04	.11	9
10	-	.10	-	-	.01	.34	-	-	-	.04	.08	.14	10
11	.02	.56	-	.16	.06	-	.03	-	-	.05	-	.12	11
12	.02	.10	-	.33	.34	-	-	-	.04	.04	-	-	12
13	.04	.06	.04	-	.54	-	.41	.30	-	.31	.11	-	13
14	.02	.34	.13	.01	-	-	-	.28	-	.06	.02	-	14
15	.04	.61	-	.05	.26	-	-	.03	-	.05	-	.03	15
16	.03	.19	-	.33	.31	-	.02	.05	-	.04	-	-	16
17	.04	.03	-	.36	.05	-	.08	-	.03	.32	-	-	17
18	.48	.34	-	.11	.01	-	-	.03	.91	.61	.10	.04	18
19	.06	.20	.22	.05	-	-	-	-	-	.04	-	.27	19
20	.38	.02	.18	.16	-	-	-	-	-	-	.06	.16	20
21	.28	.04	.24	.01	-	-	-	-	-	-	.08	.18	21
22	.09	-	.12	.12	.06	.15	-	-	-	-	-	.14	22
23	.02	-	.01	-	-	.25	-	.03	-	.18	.04	.28	23
24	.04	Snow .02	-	.16	-	.16	-	.45	-	.45	.34	.18	24
25	-	-	.04	.14	.30	.02	-	.26	-	.44	.02	.04	25
26	-	-	.14	-	.26	.25	-	.92	.02	.12	.33	-	26
27	.10	-	.03	-	.04	.05	-	-	.55	.49	-	-	27
28	.09	-	Snow .75	-	.09	-	-	.30	.64	.91	.04	.04	28
29	-	Snow .16	.03	-	-	-	-	-	-	.16	.31	.84	29
30	-	X	-	-	-	.65	-	.34	-	.30	.04	.23	30
31	-	X	-	X	-	X	-	.08	X	.60	X	.01	31
Total	3.45"	4.40"	2.43"	2.01"	3.62"	3.24"	1.66"	3.13"	3.14"	11.69"	5.37"	3.51"	YEAR'S TOTAL 48.44
Rain Days.	25	22	13	14	20	14	9	13	10	24	22	19	210

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 9 JAN 1918

Kept at Old Market Yard, Llanelly

in the County of Carmarthen.

by Corporation of Llanelly.

Lat. ____ Long. ____

Time of Observation 9 am

Nearest Railway Station Llanelly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 10 ft. — in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.	.07	.	.	.62	.	.	.31	.	.08	.05	1
2	.01	.	.34	.21	.	.17	.	.	.15	.	.33	.	2
3	.01	-	-	.41	.	.04	.	.	.	.13	.24	.07	3
4	.14	.50	.	.06	.	.02	1.14	.	.	1.10	.32	.08	4
5	.	.12	.34	.01	.	-	.03	.	.02	.18	.04	.	5
6	.40	.	.18	.17	.	.31	.	.	.09	.27	.30	.	6
7	.	.	.28	.	.	.05	.	.	.	.33	.31	.16	7
8	.32	.	.	.	.	.	.45	.14	.	.08	.08	.	8
9	.17	.	.02	.	.	.04	.36	.69	.25	.56	.50	.27	9
10	.	.	.28	.12	.08	.	.	.21	.	.21	.20	.	10
11	.38	.	.55	.18	.	.	.	.30	.	.13	.10	.	11
12	.	.	.08	.28	.	.	.	.62	.	.31	.37	.	12
13	.31	.	.17	.06	.50	.	.	.02	.	.41	.	.03	13
14	.16	.	.	.11	.	.01	.	.97	.41	.07	.05	.05	14
15	.05	.	.	.	.02	.	.	.24	.	.05	.04	.03	15
16	.	.01	.	.08	.02	.	.05	.	.12	.48	.06	.75	16
17	.	.11	.	.08	.	.	.01	.03	.	.05	.08	.10	17
18	.	.07	.05	.37	.09	.	.95	.82	.29	.13	.18	.	18
19	.	.	.02	.	.10	.	.45	.	.85	.05	.	.	19
20	.	.96	.07	.	.	.31	.	.	.02	.	.	.	20
21	.	.16	.02	.	.48	1.12	.	.18	.09	.	.04	.	21
22	.	.	.	.	.03	.	.	.20	.	.16	.04	.	22
23	.03	.	.	.	.	.11	.	.83	.	.07	.	.	23
24	.	.34	.	.	.04	.05	.	.34	.	.05	.01	.	24
25	.	.01	.08	.	.	.16	.39	.10	.08	.31	.01	.	25
26	.	.18	.	.	.	.17	.04	.35	.30	.07	.10	.	26
27	.	.	.02	.	.20	.01	.02	.04	.	.07	.32	.	27
28	.	.	.	.	.03	.45	.69	1.23	.	.09	.	.	28
29	.	X	.11	.	.04	.07	.	.30	.01	.07	.04	.	29
30	.	X	.10	.	.	.	.	.	.	.89	.04	.	30
31	.	X	.	X	.	X	.	.45	X	.30	X	.	31
Total	2.02	2.46	2.78	2.14	1.66	3.66	4.58	7.99	2.99	6.41	3.88	1.59	YEAR'S TOTAL 42.16
Rain Days.	12	10	18	13	12	17	12	24	14	24	23	10	190
	11	11	17		15	16		21	13	28		9	189

W. 8 000, IX. 17.

REGISTER OF RAINFALL IN 19 18

FORM A. BRITISH RAINFALL.

Kept at Old Market, Llanelly.
in the County of Carmarthen
by Geo. Wackeys C.E.

Lat. ..... Long. .....
Time of Observation 9 a.m.
Nearest Railway Station Llanelly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 12 ft. 0 in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.26	.40	-	-	-	-	-	.09	.29	.30	1
2	-	.35	-	.16	.05	-	-	.82	-	.03	1.15	-	2
3	.03	.28	-	.06	-	-	-	.64	-	.03	.27	.89	3
4	-	.24	-	.32	.13	.02	-	.03	.56	.12	.31	.41	4
5	.02	.16	-	.24	.20	-	-	.19	.65	.50	.13	.83	5
6	-	.04	.02	-	.12	-	-	.37	.34	.73	.08	.10	6
7	.08	.83	-	.14	-	.20	-	-	.15	.60	-	.30	7
8	.05	.21	-	.04	.13	-	.01	.05	.50	.09	.39	.02	8
9	.26	.01	-	.19	-	.08	.12	-	.09	.48	.10	.03	9
10	.05	-	-	.09	-	.28	.18	-	.44	.26	.06	.49	10
11	-	.07	-	-	-	-	.63	-	.35	.16	.22	.47	11
12	.03	.08	.18	-	-	-	.45	-	.50	.05	.04	.42	12
13	-	.22	-	-	.33	-	.07	-	.09	-	-	.43	13
14	.10	.04	-	-	-	.01	-	-	.43	.22	-	.09	14
15	.63	-	.02	-	.07	-	.34	-	.30	-	-	.35	15
16	1.30	-	-	-	-	-	.84	-	.40	.11	-	1.00	16
17	.23	-	-	.49	-	.02	.16	.35	.10	.09	-	.05	17
18	.47	-	-	.26	-	.05	.18	.09	.15	.05	-	.55	18
19	.49	-	.08	-	-	.68	.03	.03	.60	.30	-	.40	19
20	.32	.37	.29	.08	-	-	.30	.03	-	.02	-	.05	20
21	.27	.19	.03	.08	-	.02	.03	-	.40	-	-	-	21
22	.30	.03	-	.07	-	-	.30	-	.50	-	-	.10	22
23	.08	-	-	-	.35	-	.52	-	.62	.54	-	.40	23
24	.51	-	-	-	.28	.04	.09	-	.08	-	.10	-	24
25	.07	.23	-	-	.25	-	.07	.09	.50	-	.31	.01	25
26	-	-	-	.08	-	-	.30	.30	.02	.02	.14	.11	26
27	.08	.02	-	.11	-	-	.28	.03	.12	.19	.05	.42	27
28	.02	.03	.58	-	-	-	-	.45	.15	.09	.56	.12	28
29	-	X	.16	-	-	-	-	-	-	.05	.34	.29	29
30	-	X	.26	-	-	-	-	-	1.40	-	-	.11	30
31	-	X	.50	X	-	X	-	-	X	.04	X	.17	31
Total	5.69	3.40	2.38	3.14	1.91	1.40	4.84	3.47	9.44	4.86	4.58	9.21	YEAR'S TOTAL 54.28
Rain Days.	21.	18.	11.	15.	10.	10.	19.	14.	25.	24.	14.	28.	219

5.69 3.66 2.52 2.74 9.53 5.06 4.55 8.99 54.36

W. 6,500, VII. 18. W W C

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Old Market, Llanelly
in the County of Carmarthen
by George Wadley, F.R.S.

Lat. ..... Long. .....
Time of Observation 9 am
Nearest Railway Station Llanelly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 12 ft. — in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .09

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.		in.	in.	in.	in.	in.	
1	.08	—	—	.06	.10	—	.15	.18	—	—	—	.65	1
2	.93	—	.18	—	.06	—	.12	—	.20	.15	—	.69	2
3	.34	—	.32	—	.02	—	.03	—	.04	.01	—	.53	3
4	.03	.05	—	—	.28	—	—	—	.03	—	.02	.50	4
5	.02	.32	.51	—	.10	.19	.12	.08	.18	.01	—	.07	5
6	.07	.65	—	—	.02	—	—	—	.02	—	.01	.49	6
7	.41	.10	.84	—	—	—	—	—	.03	—	—	.24	7
8	.16	—	.33	.23	—	—	—	—	.12	—	—	.07	8
9	.52	—	.29	—	—	.02	—	—	—	—	.15	—	9
10	.29	—	—	.19	—	—	—	—	.01	—	.28	—	10
11	.83	—	.81	.06	.12	—	—	—	—	.05	.09	.84	11
12	.16	—	1.18	.12	.34	.10	.04	—	—	.10	—	.02	12
13	.81	—	—	.10	—	1.38	—	—	—	.08	.14	.04	13
14	.63	—	.52	.23	—	—	—	—	.69	.09	—	.45	14
15	.41	.09	—	.12	.22	—	.05	.09	.04	.15	—	.31	15
16	.12	—	—	—	—	—	—	—	—	.18	—	.45	16
17	—	.50	—	—	.08	.13	.04	.02	—	—	.22	.07	17
18	.19	.75	—	—	—	.12	.01	.06	—	—	.23	.04	18
19	.15	.35	1.12	—	—	—	.14	.18	.05	—	.48	—	19
20	.50	.44	.68	—	—	.35	—	.41	.30	—	.39	.05	20
21	.40	.24	.16	—	.11	—	—	.06	.25	—	.01	.20	21
22	—	.79	—	—	.03	—	.12	.05	.36	—	.05	.13	22
23	—	.01	—	—	—	.09	—	—	.33	—	.01	.20	23
24	—	—	—	—	—	—	—	—	—	.75	.11	.05	24
25	.15	—	—	—	—	.13	—	—	.08	.41	.43	.07	25
26	.63	—	—	.01	.01	.05	—	.75	.07	.07	.08	.40	26
27	.12	—	.11	.43	—	—	—	.04	.08	.27	—	.75	27
28	.31	—	—	.32	—	—	—	.31	—	—	—	.29	28
29	—	X	.49	—	—	—	—	.16	—	—	.30	.42	29
30	.04	X	.05	.04	—	—	—	.01	—	.02	.08	.27	30
31	—	X	—	X	—	X	—	.82	X	—	X	.74	31
TOTAL	~~8.30~~ 8.22	4.29	~~7.59~~ 7.65	~~1.91~~ 1.95	~~1.49~~ 1.39	~~2.56~~ 2.71	~~.82~~ .85	~~3.22~~ 3.04	2.90	2.28	~~3.08~~ 3.73	~~9.06~~ 8.50	YEAR'S TOTAL ~~47.50~~ 47.51
Days with .01 in. or more	~~24~~ 24	12	~~16~~ 16	~~12~~ 12	~~12~~ 14	~~14~~ 14	10	~~14~~ 14	18	14	~~19~~ 19	28	190

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Old Market Llanelly

in the County of Carmarthen

by Llanelly Corporation

Lat. 51° 41' N Long. 4° 10' W.
Time of Observation 9 am.
Nearest Railway Station Llanelly.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 12' ft. 6" in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .14

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.19	.09	.39	.25	.04	.57	.03	.09	1.39	1.05	.35	1
2	–	–	.05	.09	.78	–	1.03	.04	.20	.27	.02	.36	2
3	.45	.07	–	.33	–	–	.09	.13	.60	.05	–	.27	3
4	.04	.10	–	.06	–	–	.07	.04	.10	1.58	–	.19	4
5	–	–	.04	.06	.19	–	–	.92	.11	.80	–	–	5
6	–	.07	.25	–	1.02	–	.35	.05	–	.25	–	–	6
7	–	–	.46	.05	.64	–	.11	–	–	.23	.03	–	7
8	.18	.04	.03	.18	–	–	.33	.02	.03	–	–	–	8
9	.01	.05	–	1.00	.17	–	.11	.65	–	–	–	–	9
10	.69	.41	.10	1.34	–	.02	.21	.05	.02	–	.05	–	10
11	.98	.32	.15	–	–	.24	.33	–	–	–	.09	–	11
12	.15	.07	.19	.28	.29	.23	.16	–	–	–	.01	–	12
13	.56	.08	.06	.27	–	.37	.18	.03	.01	.02	.19	–	13
14	.07	.01	.33	.33	–	–	–	–	–	.24	–	–	14
15	.21	.07	1.20	.63	–	–	.14	–	1.65	.48	.78	–	15
16	.25	.19	.10	.35	.06	.26	–	–	.18	–	.09	–	16
17	.03	.01	.39	.09	.18	.09	.55	.02	1.08	1.08	.07	–	17
18	.29	–	.03	–	.24	.07	.01	.48	1.56	.08	–	–	18
19	.27	.01	–	.20	.02	.02	–	.13	.16	–	–	–	19
20	.05	.27	–	.50	.03	.24	.21	–	–	–	–	–	20
21	.10	–	–	.09	–	.29	.19	–	–	.04	–	.27	21
22	–	–	–	.08	–	–	.33	–	–	.10	–	.07	22
23	.22	–	–	.44	–	.02	.25	–	–	–	–	.43	23
24	.05	–	.21	–	–	–	.30	.17	–	–	–	.55	24
25	.03	–	.60	.05	–	.05	.08	–	–	–	.04	.36	25
26	.11	.01	.22	.03	–	–	1.30	–	–	–	.01	–	26
27	.07	.01	.53	.11	–	.16	–	–	.07	–	.18	.13	27
28	.45	.10	.33	.15	.05	.86	.20	–	.01	–	.67	.57	28
29	.75	.14	.61	.21	.28	.43	.28	–	–	–	.07	.07	29
30	.50	X	.50	.10	.37	.07	.40	–	–	–	.48	.50	30
31	.39	X	.24	X	.05	X	.23	–	X	.54	X	.70	31
TOTAL	.19 6.99	.09 2.04	.39 6.91	.25 7.41	.04 4.72	.57 3.61	.03 8.01	.09 2.76	1.39 6.04	1.05 7.15	.35 3.77	.14 5.02	YEAR'S TOTAL 64.43
Days with .01 in. or more	26. 7.09	20 1.94	23. 7.21	26. 7.27	16 4.51	17 4.14	26 7.47	14. 2.82	15 7.34	15 6.81	16. 3.07	14 4.81	228
Days with .04 in. or more	23.	12.	21	25	14.	14.	~~25~~ 24	~~10.~~ 11	11	14.	11	14	194

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

REGIS

LLANGADOCK

CARMARTHEN

1914

Kept at Llyngaw-fach

in the County of Carmar

by D. A. Howell

ge ..... in.

ound ..... ft. ..... in.

a Level ..... ft.

IMPORTANT NOTE

result entered to the previous day. If an Obs

al rule, he is earnestly requested to add the readi

n the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·110					1
2													2
3													3
4													4
5													5
6								·330					6
7								·090					7
8								·990					8
9								·875					9
10								1·045					10
11								·700					11
12								1·130					12
13								1·760					13
14								·210					14
15													15
16								·210					16
17								3·225					17
18													18
19								·085					19
20								·050					20
21								·195					21
22								1·365					22
23								1·770					23
24								·550					24
25													25
26								2·130					26
27								2·330					27
28								·530					28
29								·075					29
30		X						·775					30
31		X		X		X		1·090	X		X		31
Total								21·620					YEAR'S TOTAL
Rain Days.								24					

W. 8,000, VIII. 16

REGIS[illegible]

FORM A. BRITISH RAINFALL.

Kept at Llynfan-fach R.K., W. Llangadoch

in the County of Carmarthen

by D. A. Howell

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·110					1
2													2
3													3
4													4
5													5
6								·330					6
7								·090					7
8								·990					8
9								·875					9
10								1·045					10
11								·700					11
12								1·130					12
13								1·760					13
14								·210					14
15													15
16								·210					16
17								3·225					17
18													18
19								·085					19
20								·050					20
21								·195					21
22								1·365					22
23								1·770					23
24								·550					24
25													25
26								2·130					26
27								2·330					27
28								·530					28
29								·075					29
30		X						·775					30
31		X		X		X		1·090	X		X		31
Total								21·620					YEAR'S TOTAL
Rain Days.								24					

W. 8,000, VIII. 16

LLANWRDA

DOLAUCOTHY

CARMARTHEN

1911 - 1920

FORM A.2. BRITISH RAINFALL.

4 - JAN 1912

Kept at Dolau

in the County of Ca

by Dr Jones

5 in.

ve Ground 2 ft. 3 in.

Sea Level 498½ ft.

Name Llanwrda

Distance ½ Direction S.W.

IMPORTANT N ... daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.10		.10	.10		.20			.30	.30	1
2			.05	.10	.50			.20	.01	.40	.25	.55	2
3			.03		.90	~~.30~~ 8		.15	.02		.55	.30	3
4			.15					.60			.50	.75	4
5	.30		.10	.02				.50		.05	.15	.05	5
6	.32		.15	.02				.15			.20	1.15	6
7	.14										.50	.10	7
8	.30		.15								.40	.80	8
9	.10		.02								.15	.60	9
10	.12		.60									.80	10
11	.53		.04						.10		.15		11
12			.50		.20			.05	1.60	.08	1.50	.15	12
13			.02		.21				.53		.20	.10	13
14		.10	.05		.05						.20	.40	14
15	.04	.25			.02	.10					.30	.05	15
16		.05				.95					.30	.50	16
17		.02		.01		1.30		.01			.70	.80	17
18		.50	.01	.55		.30		.01		.08	.52	1.70	18
19		.10		.54		.10		.02	.80	.10	.02	.75	19
20	.06	.10		.30		.09		.10	.05	.30		.50	20
21	.03	.40	.01	.08		.20	.10	.10	.20	.84		.60	21
22	.05	.12		.35		.05			.05	.70		.80	22
23	.02	.30		.04	.01	.80			.20	.50		.30	23
24	.10	.15	.08	.01		.80		.30	.03	.40		.35	24
25	.10	.15		.30		.35		.05	.35	.05		.08	25
26	.04	.12		.40	.30	.02		.15		.40	.04	.25	26
27		.50	.04	.10			.15	1.50	.50	.03	.10	.90	27
28		.20	.05	.20				.03				.10	28
29				.30		.35	.10	.04	.30	.60		.05	29
30						.05	.09			.60	.15	.02	30
31							.02			.10		.05	31
Total	2.22	3.26	2.15	3.32	2.29	5.56 5.5	.46	4.16	4.74	5.23 5.23	7.28 7.18	13.10	Total for year 53.66 53.44
No. of Rain Days	15	15	18	16	9	~~16~~ 15	5	18	14	~~15~~ 16	21	30	192

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Dolaucothy

in the County of Carmarthen

by Dr General Sir James Hills-Johnes V.C. F.S.A.

RAIN GAUGE { Pattern ____ Diameter of top 5 in. Height of top above Ground 2 ft. 3 in. " " " Sea Level 448½ ft.

Time of Observation 9 am

Nearest Railway Station { Name Llanwrda Distance ½ miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.10		.10	.10		.20			.30	.30	1
2			.05	.10	.50			.20	.01	.40	.25	.55	2
3			.03		.90	.30		.15	.02		.55	.30	3
4			.15					.60			.50	.75	4
5	.30		.10	.02				.50		.05	.15	.05	5
6	.32		.15	.02				.15			.20	1.15	6
7	.14										.50	.10	7
8	.30		.15								.40	.80	8
9	.10		.02								.15	.60	9
10	.12		.60									.80	10
11	.50		.04						.10		.15		11
12			.50		.20			.05	1.60	.08	1.50	.15	12
13			.02		.21				.53		.20	.10	13
14		.10	.05		.05						.20	.40	14
15	.04	.25			.02	.10					.30	.05	15
16		.05				.95					.30	.50	16
17		.02		.01		1.30		.01			.70	.80	17
18		.50	.01	.55		.30		.01		.08	.52	1.70	18
19		.10		.54		.10		.02	.80	.10	.02	.75	19
20	.06	.10		.30		.09		.10	.05	.30		.50	20
21	.03	.40	.01	.08		.20	.10	.10	.20	.84		.60	21
22	.05	.12		.35		.05			.05	.70		.80	22
23	.02	.30		.04	.01	.80			.20	.50		.30	23
24	.10	.15	.08	.01		.80		.30	.03	.40		.35	24
25	.10	.15		.30		.35		.05	.35	.05		.08	25
26	.04	.12		.40	.30	.02		.15		.40	.04	.20	26
27		.50	.04	.10			.15	1.50	.50	.03	.10	.90	27
28		.40	.05	.20				.03				.10	28
29				.30		.35	.10	.04	.30	.60		.05	29
30						.05	.09			.60	.15	.02	30
31							.02			.10		.05	31
Total	2.22	3.26	2.15	3.32	2.29	5.56 5.50	.46	4.16	4.74	5.23 5.23	7.28 7.18	13.10	Record for year 53.67 53.44
No. of Rain Days	15	15	18	16	9	16 15	5	18	14	15 16	21	30	192

9,000, IX. '10.

REGISTER OF RAINFALL IN 19 12

FORM A. BRITISH RAINFALL.

Kept at Dolaucothy

in the County of Carmarthen 2

by J. Jewell Hill Hills-Johnes V.C. F.L.S.

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llanwrda 6½ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 490½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.01		.40	.01	.10	.60	.20	.12	.05	.02		.30	1
2	.03	.04	.65	.02		.60	.05	.01					2
3	.10	.05	.12	.02	.05	.05	.02	1.20	.20		.10	.35	3
4	.40	.01	1.30	.02	.05			.40			.60	.20	4
5	.55	.10	.45		.12			.30	.05		.04	.15	5
6	.50	.50	.02		.29			.05	.10		.04	.10	6
7		.55	.30		.12	.70	.80	.30	.04		.03	.20	7
8	.50	.35	.52	.10	.01	.20	.03	.45	.15		.03	.04	8
9	.10	.30	.10	.12		.10	.10	.40	.04		.04	.60	9
10	.30	.05		.02		.50	.35	.20			.60	.10	10
11	.10	.03			.04	.03	.20				.60	.90	11
12	.10	.15	.45	.20	.05	.05	.25	.10		.01	.05	.08	12
13	.04	.01	.03	.05		.04		.04		.45	.03	.70	13
14	.20	.02	.70					.40	.03	.01	.02	.20	14
15	.30	.15	.01		.20	.15		.05			.05	.30	15
16	.30	.30	.80		.15	.04		.60	.02	.30	.04	.15	16
17	.30	.08	.25		.05	.30		.90			.25	.60	17
18			.10			.03	[illegible]	.60		.15	.10	.15	18
19		.30	.02		.03	.06	.02	.95		.10	.08	.15	19
20	.05	.10	.65			.05	.01	.20		.60	.05	.05	20
21		.10	.80		.11		[illegible]	.60		.55	.04	.15	21
22	.30	.60	.08		.48	.05	.30	.60		.05	.09	.30	22
23	.10	.10	.40			.20	.10	.80	[illegible]	.15	.52	.20	23
24	.08	.10	.12			.60	.05	.05	.01			.40	24
25		.05	.10			.20	.03	.35			.60	.60	25
26		.20	.15			.05	.15	.80		1.40	.68	.60	26
27		.20	.10			.70	.90	.02		1.50	.15	.85	27
28		.25	.02			.40	.70	.50	.05	.53	.75	.02	28
29		.30				.10	.55	.20	.60	.10		.02	29
30		—	.12	.02		.15	.12	.01	.03	.75	.08	.01	30
31	.05	—	.25	—		—	.45	.10	—	.05	—	.20	31
Total	4.46	5.19	9.01	.58	1.85	5.95	5.38	11.20	1.37	6.72	5.66	8.07	YEAR'S TOTAL 66.04
Rain Days.	22	27	28	10	15	25	21	30	13	17	20	30	262

11.30

W. 7,500, XI. 12

2nd January 1913

J. Jewell Hill Hills-Johnes

entd by C 28.IV.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 8 JAN 1914

Kept at Dolaucothy

in the County of Carmarthen

by Dr General Sir Wells-Mines

Lat. ..... Long. .....

Time of Observation 9 am

Nearest Railway Station Pumsaint

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	.20	.37	.12	.20				.03		.40	.04	1
2	.05	.50	.35	.13	.12	.15				.25	.40	.10	2
3	.30	.63	.30		.80					.10	.02	.53	3
4	.60	.10	.20		.10	.05			.70	.15	.04	.45	4
5	.35	.10	.05		.60	.45			.20	.10	.40	.10	5
6	.55	.20	.02		.10	.35	.45			.30	.10	.55	6
7	.30	1.10	.12		.50	.40	.40			.70	.20	.05	7
8	.05	.70	.02		.40	(35) .25	.04			.10	.01	.12	8
9		.30	.18	.02	.20	1.10	.05	.10		.05	.40	.12	9
10	.20	.03	.10	.12	.20	.01	.10	.40	.02	.10	.32		10
11	.90				.30	.01	.05	.05	.02	.35	.60	.10	11
12	.10		.05	.01	.45	.04		.02	.20	.02	.60	.05	12
13	.08		.45	.04	.01	.02	.05	.10	.80		.80	.01	13
14	.30		.55	.20			.20	.03	.40	.30	.15	.08	14
15	.50		.90	1.20			.02	.02	.01	.03	.10	.05	15
16	.21		.57	.05		.01		.10			.11		16
17	.20		.46	.20	.02	.02	.02				.15		17
18	.05		.50	.40	.05	.05	.20				.18		18
19	.65		.15	.02	.02	.20	.10		.40	.40	.05		19
20	.20		.40	.10	.05	.02	.15		.05	.20	1.50		20
21			.20	.40	.20	.01		.10		.25	.40		21
22	.80		1.10		.05	.20	.42	.60	.70	.03			22
23	.22		.05	.02	.03	.05	.02	.05	.33		.20	.19	23
24	.20	.12		.20	.01	.06		.01			.19	.05	24
25		.05		.21		.			.20	.02	.10	.06	25
26		.02		1.90		.10		.02	.08	.10		.60	26
27	.05		.02	.30		.01				.20	.01	.04	27
28	.40		.30	.52	.10					.50		.35	28
29	.02		.20	.80	.15			.10		.60	.05	.02	29
30	.60		.02	.01	.35	.35				.40	.10		30
31	.03		.50		.10					.12			31
Total	8.01	4.05 4.05	6.13	6.97 6.97	5.14	4.01	2.27 2.27	1.70	4.14	5.37	7.58	3.73	YEARS TOTAL 55.74
Rain Days.	27	15	27	22	25	23	15	13	15	24	27	22	253

W.7,000, XI. 13

H Wells-Mines Maj Gen

cmbly c to 22.IV.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. JAN 1915

Kept at Dolaucothy

in the County of Carmarthen 2

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~.04~~	.08	.15	.06		.15	.80	1.20		.01	.45	.12	1
2	.02	.02	.05	.62	.02	.02	.92	.15			.15	.52	2
3	.02		.75	.04	.75			.20		.03	.04	.40	3
4	~~.02~~		.15		.30		.60	.21			.40	.65	4
5	.62		.30	.30	.15	+10	~~.10~~	.02			~~.15~~	.02	5
6	.10	.12	.05	.01	.15	.05	.03	.04			.08	.30	6
7	.30	.53	.40	.10	.40	.15	.55	.05			.12	.52	7
8	.10		.05	.10	1.10	.15	.04	1.20	.02	.05	.02	.20	8
9	.15	.15	.40	.30	.30	.60		.50	.04	.01	.04	.03	9
10	.25	.75	.22	.45	.15	.10		.03	.35		.05	.01	10
11	.10	.32	.53	.01	.05	.10			.43		.06	.60	11
12		1.10	.20			.02			.30		.40	.10	12
13		.81	.80	.04			.10	.02	.53	.20	.35	.15	13
14		.87	.40				.10	.35	.04	.02	.40		14
15		.03	.20				.04	.20	.20		.30	.15	15
16			.90				.15		.30		.30	.10	16
17		.53	.35			.02	.20		.20			1.40	17
18		.05	.40				.02		.20	.01		.15	18
19		.20	.30				.75		.22		.10	.45	19
20		.50	.50			.25						.10	20
21		.10	.04			.20	.02	1.02		.30			21
22		.22	.05	.05	.14	.10		.42		.60			22
23		.20	.30			.01	.10	.03 .13		.10			23
24	.20	.05	.20			.02	.40	.08		.02	.15		24
25	~~.50~~	.64	.20				1.30	.70		.53	.15	.62	25
26	~~.03~~	.10	.02				.45	.40		.25	.60	.70	26
27	~~.30~~	.15			~~.08~~		.10	.02	.01	.12	.50	1.10	27
28	.10		.30		.08			.01	.02	.05	.25	.62	28
29	~~.30~~	X	.20		.10			.03		.02	1.20	.04	29
30	.08	X	.50					.03		.02	.60	1.03	30
31	~~.30~~	X	.05	X	.05	X	.70	.01	X	.50	X	.55	31
Total	~~3.97~~	7.02	8.28	1.53	3.74	1.94	6.77	~~6.97~~ 6.97	2.46	2.86	~~6.76~~ 6.71	10.63	YEAR'S TOTAL 62.88
Rain Days.	15	23	30	12	14	15	21	24	14	18	~~24~~ 23	26	237

W. 8,000. X. 14.

4067

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL

Kept at Dolaucothy

in the County of Carmarthen

by Major General Sir Wallis Jones K.C.B. V.C.

Lat. 52 Long. 4

Time of Observation 9 am

Nearest Railway Station 8½ miles Llanwrda

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 498½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.96	.30	.05		.20		.01	.30	.18	.30		.40	1
2	.12	.45	.57	.30		.05	.05	.70	.10	.15		.10	2
3	.04	.44	.22	.10	.10		.15	.05				.15	3
4	.08	.20	.05		.15	.01		.15				.90	4
5	.05	.50	.04	.04	.04	.03	.05	.10				1.53	5
6	.48	.04	.04	.55			.35	.03				.07	6
7	.30	.75	.02	.08	.05		.55	.25			.02	.40	7
8	.25	.60		.03			.01	.12		.08	.25	.03	8
9	.10	.55		.70				.05			.50	.90	9
10	.62	.07	.10	.30		.65		.35		.20	.20	.10	10
11	.03	.04	.08	.02			.01	.40		.02	1.55	.08	11
12	.40	.13	.01	.10	.20			.02		.10	.75	.10	12
13	.04	.40	.01	.05	.70			.25	.10	.05	.40	.15	13
14	.25	.06		.04				.35	.18	.03	.15	.60	14
15	.60	.15			.20		.05	.08	.10	.10	.25	.45	15
16	.10	1.30		.08	.40		1.20	.07	.08	.01		.35	16
17	.04	.40	.04	.05	.40		.06	.02				.02	17
18	.08	.90	.20				.06	.12					18
19	.01	.04		.20	.35		.60	.01					19
20	.53	.03		.10	.02		.01	.04		.12		.35	20
21	.70	.08		.05	.35		.35	.01	.01	.10		.90	21
22	.20	.08	.05	.02	.10	.08	.53		.01	.02		.60	22
23		.30	.15	.05		.40	.07		.05	.70		.40	23
24			.02	.05		.02			.15	.40		.70	24
25						.40	.75		.04	.01	.13	.22	25
26		.60				.03	.75		.15			.90	26
27		.15				.04	.45		.02	.02		.30	27
28		.25				.18	.03	.10	.20	.10		.05	28
29					.02	.72	.52	.02	.04	.03	.30	.10	29
30	.22			.15		.10	.01		.10	.15	.40	.45	30
31	.03						.42	.20		.05		.85	31
Total	6.28	9.44	1.58	3.06	3.28	2.71	7.04	3.79	1.56	3.26	4.90	12.18	YEAR'S TOTAL 57.08
Rain Days.	24	26	16	21	15	13	24	24	16	22	12	24	244

1.58

59.08

241

W. 8,000. X. 15.

Wallis Jones

REGISTER OF RAINFALL IN 1916

Kept at Dolaucothy

in the County of Carmarthen

by Lt. General Sir J. Hills-Johnes V.C. G.C.B.

RAIN GAUGE.

Lat. 52 Lon. 4

Time of Observation 9 a.m.

Diameter 5 inches

Height of top above Ground 2 ft 6 inches

" " Sea Level 498 ft

3 JAN 1917

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.10	.01		.01	.20	.30		.01	.20	.80		1
2	.55	.42	.20		.05	.03	.25		.53	1.55	.35		2
3	.09	1.20		.04		.12			.70	.50	.45	.15	3
4	.35	.30		.05	.40	.60	.08		.20	.25	.40		4
5	.05	.20	.22	.02	.08	.15	.06		.01	.65	.20		5
6	.20	.35			.30	.07	.60			.73	.60	.12	6
7	.15	.08	.05		.50	.03	.05			.35	.60	.30	7
8	.08	.10	.03	.02	.50	.15				.10	.05	.15	8
9	.04	.15	.02		.08	.10	.10			.04	.05	.14	9
10	.08	.30	.01	.12	.05	.03	.08			.15	.02		10
11	.20	.20	.01	.35	.15	.10	.05		.15	.02	.02		11
12	.04	.15	.01	.20			.35	.75	.04	.15			12
13	.04	.27	.25	.25	.02		.04	.70	.01	.25			13
14	.03	.70	.10	.03	.15		.02	.35	.02	.30			14
15	.03	.40	.15	.20	.30		.01	.15	.04	.30			15
16	.06	.06		.56	.10		.02	.05		.20			16
17	.55	.33		.45				.01	.80	.65	.08		17
18	.05	.40	.12	.50				.04	.65	.30	.08	.60	18
19	.35	.06	.55	.50				.06	.05	.02	.30		19
20	.28	.25	.25	.05				.03		.01	.15	.30	20
21	.30		.20		.03	.04					.15	.04	21
22				.02		.20	.10	.05		.30	.08	.20	22
23	.15	.04	.10	.20		.01		.30		.60	.55	.40	23
24	.02	.10	.07	1.20	.80	.05		.30		.40	.10	.12	24
25	.03	.04	.30	.01	.12	.05		1.35	.07	.10	.50		25
26	.15	.03	.09		.02	.15	.30	.84	.60	.25	.23		26
27	.04	.02	.75		.10	.02		.80	.70	1.45	.01		27
28	.01	.16	.10		.05	.02		.02	.03	.40	.25	.70	28
29		.10	.03			.50		.22		.70	.10	.50	29
30			.03			.20		.04		.40		.04	30
31					.10			.25		.45		.03	31
Totals	4.07	6.51	3.65	4.77	3.91	2.82	2.41	6.31	4.61	10.77	5.62	3.79	60.85
Total from Jan. 1	27	27	24	19	21	20	16	19	17	30	35	15	269

REGISTER OF RAINFALL IN 19

FORM A. BRITISH RAINFALL. 2 JAN 19

Kept at Delacourtie

in the County of Carnarvon

by Lt Gen Coghill Jones

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·40	·26		·30		·03	·15		·15	·20	1
2				·14		·10		01	·02	·10	·30	·17	2
3	·18	·10	·01	·30		·05	·02			·45	·20	·08	3
4	·03	·40	·15	·02					·20	·80	·05	·04	4
5	·50		·40	·25		·12		·60	·22	·85	·40		5
6	·04		·20	·04		·10			·02	·35	·30	·15	6
7	·50		·02	·03		·03	·32	·08		·30	·20	·16	7
8	·25		·20	·26		·10	·40	·80	·05	·70	·40	·25	8
9			·22	·30	·12		·02	·45	·04	·30	·60	·01	9
10	·25		1·10	·40	·04	·08		·70		·70	·24		10
11	·10			·30	[illegible]			·90	·03	·60	·20		11
12	·30			·10	1·50			·20	·02	·30	·03	·02	12
13	·10		·08	·08	·00	·05		1·40	·40	·20	·08	·08	13
14				·20	·04		·03	1·45	·04	·20	·06	·10	14
15				·10	·12		·50	·02	·10	·40	·03	·40	15
16		·08		·18		·02	·03	·10	·05	·08	·02	·40	16
17		·08	·05	·55	·15		·53	1·50	·50	·15	·05		17
18			·03	·40	·05		·45	·10	·70	·10			18
19		·55	·30	·05	·	·53		·20	·08	·02	·01		19
20		·25	·18		·50	1·15	·01	·15	·50	·02	·20	·03	20
21		·03	·04		·02	·03		1·42	·02	·20	·60		21
22			·01			·04		1·05	·06	·20	·08		22
23		·25			·30	·04		·15		·20	·01	·15	23
24		·05	·05		·01	·10	·20	·20	·05	·55	·10	·20	24
25		·12	·15				·05	·53	·10	·20	·40		25
26			·02		·22	·05	·10	·19	·35	·05	·40		26
27		·04	·10		·52	·45	·70	1·15	·08	·09	·02		27
28		·10	·30		·55	·03	·10	·90		·08	·02		28
29			·05				·02	·20		·80	·05	·10	29
30		X	·11		·02			·52		·20	·12		30
31		X		X	·55	X		·30	X	·02	X		31
Total	2·27	2·05	4·17	3·96	4·71	3·52	3·28	15·30	3·75	9·81	5·39	2·56	59·45
Rain Days.	12	12	23	19	17	19	18	28	23	30	29	17	245

YEARS TOTAL 59·45

243

60·68

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

22.1.19

Kept at Dolaucothy

in the County of Carmarthen

by J. Hills-Johnes

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.30	.01	.35	.06			.15	.45	.08	.70	.03	1
2	.01	.25		.08				.20	.15	.05	.15	.80	2
3		.20		.10	.50			.02	.60	.20	.08	.07	3
4	.10	.15		.01				.08	.50	.70	1.20	.70	4
5		.08	.02	.10	.35			.30	.12	.80	.15	.08	5
6	.10	.75		.42	.04	.08		.03	.25	.55		.15	6
7	.09	.30		.12	.40	.06		.07	.90	.06	.52	.20	7
8	.35	.50			.01	.02			.20	.30	.08	.05	8
9	.08	.53		.30		1.50			.55	.52	.10	.25	9
10	.05	.10	.05	.03		.01	.06		.20	.10	.20	.60	10
11	.14	.05	.20	.01	.03		.15	.01	.25	.03	.06	.45	11
12	.10	.43			.12	.05	.40		.45	.01		.10	12
13	.07	.20			.02	.06	.40		.35	.10	.15	.15	13
14	.75		.10		.14	.04	.12	.05	.30	.10		.80	14
15	.90						.02		1.20	.30		.80	15
16	.22			.18		.10	.31	.05	.40	.25		.30	16
17	.60		.01			.12	.60	.05	.30	.10		.53	17
18	.80	.05	.03			.60	.30	.01	.40	.10		.53	18
19	.30	.20	.19	.10		.01	.10	.03	.10	.04		.20	19
20	.80	.20	.01	.25	.02	.08	.45	.03	.57	.02		.01	20
21	.40	.10	.01	.08		.15	.25		.80	.03		.10	21
22	.20	.03			.55		.08	.02	.20	.40		.50	22
23	.50	.02			1.52	.03	.25		.42	.01	.15	.10	23
24	.20	.20			.03	.02	1.05	.20	.30		.25	.10	24
25	.02	.02			.30		.12	.30	.10	.08	.10	.02	25
26	.10	.04					.02	.10	.25	.10	.22	.50	26
27	.10	.10	.50				.40	.53	.30	.05	.35	.20	27
28		.30	1.50				.15	.15	.01	.08	.55	.20	28
29			.12					.02	.60	.04	.02	.10	29
30		X	.40						.10	.14	.15	.30	30
31		X	.55	X		X		.25	X	.05	X	.10	31
Total	6.98	5.10	3.70	2.13	4.09	2.93	5.23	2.65	11.32 10.32	5.39	5.18	9.02	YEAR'S TOTAL 63.72
Rain Days.	24	24	15	14	15	16	19	22	30	30	19	31	259

W. 8,000, IX. 17.

8 wdfor WD except Tel See 82 W.D Cond by sun stats (7201)

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Dolaucothy

in the County of Carmarthen

by H. H. Matthews for Lady Hills-Johnes

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .15

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	1.00	-	.30	.22		.20	.20	.02			.75	1
2	.06		.15	.01	.20		.24	.02	.40	.20		.55	2
3	.70	.05	.20		.10		.04		.22	.10	.01	.12	3
4	.40	.20	.04		.12	.02			.15	.01		.40	4
5	.02	.40	.40		.06	.10	.55	.10	.15			.10	5
6	.03	.04	.12	.05	.15			.01	.08		.05	.70	6
7	.30		.60	.03					.03			.35	7
8	.30		.25	.10		.04			.04			.20	8
9	.50		.15	.05		.20			.02		.01		9
10	.30		.03	.15	.01							.03	10
11	.35		.80	.20	.25	.02				.15	.06	.60	11
12	.10	.04	1.90	.15		.02	.15			.08	.01	.10	12
13	.04	.03	.90	.10	.10	1.65	.03			.22	.10	.02	13
14	.50	.08		.40		.01	.05		.15	.61	.01	.25	14
15	.50	.04	.02	.80	.10		.30	.03	.08	.30		.15	15
16	.25	1.03		.60	.20		.02			.22		.50	16
17	.13	.45		.02		.04	.03	.50		.02	.50	.03	17
18		.02		.05		.15	.02	.15			.70	.08	18
19	.15	.30	.80				.20	.60	.20		.25	.20	19
20	.35	.20	.50			.20	.02	.53	.50		.45	.20	20
21	.60	.80	.15		.15	.12		.15	.70		.08	.30	21
22	.10	.30			.10	.04	.35	.10	.20		.04	.22	22
23		.02				.08	.10	.01	.70		.03	.97	23
24						.01	.01	.04	.02	.70	.20	.20	24
25	.07			.04	.10	.08		.01	.05	.15	.35	.20	25
26	.25	.02		.02	.20	.05		.53	.04	.02	.20	.25	26
27	.10		.30	.25		.08		.30	.15	.15	.03	.60	27
28	.65		.30	.45		.08		.35				.10	28
29	.08		.25	.08				.50		.05		.40	29
30	.01	X	.20	.15				.20		.04	.06	.30	30
31		X	.06	X		X		.25	X		X	.50	31
	.01	4.02	.30	.22	-	.20	.20	.02	-	-	.75	.15	YEAR'S TOTAL
Total	6.94	5.02	8.12	4.00	2.06	2.99	2.31	4.58	3.90	3.02	3.14	9.37	~~55.45~~
Rain Days.	6.85	4.02	8.42	3.92	1.84	3.19		4.40	3.88		3.89	8.71	54.51
	29	18	21	21	15	19	16	20	20	16	19	30	243
			22		14	20			19		26		

W. 6,500. VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llanwrda, Dolaucothy

in the County of Carmarthen

by Lady Hills-Johnes

Lat..... Long.....

Time of Observation.....

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following: .30

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.25	.03	.40	.52	.10	.32	.10	.04	.95	.95	.40	1
2		.04	.05	.12	.70		.70	.01	.30	.35	.02	.50	2
3	.15	.20		.45	.04		.20	.08	.40	.15		.55	3
4	.08	.30		.15	.08		.30	.02	.15	1.30		.15	4
5			.03	.01	.04		.03	1.30	.12	.25			5
6		.01	.40		.80		.30	.15	.02	.30			6
7			.80	.10	.30		.15	.03	.02	.35			7
8	.10	.22	.15	.30	.02		.20		.05		.03	.02	8
9	.20	.10	.02	.52	.12		.30	.30			.02		9
10	.40	.60	.10	.90			.20	.10	.05		.04		10
11	1.20	.55	.20	.02		.30	.40	.02			.20		11
12	.15	.12	.30	.30	.50	.35	.08				.02	.03	12
13	.40	.32	.04	.50	.05	.62	.40	.15		.05	.36		13
14	.08	.15	.65	.60		.03	.01	.02	.06	.03	.08		14
15	.10	.05	.90	.55		.20	.30		1.45	.80	1.00		15
16	.05	.30	.32	1.10	.05	.30	.08		.08	.01	.20		16
17	.04	.02	.20	.40	.30	.55	.90	.06	.80	.64	.12		17
18	.20		.10	.02	.60	.30	.01	.25	.80	.01		.03	18
19	.30	.03		.40	.40	.08		.25	.50			.01	19
20	.05	.60		.50	.30	.15	.08	.05	.01				20
21	.20	.02		.80	.05	.17	.04	.04	.10			.70	21
22	.02			.05		.02	.40	.10		.05		.18	22
23	.40			1.0		.06	.30	.22				.15	23
24	.22		.15	.03			.35	.10				.40	24
25	.20		1.02	.05		.02					.15	.60	25
26	.08	.08	.20	.22	.03	.06	.93		.02			.25	26
27	.45	.10	.70	.48	.	.07	.30		.08		.30	.10	27
28	.62	.12	.70	.47	.40	.70	.05				.30	.70	28
29	.95	.08	.60	.18	.20	.20	.30				.10	.35	29
30	.45		.30	.04	.20	.15	.30				.25	.85	30
31	.22		.90		.02		.30			.05		.80	31
TOTAL	.25 / 7.46 / 7.56	.03 / 4.26 / 4.24	.49 / 8.86 / 9.23	.53 / 9.76 / 9.88	.10 / 5.72 / 5.80	.32 / 4.43 / 4.65	.10 / 8.23 / 8.01	.04 / 3.35 / 3.29	.95 / 5.05 / 5.96	.95 / 5.29 / 5.29	.40 / 4.14 / 3.59	.30 / 6.77 / 6.67	73.47 ✓ / YEAR'S TOTAL / 70.32
Days with .01 in. or more	27	20	24	29	22	20	29	20	19	15	17	19	261 ✓

(41283). Wt. 21,958—218 7500. 10/19. Gp.132. A.&E.W.

04 26 17 18 22 21 25 19 17 26 15 15 12 13 15 222

FORM A2.
BRITISH RAINFALL.

LLANYBYTHER
WEST WALES SANATORIUM
CARMARTHENSHIRE
1911 - 13

Kept at West Wales

in the County of Ca

by H.O.Blanfo

n.

d 1 ft. in.

evel 785 ft.

8 JAN 1912

Llanybyther.

ce 3¼ Direction N.W.

IMPORTANT N result entered to the previous day. If an rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·15	·23.	·69	·14	·01	·45			·2	·56	1
2			·02	·05	·08			·17		·24.	·05	·8	2
3			·05	·05	·82,			·1	·05		·41	·56	3
4			·27		·01			1·35	·01		·37	·57	4
5	·38.		·18	·01				·23		·12.	·09	·05	5
6	·19		·15					·09			·1	·93	6
7	·06.										·35		7
8	·33		·32								·6	·82	8
9	·11		·03								·9	·82	9
10	·14.	·19.	·74								·02	·76	10
11	·34.	·05	·09						·06		·03	·15	11
12		·01	·58		·48				2·06.	·05	1·0	·22	12
13			·01.		·17						·27	·1	13
14	·02.	·08	·06.		·05						·65	·54	14
15	·02.	·19	·02.		·01	·12					1·12	·04	15
16	·01.	·07				1·34.					·31	·75	16
17	·01.	·02	~~·05~~	·05		1·43.					·1	1·0	17
18		·36	·05	·51		·46			1·04.	·02	1·29	1·17	18
19		·09		·51		·25			·16.	·2	1·21	1·05	19
20	·03.	·18.		·25		·03			·32.	·39.		·2	20
21		·33	·01	·09		·32			·06	1·12		·13	21
22	·03	·29		·11		·02			·28	·45	·01	·63	22
23	·02.	·10	·02.	·01		·53		·16.	·03	·80		·5	23
24	·07	·25		·01	·03	·75		·28	·44	·42		·57	24
25	·04	·04		·27		·45		·01	·01	·13		·2	25
26	·02	·21		·41				·13.	·02	·32		·2	26
27		·56	·02	·06.	·01		·23	1·45.	·61	·01	·1	·05	27
28		·19	·02.	·20				·02				·01	28
29			·01.	·31		·35	·17	·13.	·27.	·72		·04	29
30				·01.		·05	·11			·4	·33	·01	30
31							·2			·13		·01	31
Total	1·87.	3·19	2·8·0	3·14	2·35	6·24	·72	4·57	5·42	5·52	9·51	13·64	TOTAL for year 58·97.
No. of Rain Days	18.	18	20	18.	10	14	5	13	15	16	22	30	~~58·97~~ 199

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1911

Kept at West Wales Sanatorium. Llanybyther

in the County of Carmarthenshire

by H.O. Blanford.

RAIN GAUGE: Pattern ____ Diameter of top 5" in. Height of top above Ground 1 ft. ____ in. " " " Sea Level 785 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Llanybyther. Distance 3 M. Direction N.W.

8 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05		.15	.23	.69	.14	.01	.45			.2	.56	1
2			.02	.05	.08			.17		.24	.05	.8	2
3			.05	.05	.82			.1	.05		.41	.56	3
4			.27		.01			1.35	.01		.37	.57	4
5	.38		.18	.01				.23		.12	.09	.05	5
6	.19		.15					.09			.1	.93	6
7	.06										.35		7
8	.33		.32								.6	.82	8
9	.11		.03								.9	.82	9
10	.14	.19	.74								.02	.76	10
11	.34	.05	.09						.06		.03	.15	11
12		.01	.58		.48				2.06	.05	1.0	.22	12
13			.01		.17						.27	.1	13
14	.02	.08	.06		.05						.65	.54	14
15	.02	.19	.02		.01	.12					1.12	.04	15
16	.01	.07				1.34					.31	.75	16
17	.01	.02	.05	.05		1.43					.1	1.0	17
18		.36	.05	.51		.46			1.04	.02	1.24	1.17	18
19		.09		.51		.25			.16	.2	1.21	1.05	19
20	.03	.18		.25		.03			.32	.39		.2	20
21		.33	.01	.09		.32			.06	1.12		.13	21
22	.03	.29		.11		.02			.28	.45	.01	.63	22
23	.02	.10	.02	.01		.53		.16	.03	.80		.5	23
24	.07	.25		.01	.03	.75		.28	.44	.42		.57	24
25	.04	.04		.27		.45		.01	.01	.13		.2	25
26	.02	.21		.41				.13	.02	.32		.2	26
27		.56	.02	.06	.01		.23	1.45	.61	.01	.1	.05	27
28		.19	.02	.20				.02				.01	28
29			.01	.31		.35	.17	.13	.27	.72		.04	29
30				.01		.05	.11			.4	.33	.01	30
31							.2			.13		.01	31
Total	1.87	3.19	2.80	3.14	2.35	6.24	.72	4.57	5.42	5.52	9.51	13.44	TOTAL for year 58.47
No. of Rain Days	18	18	20	18	10	14	5	13	15	16	22	30	~~58.47~~ 199

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 8 JAN 1913

Kept at West Wales Sanatorium Llanybyther.

in the County of Carmarthenshire.

by W. Hanford.

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llanybyther

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground ..... ft. 11" in.

" " " " Sea Level 780. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·50	·00	·02	·92	·36	·08	·07	·00	·21	·25	1
2	·02	·10	·59	·04	·00	·59	·03	·00	·00	·00	·01	·00	2
3	·00	·00	·19	·01	·04	·07	·00	1·42	·05	·00	·50	·20	3
4	·62	·00	1·40	·01	·07	·00	·00	·19	·01	·00	·15	·06	4
5	·50	·18	·43	·00	·30	·00	·00	·20	·04	·00	·12	·02	5
6	·48	·26	·00	·00	·07	·00	·00	·20	·15	·00	·04	·22	6
7	·00	·69	·30	·04	·01	·64	·32	·22	·15	·00	·01	·30	7
8	·69	·31	·42	·02	·00	·20	·00	1·00	·02	·00	·00	·00	8
9	·06	·36	·13	·08	·00	·03	·28	·19	·17	·00	·05	·30	9
10	·52	·10	·00	·00	·00	·00	·22	·00	·04	·00	·02	·00	10
11	·03	·02	·00	·00	·00	·00	·15	·00	·00	·00	·40	·90	11
12	·11	·00	·47	·19	·04	·00	·12	·09	·00	·00	·30	·05	12
13	·02	·00	·19	·00	·00	·00	·10	·19	·00	·47	·00	·49	13
14	·38	·06	·50	·00	·00	·02	·00	·34	·00	·02	·00	·12	14
15	·47	·13	·00	·00	·00	·30	·00	·20	·01	·00	·02	·25	15
16	·20	·45	1·05	·00	·12	·05	·00	·51	·00	·25	·02	·18	16
17	·40	·02	·19	·00	·00	·29	·00	·85	·00	·00	·30	·72	17
18	·42	·10	·19	·00	·00	·01	·00	·60	·00	·21	·20	·08	18
19	·00	·40	·00	·00	·00	·06	·00	·56	·00	·08	·01	·15	19
20	·00	·05	·59	·00	·05	·10	·00	·03	·00	·43	·09	·19	20
21	·00	·47	·77	·00	·15	·02	·02	·40	·00	·72	·01	·21	21
22	·41	·60	·30	·00	·78	·20	·00	·92	·00	·13	·05	·25	22
23	·20	·02	·25	·00	·00	·30	·04	·57	·00	·25	·08	·24	23
24	·07	·14	·11	·00	·00	·50	·00	·01	·00	·00	·30	·15	24
25	·01	·07	·10	·00	·00	·28	·00	·46	·00	·07	·50	·52	25
26	·00	·18	·23	·00	·00	·00	·17	·55	·00	1·60	·91	·38	26
27	·00	·11	·21	·00	·00	1·28	1·30	·00	·00	·83	·11	·55	27
28	·00	·48	·02	·00	·00	·65	·53	·58	·08	·61	·83	·00	28
29	·00	·20	·00	·00	·00	·07	·15	·79	·73	·58	·00	·02	29
30	·00		·13	·06	·01	·20	·19	·03	·00	·50	·05	·04	30
31	·05		·40		·02		·49	·08		·22		·18	31
Total	5·66	5·50	9·66	·45	1·68	6·98	4·47	11·46	1·52	6·97	5·29	7·02	YEAR'S TOTAL 66·66
Rain Days.	19.	24.	25.	8	13	22.	16	27	12	16	26	27.	235

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

Ex 32

FORM 'A.' BRITISH RAINFALL. 3 JAN 1914

Kept at West Wales Sanatorium, Llanybyther

in the County of Carmarthenshire

by Dr H. O. Blanford.

Lat. ..... Long. .....

Time of Observation 9.30 a.m.

Nearest Railway Station Llanybyther G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 785 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·33	·36	·35	·20	·00	·00	·00	·00	·00	·56	·02	1
2	·20	·36	·33	·33	·22	·13	·00	·00	·00	·36	·50	·40	2
3	·20	·10	·22	·00	·45	·00	·00	·00	·90	·00	·32	·42	3
4	·75	·01	·22	·00	·02	·18	·00	·00	·05	·00	·00	·58	4
5	·28	·13	·05	·00	·11	·48	·50	·00	·00	·00	·00	·39	5
6	·83	·25	·36	·00	·20	·26	·00	·00	·00	·00	·52	·30	6
7	·42	·96	·03	·00	·51	·57	·00	·00	·00	·80	·00	·03	7
8	·00	·53	·05	·00	·15	·07	·00	·30	·00	·90	·18	·04	8
9	·00	·40	·22	·02	·34	·92	·51	·01	·00	·30	·92	·04	9
10	·79	·00	·13	·20	·15	·00	·09	·56	·00	·31	·30	·01	10
11	·55	·00	·00	·50	·05	·00	·00	·04	·00	·16	·60	·02	11
12	·02	·00	·00	·00	·60	·06	·05	·20	·74	·00	·85	·00	12
13	·13	·00	·65	·00	·03	·00	·06	·01	1·45	·06	·28	·00	13
14	·20	·00	·13	·34	·00	·00	·00	·00	1·02	·20	·10	·03	14
15	·44	·00	1·19	1·35	·00	·00	·00	·10	·00	·00	·00	·00	15
16	·11	·00	·13	·12	·00	·00	·01	·00	·00	·00	·02	·00	16
17	·40	·00	·39	·20	·00	·00	·20	·00	·00	·00	·23	·00	17
18	·20	·00	·54	·24	·00	·00	·00	·00	·00	·00	·09	·00	18
19	·94	·00	·09	·00	·10	·18	·25	·00	·27	·33	·08	·00	19
20	·18	·00	·46	·40	·13	·10	·00	·00	·08	·00	1·08	·00	20
21	·02	·00	·45	·24	·20	·00	·39	·24	·00	·00	·15	·00	21
22	·74	·00	1·10	·15	·03	·00	·00	·80	·75	·00	·00	·00	22
23	·13	·00	·10	·15	·00	·00	·00	·00	·48	·00	·16	·00	23
24	·21	·20	·00	·30	·00	·10	·00	·00	·00	·28	·20	·00	24
25	·00	·01	·00	·33	·00	·00	·00	·00	·20	·02	·00	·03	25
26	·00	·02	·00	1·84	·00	·00	·00	·00	·00	·00	·00	·70	26
27	·23	·0	·31	·44	·19	·00	·00	·00	·00	·27	·00	·25	27
28	·39	·00	·22	·37	·25	·00	·00	·00	·00	·52	·00	·38	28
29	·00		·21	1·12	·20	·00	·00	·00	·00	·02	·01	·00	29
30	·50		·01	·16	·00	·00	·00	·00	·00	·26	·03	·00	30
31	·04		·30		·00		·00	·00		·20		·00	31
Total	8·96	3·30	8·30	9·15	4·13	3·05	2·06	2·31	5·94	5·79	7·18	3·64	YEAR'S TOTAL 63·81
Rain Days.	26	12	26	21	20	11	9	9	10	16	21	16	197

W.7,000, XI. 13

TELEPHONE No. 3.
STATION: ST. CLEARS, G.W.R.

From

LAUGHARNE
BROADWAY
CARMARTHEN

1914 - 1920

4 JAN 1917

Jan. 2. 1917

...all organization

Dear Sir

...of rain on 1st October ... Cooper - the Gardener did not measure this with absolute accuracy. - It was pouring with rain at the time and after measuring out the two inches he still found a little left in the gauge, which he estimated at about .03 or left in. to be measured in the fall of the 2nd

Yours ffly
S. Hunt Dalton

7	0·25	0·24	0·43	0·09	0·60	0·11	0·70	0·50	0·09	0·10		0·02	7
8	0·32		0·05	0·08	0·34	0·04		0·44			0·10		8
9	0·66	0·20	0·04	0·13	0·40	0·50		0·15	0·09		0·03	0·10	9
10		0·45		0·33	0·03	0·05			0·50				10
11		0·32	0·71		0·20						0·45	0·48	11
12		0·40	0·27				0·01		0·40				12
13		0·45	0·46	0·03			0·15		0·77	0·04	0·18	0·31	13
14		0·40	0·24				0·02	0·66			0·50	0·09	14
15			0·12					0·02	0·20		0·36	0·10	15
16		0·02					0·05		0·30			0·12	16
17		0·52	0·21				0·07		0·05			1·02	17
18		0·07	0·11				0·03				0·05	0·48	18
19		0·13	0·10				1·40					0·18	19
20		0·33	0·22			0·35						0·50	20
21		0·30						0·10		0·30			21
22		0·08	0·02	0·03	0·04		0·01	0·11		0·65			22
23		0·13	0·40				0·03	0·50		0·14			23
24			0·14				0·01			0·04	0·12	0·01	24
25	0·27		0·27				0·18	0·90		0·63	0·15	0·67	25
26			0·03							0·17	0·50	0·47	26
27		0·08									0·30	0·87	27
28	0·10	0·05	0·45		0·07		0·03			0·09	0·07	0·54	28
29	0·35		0·10			0·01	0·02	0·02			0·60	0·02	29
30	0·02		0·12		0·03						0·37	0·35	30
31	0·28				0·10		0·60			0·30		0·50	31
Total	2·55	4·27	5·20	1·38	2·69	1·29	5·38	4·59	2·40	2·47	4·97	8·43	YEAR'S TOTAL 45·62
Rain Days.	9	18	24	9	14	7	19	14	8	11	18	25	176

EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
1,000, XI. '12
Price 2d.

TELEPHONE No. 3.
STATION: ST. CLEARS, G.W.R.

BROADWAY ESTATE.

4 JAN 1917

From
S. Grant-Dalton,
Laugharne,
Carmarthenshire.

Jan. 2. 1917

To Director -
British Rainfall organization

Dear Sir - with reference to the 2" fall of rain on 1st October I regret to say that the observer - Cooper - the Gardener did not measure this with absolute accuracy. - It was pouring with rain at the time and after measuring out the two inches he still found a little left in the gauge, which he estimated at about .03 or left in, to be measured in the fall of the 2nd

Yours truly S. Grant Dalton

7	0·25	0·24	0·43	0·09	0·60	0·11	0·70	0·50	0·04	0·10		0·32	7
8	0·32		0·05	0·08	0·34	0·04		0·44			0·10		8
9	0·66	0·20	0·04	0·13	0·40	0·50		0·15	0·09		0·03	0·10	9
10		0·45		0·33	0·03	0·05			0·50				10
11		0·32	0·71		0·20						0·45	0·48	11
12		0·40	0·27				0·01		0·40				12
13		0·45	0·46	0·03			0·15		0·77	0·04	0·18	0·31	13
14		0·40	0·24				0·02	0·66			0·50	0·09	14
15			0·12					0·02	0·20		0·36	0·10	15
16		0·02					0·05		0·30			0·12	16
17		0·52	0·21				0·07		0·05			1·02	17
18		0·07	0·11				0·03				0·05	0·48	18
19		0·13	0·10				1·40					0·18	19
20		0·33	0·22			0·35						0·50	20
21		0·30						0·10		0·30			21
22		0·08	0·02	0·03	0·04		0·01	0·11		0·65			22
23		0·13	0·40				0·03	0·50		0·14			23
24			0·14				0·01			0·04	0·12	0·01	24
25	0·27		0·27				0·18	0·90		0·63	0·15	0·67	25
26			0·03							0·17	0·50	0·47	26
27		0·08									0·30	0·87	27
28	0·10	0·05	0·45		0·07		0·08			0·09	0·07	0·54	28
29	0·35		0·10			0·01	0·02	0·02			0·60	0·02	29
30	0·02		0·12		0·03						0·37	0·35	30
31	0·28				0·10		0·60			0·30		0·50	31
Total	2·55	4·27	5·20	1·38	2·69	1·29	5·38	4·59	2·40	2·47	4·97	8·43	YEAR'S TOTAL 45·62
Rain Days.	9	18	24	9	14	7	19	14	8	11	18	25	176

EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

1,000, XI. '12

Price 2d.

Kept at Broadway Gardens Laugharne

in the County of Carmarthenshire

by A. H. Corfen Gardener to H. Eccles Esqr.

Lat. 51° 45' 38" Long. 4° 28' 45" W

Time of Observation 9 A.M.

Nearest Railway Station St Clears

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level 174 ft.

R. M. A. RAINFALL. JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						0.23	0.61	1.08			0.27	0.50	1
2					0.05		0.28				0.60	0.03	2
3	- -		0.27	0.19	0.62			0.02			0.12	0.07	3
4	0.30		0.03	0.30	0.06			0.06				0.40	4
5	- -		0.29	0.20	0.05		1.12					0.02	5
6		0.10	0.12		0.10		0.06	0.03		0.01	0.20	0.28	6
7	0.25	0.24	0.43	0.09	0.60	0.11	0.70	0.50	0.09	0.10		0.32	7
8	0.32		0.05	0.08	0.34	0.04		0.44			0.10		8
9	0.66	0.20	0.04	0.13	0.40	0.50		0.15	0.09		0.03	0.10	9
10		0.45		0.33	0.03	0.05			0.50				10
11		0.32	0.71		0.20						0.45	0.48	11
12		0.40	0.27				0.01		0.40				12
13		0.45	0.46	0.03			0.15		0.77	0.04	0.18	0.31	13
14		0.40	0.24				0.02	0.66			0.50	0.09	14
15			0.12					0.02	0.20		0.36	0.10	15
16		0.02					0.05		0.30			0.12	16
17		0.52	0.21				0.07		0.05			1.02	17
18		0.07	0.11				0.03				0.05	0.48	18
19		0.13	0.10				1.40					0.18	19
20		0.33	0.22			0.35						0.50	20
21		0.30						0.10		0.30			21
22		0.08	0.02	0.03	0.04		0.01	0.11		0.65			22
23		0.13	0.40				0.03	0.50		0.14			23
24			0.14				0.01			0.04	0.12	0.01	24
25	0.27		0.27				0.18	0.90		0.63	0.15	0.67	25
26			0.03							0.17	0.50	0.47	26
27		0.08									0.30	0.87	27
28	0.10	0.05	0.45		0.07		0.03			0.09	0.07	0.54	28
29	0.35		0.10			0.01	0.02	0.02			0.60	0.02	29
30	0.02		0.12		0.03						0.37	0.35	30
31	0.28				0.10		0.60			0.30		0.50	31
Total	2.55	4.27	5.20	1.38	2.69	1.29	5.38	4.59	2.40	2.47	4.97	8.43	YEAR'S TOTAL 45.62
Rain Days.	9	18	24	9	14	7	19	14	8	11	18	25	176

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.

Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Cawdley mm stats 16.V.16

REGISTER OF RAINFALL IN 1915

4060

FORM A. BRITISH RAINFALL.

4 JAN 1916

Kept at Broadway Laugharne

in the County of Carmarthen

by A H Cooper Gardener to H. Eccles Esq.

Lat. 51·45·38 N Long. 4·28·45 W

Time of Observation 9. a.m.

Nearest Railway Station St Clears GWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 177 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·23	·57 ~~·61~~	·01		·27	"		·38	·13	·35		·25	1
2	·41	·25 ~~·70~~	·40	·34		·20		·29	·06			·10	2
3		·08	·32	·03	·10		·07	·22				·47	3
4	·05	·20	·03			·06	·12					·53	4
5	·12	·44	·01	·19		·05		·14				1.18	5
6	·40	·25		·23			·45	·27				·03	6
7	·28	·50					·10	·10		·40		·35	7
8	·16	·55						·12			·47	·02	8
9	·15	·25		·18				·13		·04		·85	9
10	·57	·20	·05					·07		·25		·14	10
11	·03	·05				·19				·05	1.65		11
12	·35	·30		·04	·22			·02		·12	·75	·25	12
13	·02	·20			·48			·04	·22		·07	·27	13
14	·11							·07	·21			·67	14
15	·26	·10			·38		·39		·07			·30	15
16	·04	(1·15)		·02	·14		·57					·40	16
17	·06	·44					~~·69~~						17
18	·05	·53					~~·67~~ 29					·01	18
19		·03		·15	·50		·67					·10	19
20	·65	·15								·15			20
21	·71	·01			·02		·21		·03	·21		·20	21
22	·08	·09	·15	·06		·09	·58		·04	·07		·53	22
23	.	·14	·24	·02		·16	·23		·11	·66		·32	23
24				·08			·13			·20		·13	24
25						·34			·02			·15	25
26		·38				·03	·27		·07			·43	26
27		·13				·10	·25			·86		·12	27
28		·14				·04			·29	·08		·04	28
29						·96		·02	·30	·05	·38	·10	29
30	·12	X		·45				·23	·05	·54	·33	·34	30
31		X	X		X		·49		X		X	·30	31
Total	4·85	7·10	1·21	1·79	2·11	2·22	4·62	2·10	1·60	4·03	3·65	8·58	YEAR'S TOTAL 43·86
Rain Days.	21	25	8	12	8	11	15	14	13	15	6	28	176

W. 8,000. X. 15.

See letter attached

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 4 JAN 1917

Kept at Broadway — Laugharne

in the County of Carmarthen

by A. H. Cooper, Gardener to H. Eccles Esq.

Lat. 51·45·37 Long. 4·29·46

Time of Observation 9 AM

Nearest Railway Station St. Clears

Diameter of Rain Gauge 5. in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 174 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·34	0·06					0·06			2·03	0·50		1
2	0·42	0·30	0·26		0·01				0·64	1·08	0·37	0·02	2
3	0·02	0·78	0·05	0·005		0·34			0·19	0·76	0·09	0·04	3
4	0·30	0·25		0·07	0·29	0·42			0·10	0·14	0·56	"	4
5	0·14	0·17			0·09	0·06	0·05		0·02	"	0·12	0·17	5
6	0·29	0·16			0·30	0·02	1·00			0·02	0·50		6
7	0·05	0·03			0·15		0·04				0·18	0·12	7
8	"	0·04			0·30	0·27				0·07	0 "		8
9	0·01	0·09									0·16	0·22	9
10	"	0·39		0·14	0·07						0·06		10
11	"	0·05		0·30	0·48		0·10		0·11			0·10	11
12	0·02	0·08	0·04		0·35		0·40	0·48		0·38			12
13	"	0·40	0·12		0·02			0·30		0·14			13
14	"	0·63	0·03		0·12			0·11		0·06			14
15	0·07	0·25		0·35	0·41								15
16	0·05	0·02		0·25	0·03		0·17	0·10		0·46			16
17	0·49	0·27	0·15	0·04					0·68	0·51	0·01		17
18	0·04	0·05	0·25	0·06					0·33	0·04	0·14	1·50	18
19	0·33	0·10	0·14	0·18					0·07		0·08		19
20	0·37	0·16	0·20								0·04	0·30	20
21	0·15		0·14	0·12	0·04	0·16					"	0·12	21
22	"					0·25		0·03		0·32	0·06	0·40	22
23	0·04			0·26		0·07		0·50		0·20		0·06	23
24	"			0·22	0·22	0·09		0·35		0·86	0·40	0·07	24
25	0·03		0·16			0·11		0·44		0·16	"	0·08	25
26	0·05		0·03		0·02	0·45		0·06	0·45	0·50	0·30		26
27	"		0·71			0·04			0·47	0·90		0·90	27
28	"	0·05						0·02	0·10	0·94	0·27		28
29	"	0·21				0·60		0·35		0·59		0·20	29
30	"	X				0·25				0·45	0·07		30
31	"	X		X	0·11	X		0·22	X	0·42	X	0·02	31
Total	3·21	4·54	2·28	1·99	3·01	3·13	1·82	2·96	3·16	10·93	3·91	4·32	YEAR'S TOTAL 45·26
Rain Days.	19	22	13	11	17	14	7	12	11	22	18	16	182

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
W. 500. X. 14.
Price 2d.

REGISTER OF RAINFALL IN 1917.

FORM A. BRITISH RAINFALL.

Kept at Broadway - Laugharne

in the County of Carmarthen.

by A. H. Cooper. Gardener to H. Eccles Esq.

Lat. 51° 45' 37" Long. 4° 29' 46" W.

Time of Observation 9 a.m.

Nearest Railway Station St. Clears. G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 174 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·26	·23					·07		·30	·05	1
2				·21		·02				·08	·07	·09	2
3	·14	·15	·01	·22		·10	1·12			·69	·70		3
4		·12	·35						·07	·18			4
5	·34		·42	·08		·69			·10	·24	·18		5
6			·14			·18				·31	·03	·21	6
7	·02					·04	·57	·50			·21	·05	7
8	·46		·12	·09			·15	1·05	·08	·62	·54	·24	8
9			·05		·08			·15	·04	·13	·12		9
10	·34		·78	·24				·60		·14			10
11	·21			·57				·14		·34	·35		11
12	·52		·06	·03	·94			·20		·40	·01		12
13	·97		·22	·09				·49	·26	·38		·04	13
14				·07				·22		·04		·05	14
15		·01					·06		·17	·30		·43	15
16		·11		·15				·15	·07	·09	·09	·15	16
17		·05	·08	·30	·11		1·33	1·16	·10	·03			17
18					·16		·12	·02	1·07	·06			18
19		·12	·07			·35		·03	·06				19
20		·05			·70	·45		·17			·06		20
21								·08		·04			21
22								1·01		·02			22
23		·35			·13	·02		·31		·20			23
24		·01				·15	·48	·10	·04		·04		24
25			·05			·15	·05	·59	·27	·45			25
26		·11			1·28			·25			·36	·03	26
27			·02		·16	1·05	·90	1·95	·05		·01		27
28			·15		·	·03	·05	·25		·05	·02		28
29			·10					·02		·68	·03	·12	29
30								·40		·12	·04		30
31			·30		·54			·28		·10			31
Total	3·09	1·08	3·18	2·28	4·10	3·23	4·83	10·12	2·45	5·69	3·16	1·46	YEAR'S TOTAL 44·58
Rain Days.	8	10	17	12	9	12	10	24	14	24	18	11	169

EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.

1,000, XI. 18 Waterlow and Sons Limited, Printers, London Wall, London. Price 2d.

Enc° 9/10/18

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL.

Kept at Broadway Llanpumsaint

in the County of Carmarthen

by G. H. Cooper. Gardener & H. Eccles Esq.

Lat. 51° 45' 37" N. Long. 4° 29' 46" W

Time of Observation 9. A.M.

Nearest Railway Station St. Clears. G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 174 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·43		·18	·10			·84		·04	1·02		1
2	·03	·15		·19							·13	·79	2
3		·20		·14	·18			·10	·67	·22	·40	·20	3
4								·21	·47	·51	·70	·73	4
5		·10	·01	·45	·17			·24	·21	·82	·07	·11	5
6		·93		·09		·28		·06	·03	·75		·01	6
7	·07	·20					·02		·36	·67	·02	·18	7
8	·15	·04				·15	·01		·05	·10	·39		8
9	·24	·05		·14		·23	·22		·55	·08	·09	·61	9
10		·10	·03	·05			·59		·09	·03	·20	·68	10
11	·04	·08	·24				·16		·27			·27	11
12	·02	·13			·24				·14			·06	12
13	·29								·75	·38		·21	13
14	·50		·01		·03		·12	·01	·38			·80	14
15	1·09	·02					·86		1·12	·21		·76	15
16	·25			·85			·17	·14	·25	·07		·03	16
17	·42			·23		·18	·30	·05	·19	·05		·47	17
18	·62	·15	·17			·64	·02		·28	·44		·48	18
19	·23	·38		·18			·45	·04	·03			·07	19
20	·24	·08	·13	·45	·14		·05	·07					20
21	·36	·05				·03	·58		·88	·04		·15	21
22					·64	·01	·51		·30	·49		·37	22
23	·59	·02			·28	·02	·18		·05			·01	23
24	·02	·21					·12	·19	·28		·35		24
25		·04			·24		·27	·08	·01	·02	·27	·10	25
26	·12			·02			·03		·14	·15	·10	·72	26
27		·01	·61					·33	·15	·06	·46	·10	27
28		·14	·23							·08		·16	28
29									1·08			·07	29
30		X	·36						·10	·02	·53	·04	30
31		X	·31	X		X			X	·50	X	·12	31
Total	5·28	3·51	2·10	2·97	2·02	1·54	4·66	2·36	8·83	5·73	4·73	8·30	YEAR'S TOTAL 52·03
Rain Days.	18	21	10	12	9	8	18	13	26	22	14	27	198

W. 6,500. VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Broadway – Laugharne

in the County of Carmarthen

by A. H. Cooper – Gardener to H. Eccles Esq. J.P.

Lat. 51° - 45' - 37" N. Long. 4° - 29' - 46" W.
Time of Observation 9.0 a.m.
Nearest Railway Station St Clears - GW.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 174 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.67		.10	.09	.10		.26		.21	.17		.45	1
2	.47		.19		.04							.23	2
3	.02	.02	.06		.36							.38	3
4		.38	.34				.72		.10			.21	4
5	.14	.34							.18			.31	5
6	.18		.70									.38	6
7	.08		.03	.31		.04							7
8	.41		.21			.06						.04	8
9	.24		.06	.20	.08						.49		9
10	.37		.88	.08	.04					.09		.84	10
11	.21		1.20	.10	.33	.10	.07				.18	.08	11
12	.23		.07	.11		1.30			.15	.11	.08		12
13	.68	.10	.05	.20					.17			.37	13
14	.47	.09		.19	.18					.16		.17	14
15	.51	.50			.09					.30		.51	15
16	.13	.26				.01					.29	.10	16
17		1.04				.25		.28			.62	.05	17
18	.03	.40	.84				.06	.28			.50	.03	18
19	.52	.10	.01			.30		.38	.14		.12	.12	19
20	.31	.07	.30		.44				.34			.26	20
21		.80			.14			.04	.16		.09	.11	21
22		.04					.15		.33		.08	.25	22
23						.23			.01	.77		.04	23
24	.40									.28	.23	.30	24
25	.33							.88		.06		.13	25
26	.19		.10	.46					.15		.12	.60	26
27	.41			.45				.33				.03	27
28				.12				.50			.11	.50	28
29			.41	.06				.20				.10	29
30				.14		.11		.52			.53	.39	30
31			.25				.15					.04	31
TOTAL	7.00	4.14	5.80	2.51	1.80	2.40	1.43	3.41	1.94	1.94	3.44	7.02	YEAR'S TOTAL 42.83
Days with .01 in. or more	22	13	18	13	10	9	6	9	11	8	13	28	160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Broadway - Laugharne

in the County of Carmarthenshire

by A. H. Cooper. Gardener

Lat. 51° 45' 37" N. Long. 4° 29' 46" W

Time of Observation 9 a.m.

Nearest Railway Station St Clears. G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 174 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.05	0.03	0.08	0.61	0.01	1.43		0.20	0.05			1
2	0.21	0.04		.10			0.20	0.05		0.30		0.55	2
3	0.35	0.07		0.05	0.01		0.19			0.96		0.25	3
4					0.10			1.22		0.03			4
5			0.02		1.30		1.25	0.06		0.01			5
6	0.06		0.40	0.04	0.56		0.24			0.70			6
7	0.20	0.15		0.09			1.32	0.04				0.17	7
8	0.07			0.84	0.28		0.06	0.62					8
9	0.61	0.30	0.05	1.68			0.30	0.02	0.05		0.04		9
10	1.00		0.17	0.07		0.23	0.03					0.03	10
11	0.08	0.08	0.04	0.34	0.50	0.07	0.40						11
12	0.41	0.30	0.21	0.33		0.24	0.02	0.04		0.12	0.25		12
13	0.07	0.03	0.37	0.22						0.08	0.02		13
14	0.23	0.05	0.98	0.54			0.17		1.02	0.23	0.64		14
15	0.16	0.00	0.02	0.31	0.05	0.41	0.04		0.02	0.06			15
16	0.05	0.03	0.22	0.18	0.13	0.08	0.97		0.54	0.95			16
17	0.35		0.05	"	0.46	0.07	"	0.41	0.41				17
18	0.21	0.01		0.35	0.05	0.09	"	0.06	0.25	0.02			18
19	0.08	0.46		0.44	0.08	0.49	0.10						19
20				0.20		0.03	0.28		0.08			0.25	20
21	0.07	0.02		0.07			0.21					0.03	21
22	0.10		0.01	0.34			0.33	0.03				0.40	22
23	0.25		0.20					0.26				0.59	23
24	0.06		0.63	0.09		0.03	0.02				0.19	0.40	24
25	0.04	0.07	0.12				1.35				0.09	0.01	25
26	0.35	0.03	0.51	0.10		0.16	0.01		0.06			0.12	26
27	0.45	0.04	0.57	0.16		0.68	0.19				1.01	1.08	27
28	0.49	0.15	0.35	0.06		0.10	0.08				0.15	0.04	28
29	0.32	0.05	0.36	0.02	0.06	0.15	0.40					0.52	29
30	0.35		0.12	0.28	0.02	0.60	0.04		1.21	0.25	1.00	0.82	30
31	0.17		0.47		0.01		0.03	0.09		1.08		0.19	31
TOTAL	6.79	2.03	5.90	6.98	4.22	3.44	9.66	2.89	3.84	4.84	3.39	5.45	YEAR'S TOTAL
Days with .01 in. or more	27	19	22	25	15	16	26	12	10	14	9	16	211
	27	16	18	24	12	13	21	10	9	11	8	13	180
69 AV.	4.32	4.11	3.29	2.16	2.62	2.30	3.79	4.26	3.39	5.13	3.97	6.35	45.69

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

The Gardner
Broadway Estate
Longbeach
Cal.
April 16/21

P.S. In case you send me another Register to complete Index, can only the one in use

To

Lewis Salter Esq.

Dear Sir I am sorry

to have given you this trouble but I made the new one out in haste as the Daily Entries are correct as you told me that I have checked them all by my Original register & I hope it will reach you safely I remain

Yours faithfully
A H Cooper